



"KITACO" IS NOT ONLY
A SHARP DRESSER
BUT TOPS IN THE WORLD
OF MOTORCYCLE

KITACO

KITACO NEW PRODUCTS!!

2009
Vol.36

MONKEY/SUPER CUB TYPE ENGINE SERVICE MANUAL (CRANKCASE) Vol.4




- Recommended for big bore kit tuning beginner
- Listed easy-to-understand illustrations and simple descriptions in English (mainly in Japanese)
- Includes basic knowledge and secret tricks

NEW!

- The content was renewed for current lineup.

REMARKS



APPLICATION MONKEY/SUPER CUB TYPE ENGINE

ボアアップKITの組み付け方




SERVICE MANUAL for CRANKCASE

モンキー/スーパーカブ系
横型エンジン

MONKEY SERIES ENGINES


腰下編

横型



※腰下とは?
クランクケース及び、クランクケース内部の部分を指す用語
VOL.4

初めに必ずお読みください オールイラスト図解



このマニュアルはボアアップKITを組み立てるまでの作業項目、クランクケースの分解からクラッチ、ミッションの組み付けまでを主に記載しています。



MONKEY/SUPER CUB TYPE ENGINE SERVICE MANUAL (CRANKCASE) Vol.4

TYPE Vol. 4

NO. 00-0900006

4-STROKE JOG/ZR (CE50) HIGH GEAR KIT



REMARKS

- Reduction ratio (Stock : 3.692 → High gear : 3.357)
- ※ We recommend to install with BIG BORE KIT.
- ※ Hydraulic press and other special tools (following) are required besides basic tools.

| OPTION PARTS (sold separately) | NO. | REMARKS |
|--------------------------------|-------------|--|
| YAMAHA GEAR OIL | - | Recommended gear oil ・ Exchange : 90 ~ 110cst ・ Disassemble : 110 ~ 130cst |
| PULLEY HOLDER | 674-0500900 | Using for clutch outer |
| UNIVERSAL HOLDER | 674-0500000 | Using for clutch outer and clutch |
| DISULFIDE MOLYBDENUM GREASE | 969-0500300 | For beginning |

APPLICATION

- ・ JOG 3P31 07' 3P32 08' 3P34 09' 3P35 09' ・ JOG ZR 3P33 09'
- ・ Vino 5ST1/3/4 04' 5STB/D/F 05' 5STK/L/M/S 06' 5STV/W/X 07'
- ・ Vino (FI MODEL) 13P2/3 08' ・ Vino Molfe 37B1 09'



4-STROKE JOG/ZR (CE50)

HIGH GEAR KIT

NO. 305-0089210

K-CON CABLE TIE (Releasable type)



REMARK

- Can easily attach and remove by releasable type.
- Reusable
- Width : 7mm Max bundle size : 44mm



CABLE TIE (Releasable type)

| TYPE | LENGTH | QTY | NO. |
|-------|--------|-----|----------------|
| BLACK | 165mm | 2 | 0900-700-01101 |



"KITACO" IS NOT ONLY
A SHARP DRESSER
BUT TOPS IN THE WORLD
OF MOTORCYCLE

KITACO

KITACO NEW PRODUCTS!!

**2009
Vol.35**


BIG BORE KIT for FI MODEL available !

**MONKEY (FI MODEL) • LITTLE CUB 50 / DELUXE (FI MODEL)
88cc LIGHT BIG BORE KIT**

REMARKS

- 52mm piston with best compression ratio and high capacity injector included.
- A cylinder which has oil line extract included.
- Race use only
- Compression ratio 10.8 : 1 (stock 10 : 1)
- Valve timing angle
 - IN VALVE : OPEN 10° BTDC/CLOSE 32° ABDC
 - EX VALVE : OPEN 30° BBDC/CLOSE 12° ATDC
- Valve clearance
 - IN VALVE : 0.05 ~ 0.07mm
 - EX VALVE : 0.07 ~ 0.09mm
- Be sure to install with i-map to bring out the engine power.
- Fits with stock air cleaner
- (We recommend to use SUPER FUNNEL or POWER CLEANER)
- Thickness gauge and tappet adjust wrench are required besides basic tools.
 - TAPPET ADJUST WRENCH (For square adjust screw) 674-0900210

| OPTION PARTS (sold separately) | | NO. |
|--------------------------------|-----------|-------------|
| SUPER FUNNEL | MONKEY FI | 514-0500300 |
| SUPER POWER CLEANER (35mm) | CUB FI | 515-6000350 |
| i-map | MONKEY FI | 763-1137000 |
| i-map | CUB FI | 763-1136000 |
| GPR UP MUFFLER (212V TYPE) | MONKEY FI | 548-1137110 |
| GPR DOWN MUFFLER (212V TYPE) | MONKEY FI | 548-1137210 |
| GPR DOWN MUFFLER (M1 TYPE) | MONKEY FI | 548-1137310 |
| CABTON MUFFLER | CUB FI | 543-1136850 |
| IRIDIUM PLUG IUF22 ~ 27A | | — |
| elf MOTO 4 PROTEC 5w40 | | 968-2000021 |
| ROCKER ARM (Titanium) NUT | | 303-1013711 |
| SUPER OIL COOLER KIT | MONKEY FI | 330-1137700 |
| SUPER OIL COOLER KIT | CUB FI | 330-1140700 |
| BREATHER FILTER UP-121 | | 515-3001121 |



APPLICATION • MONKEY Fno.AB27-1900001 ~ • LITTLE CUB50 / DELUXE Fno.AA01- 4000001 ~



**MONKEY (FI MODEL) • LITTLE CUB 50 / DELUXE (FI MODEL)
88cc LIGHT BIG BORE KIT**

| | |
|------|--------------------|
| TYPE | With high camshaft |
| NO. | 214-1137401 |

**MONKEY (FI MODEL) • LITTLE CUB 50 / DELUXE (FI MODEL)
88cc LIGHT BIG BORE KIT**

| | |
|------|-----------------------|
| TYPE | Without high camshaft |
| NO. | 214-1137402 |

Standard item for customizing, FENDERLESS KIT available !

**ADDRESS V125/-G
FENDERLESS KIT**

REMARKS

- BLACK ALUMITE ALUMINUM
- Flat button cap bolt included
- ※ Cut and hole modification are required for stock rear fender.



APPLICATION • ADDRESS V125/-G CF46A/CF4EA ALL



**ADDRESS V125/-G
FENDERLESS KIT**


| | |
|-----|-------------|
| NO. | 691-2407000 |
|-----|-------------|

Available for M4 and M6 !

**K-CON
HARNESS CLIP (For M4 and M6)**

REMARKS

- A clip which is covered with PVC tube keeps the harness without damage.
- Material : BONDERIZED STEEL SHEET IRON



| SIZE | TYPE | A | B | C | D | E | QTY |
|-------------|------|----|-----|----|-----|----|-----|
| For M4 BOLT | | 8 | 4.5 | 42 | 4.8 | 54 | 1 |
| For M6 BOLT | | 11 | 7 | 62 | 5 | 76 | 1 |




| | TYPE | NO. |
|-------------------------|-------------|----------------|
| HARNESS CLIP (CL84554) | For M4 BOLT | 0900-751-09001 |
| HARNESS CLIP (CL117076) | For M6 BOLT | 0900-751-09002 |

Protect the cable and harness with ultrathin corrugate tube !

**K-CON
CORRUGATE TUBE (I.D. 3mm and 5mm)**

REMARKS

- Material : PP (Polypropylene)
- QTY : 2m x 1
- With slits
- ※ Use gloves to protect hands from sharp-cut slits.



| | TYPE | NO. |
|------------------------|----------|----------------|
| CORRUGATE TUBE (BLACK) | I.D. 3mm | 0900-755-05002 |
| CORRUGATE TUBE (BLACK) | I.D. 5mm | 0900-755-05003 |



"KITACO" IS NOT ONLY
A SHARP DRESSER
BUT TOPS IN THE WORLD
OF MOTORCYCLE

KITACO

KITACO NEW PRODUCTS!!

2009
Vol. 34

3-layer condenser which has high cooling effect !

MONKEY (FI MODEL)

SUPER OIL COOLER KIT (3-LAYER CONDENSER)

REMARKS

- Must item for high-tuned engine.
- Race use only
- Exclusive use for KITACO LIGHT BIG BORE KIT
- Mounting bracket included. Bolt-on type.
- 3-LAYER CONDENSER
- Oil capacity : 75cc (Specified amount + 75 ~ 100cc)
- ※ Use with high-capacity oil pump.
- ※ Oil line extract is from the cylinder.



| OPTION PARTS (sold separately) | TYPE | NO. |
|--------------------------------|----------|-------------|
| ULTRA OIL PUMP KIT | | 331-1083400 |
| 88cc LIGHT BIG BORE KIT | FI MODEL | 214-1137401 |

APPLICATION

- MONKEY FNo. AB27-1900001 ~ (FI MODEL)
- ※ For KITACO CYLINDER installed motorcycle



MONKEY (FI MODEL)

SUPER OIL COOLER KIT (3-LAYER CONDENSER)

TYPE For KITACO LIGHT BIG BORE KIT

NO. 330-1137700

3-layer condenser which has high cooling effect !

MONKEY/GORILLA


SUPER OIL COOLER KIT (3-LAYER CONDENSER)

REMARKS

- Must item for high-tuned engine.
- Race use only
- Mounting bracket included. The cylinder mount type.
- 3-LAYER CONDENSER
- Oil capacity : 75cc (Specified amount + 75 ~ 100cc)
- ※ Use with high-capacity oil pump.
- ※ Does not fit with GPR DOWN MUFFLER type1.
- ※ May not be installed by muffler shape.
- ※ Oil line extract is from the ultra clutch cover.



CONDENSER SIZE




| OPTION PARTS (sold separately) | TYPE | NO. |
|---|---------|-------------|
| ULTRA OIL PUMP KIT | For 12V | 331-1083400 |
| SUPER OIL PUMP KIT | For 12V | 331-1083300 |
| ULTRA OIL PUMP KIT | For 6V | 331-1013400 |
| ULTRA OIL PUMP SET (OIL PUMP SPINDLE included) | For 6V | 331-1013500 |
| SUPER OIL PUMP KIT | For 6V | 331-1013300 |

APPLICATION


- MONKEY/GORILLA(For KITACO CYLINDER /LEG SHIELD MOUNTING HOLE installed motorcycle)
- FNo.Z50J-2000001 ~ / AB27-1000001 ~ 1899999 (12V crankshaft)
- XR50R / CRF50F AE03 ALL

⚠ ABOUT KITACO CYLINDER & LEG SHIELD MOUNTING HOLE

Cylinder and head gasket models for 85/88/104/108cc BIG BORE KIT were changed in 2003-2004.
(Except for 75, 117 and 124cc)
Leg shield mounting hole for SUPER CUB is installed at new cylinder.



OLD CYLINDER



NEW CYLINDER



MONKEY/GORILLA

SUPER OIL COOLER KIT (3-LAYER CONDENSER)

TYPE

NO. 330-1123700

3-layer condenser which has high cooling effect !

LITTLE CUB50 / DELUXE (FI MODEL)

SUPER OIL COOLER KIT (3-LAYER CONDENSER)

REMARKS

- Must item for high-tuned engine.
- Race use only
- Exclusive use for KITACO LIGHT BIG BORE KIT
- Mounting bracket included. Bolt-on type.
- 3-LAYER CONDENSER
- Oil capacity : 75cc (Specified amount + 75 ~ 100cc)
- ※ Use with high-capacity oil pump.
- ※ Oil line extract is from the cylinder.



| OPTION PARTS (sold separately) | TYPE | NO. |
|--------------------------------|----------|-------------|
| ULTRA OIL PUMP KIT | | 331-1083400 |
| 88cc LIGHT BIG BORE KIT | FI MODEL | 214-1137401 |

APPLICATION

- LITTLE CUB 50 / DELUXE FNo.AA01-4000001 ~ (FI MODEL)
- ※ For KITACO CYLINDER installed motorcycle



LITTLE CUB50 / DELUXE (FI MODEL)

SUPER OIL COOLER KIT (3-LAYER CONDENSER)

TYPE For KITACO LIGHT BIG BORE KIT

NO. 330-1140700

■ AERO DOWN FENDER type X for MONKEY TYPE O.D. 30mm FRONT FORK



- For KITACO O.D. 30mm FRONT FORK KIT and new O.D. 30mm FRONT FORK KIT type-X
- Fender : FRP WHITE GEL COAT FINISHED
- Stay: CARBON
- Tie-band fastening type
- Fork pitch : 173mm

APPLICATION
For MONKEY TYPE O.D. 30mm FRONT FORK




■ ADDRESS V125/CYGNUS X (FI MODEL) CARBON METER VISOR

- CARBON TWILL PATTERNED
- Double-sided tape attaching type


ADDRESS V125

| APPLICATION | |
|-------------------------|-----------|
| ADDRESS V125/-G (~ K7) | CF46A ALL |
| ADDRESS V125-G (K9) | CF4EA ALL |



CYGNUS X (FI MODEL)

| APPLICATION | |
|---------------------|--------|
| CYGNUS X (FI MODEL) | 28S1/2 |



NOTICE OF CORRECTION - 09 ~ 10 K-BOOK -

- P.503 SIDE STAND for BJ

| NAME | NO. | INCORRECT | CORRECT |
|-----------------|-------------|-----------|------------|
| YS-231 (CHROME) | 656-0010231 | 5XN1/2 | → 5XN1/2/3 |
| YS-233 (CHROME) | 656-0010233 | 5XN3/4 | → 5XN4 |


| NAME | NO. |
|---|-------------|
| AERO DOWN FENDER type X for MONKEY type O.D.30mm FRONT FORK | 680-1137210 |
| ADDRESS V125/-G CARBON METER VISOR | 670-2407700 |
| CYGNUS X (FI MODEL) CARBON METER VISOR | 670-0411700 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY (FI MODEL) • LITTLE CUB 50 (FI MODEL) POWER PACK 50

- Forged piston (WPC + MoS2 shot) included
- i-map included
 - Limiter control function
 - Three channels pre-installed with best fuel injection map & a user setting channel for original setting.
- For racing
- ※ PC and PC INTERFACE CABLE KIT are required to update user setting channel for i-map

For MONKEY (FI MODEL)



KIT CONTENT

| NAME | NO. |
|------------------|-------------|
| FORGED PISTON | 350-1137950 |
| HIGH CAMSHAFT | 300-1137000 |
| i-map | 763-1137000 |
| SUPER AIR FUNNEL | 514-0500300 |
| HEAD GASKET | 961-1137050 |
| BASE GASKET | 962-1136300 |

APPLICATION


MONKEY (FI MODEL)

AB27-1900001 ~

i-map channel setting

| | |
|--|--------------------|
| 1 KITACO MUFFLER (type212V/typeM1) | REV LIMIT 10500rpm |
| 2 KITACO MUFFLER (type212V/typeM1) + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + STOCK AIR CLEANER | REV LIMIT 11000rpm |
| 3 KITACO MUFFLER (type212V/typeM1) + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + AIR FUNNEL | REV LIMIT 11500rpm |
| 4 KITACO MUFFLER (type212V/typeM1) + 88cc BIG BORE KIT + STOCK AIR CLEANER | REV LIMIT 10500rpm |
| 5 KITACO MUFFLER (type212V/typeM1) + 88cc BIG BORE KIT + AIR FUNNEL | REV LIMIT 11500rpm |
| 6 KITACO MUFFLER (racing) + 88cc BIG BORE KIT + AIR FUNNEL | REV LIMIT 11500rpm |
| 7 USER SETTING CHANNEL (Rewritable) | |

For LITTLE CUB 50 (FI MODEL)



KIT CONTENT

| NAME | NO. |
|--------------------------|-------------|
| FORGED PISTON | 350-1137950 |
| HIGH CAMSHAFT | 300-1137000 |
| i-map | 763-1136000 |
| SUPER POWER CLEANER 35mm | 515-6000350 |
| HEAD GASKET | 961-1137050 |
| BASE GASKET | 962-1136300 |

APPLICATION

LITTLE CUB 50 / DELUXE (FI model)

AA01-4000001 ~

※ We recommend to use with POWER INSPIRE for 4-speed transmission with electric starter model.


i-map channel setting

| | |
|--|--------------------|
| 1 KITACO MUFFLER | REV LIMIT 10500rpm |
| 2 KITACO MUFFLER + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + STOCK AIR CLEANER | REV LIMIT 11000rpm |
| 3 KITACO MUFFLER + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + AIR FUNNEL | REV LIMIT 11500rpm |
| 4 KITACO MUFFLER + 88cc BIG BORE KIT + STOCK AIR CLEANER | REV LIMIT 10500rpm |
| 5 KITACO MUFFLER + 88cc BIG BORE KIT + AIR FUNNEL | REV LIMIT 11500rpm |
| 6 USER SETTING CHANNEL (Rewritable) | |

IN STORE NOW!!

PC INTERFACE CABLE KIT for i-map

- Required cable for editing i-map
- For Windows (Windows 2000 SP4 or later)/USB
- ※ Software is required for editing original map.
(Free to download from KITACO website)




IN STORE NOW!!

POWER INSPIRE

SUPER CUB 50 (FI model) / LITTLE CUB (FI model)

- Max speed will be increased by avoiding a system that makes 60km/h running at top gear.



APPLICATION

SUPER CUB 50 CUSTOM (FI MODEL)
FNo.AA01-1700001 ~

LITTLE CUB 50 DELUXE (FI MODEL)
FNo.AA01-4000001 ~

※ Exclusive use for 4-speed transmission with electric starter model.

| NAME | NO. |
|--|-------------|
| MONKEY (FI MODEL) POWER PACK 50 | 230-1137950 |
| LITTLE CUB (FI MODEL) POWER PACK 50 | 230-1136950 |
| PC INTERFACE CABLE KIT for i-map | 763-0500900 |
| SUPER CUB 50/LITTLE CUB 50 POWER INSPIRE | 765-1136700 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY (FI MODEL) BATTERY MOUNT KIT

- Moves a battery to R side from under the seat
- Fits with KITACO TL SEAT & TL SEAT COWL
- ※ Spacer collar is required when using TL SEAL with stock carrier.
- R side cover is included (ABS RESIN/WHITE GEL)
- ※ Does not fit with stock muffler or up-type muffler.
- ※ R side cover is designed based on carburetor type and different design from L side cover.

| APPLICATION |
|--------------------------------------|
| MONKEY (FI Model) Fno.AB27-1900001 ~ |

| REPLACEMENT · OPTION PARTS | | |
|----------------------------|---------------------------------------|----------------|
| | NAME | NO. |
| REPLACEMENT | R SIDE COVER | 615-1137010 |
| OPTION | TL SEAT (STD) | 610-1013330 |
| OPTION | TL SEAT (MESH) | 610-1013340 |
| OPTION | TL SEAT COWL | 650-1083000 |
| OPTION | 6mm ALUMINUM SPACER COLLAR (2 pieces) | 0900-093-01006 |

4 POT BRAKE CALIPER

- Fits with KITACO O.D. 30mm FRONT FORK (3 pieces outer tube)
- ※ Caliper bracket and caliper attaching bolt (M10 P1.25) is required.
- Forged Aluminum / Bronze Alumite finished
- Universal / Caliper attaching pitch : 40mm
- Brake pad included

| OPTION PARTS | | |
|--------------|------------------------|-------------|
| | NAME | NO. |
| | SBS BRAKE PAD 566DC | 777-0566081 |
| | SBS BRAKE PAD 566RQ | 777-0566080 |
| | SBS BRAKE PAD 566RS | 777-0566088 |
| | NSF100 CALIPER BRACKET | 500-1418884 |

DOWEL PIN SET (MONKEY/GORILLA · APE50/XR50 MOTARD)

- Convenient dowel pin set for engine maintenance



| SET CONTENT | APPLICATION | 8 × 12L 989-0800120 | 8 × 14L 989-0800140 | 10 × 14L 989-1000140 | 10 × 16L 989-1000160 |
|---|-----------------|------------------------|------------------------|-------------------------|-------------------------|
| For MONKEY/GORILLA cylinder head, cylinder & crankcase 989-0000010 | MONKEY/GORILLA | × 5 | × 2 | × 2 | |
| For MONKEY/GORILLA cylinder head & cylinder 989-0000020 | MONKEY/GORILLA | × 3 | × 2 | | |
| For APE cylinder head & cylinder 989-0000030 | APE/XR50 MOTARD | | | | × 6 |

ADDRESS V125/-G TANDEM BACK REST WITH CARRIER

- Pipe : Steel / Chrome & Black 2 types available
- Pad : Dimpled design / Black
Height 110mm Width 300mm Depth 100mm
- Pad adjustable
- Maximum load capacity : 3.0g


| APPLICATION |
|---------------------------------------|
| ADDRESS V125/-G (~ K7) CF46A ALL |
| ADDRESS V125-G (K9) CF4EA ALL |



IN STORE NOW!!

BIG DISK ROTOR (For 4 POT CALIPER)

- Stainless ● Disk O.D. : 220mm
- Hole diameter : 58mm P.C.D : 80mm
- Mounting hole diameter : 10mm
- Thickness : 4mm (Size of use limits : 3mm)



※ Rotor bolt is required.
(M8 × 23.5/P1.25)

| | |
|-----------|----------------|
| 1 piece | 0900-500-07000 |
| 5 pieces | 0900-500-07100 |
| 10 pieces | 0900-500-07200 |

| APPLICATION | | | |
|---|----------|----------|-----|
| APE50-D (FI model) | AC18 ALL | NSF100 | ALL |
| APE100-D | HC13 ALL | NSR50/80 | ALL |
| XR50 MOTARD | AD14 ALL | NS-1 | ALL |
| XR100 MOTARD | HD13 ALL | NSR-MINI | ALL |
| Fits with KITACO 30mm FRONT FORK For 30mm FRONT DISK HUB KIT | | | |

| NAME | NO. |
|--|-------------|
| MONKEY (FI MODEL) BATTERY MOUNT KIT | 617-1137100 |
| ADDRESS V125/-G TANDEM BACK REST WITH CARRIER (CHROME) | 652-2411000 |
| ADDRESS V125/-G TANDEM BACK REST WITH CARRIER (BLACK) | 652-2411010 |
| 4 POT BRAKE CALIPER | 500-0100400 |
| NSF100/APE BIG DISK ROTOR (For 4 POT CALIPER) | 500-1418890 |
| DOWEL PIN SET (For MONKEY/GORILLA cylinder head, cylinder & crankcase) | 989-0000010 |
| DOWEL PIN SET (For MONKEY/GORILLA cylinder head & cylinder) | 989-0000020 |
| DOWEL PIN SET (For APE cylinder head & cylinder) | 989-0000030 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


MONKEY ALUMINUM SWING ARM type TT/RS (16cm LONGER)

16cm longer type lightweight & high stiffness swing arm available!

- Main pipe : DOUBLE SQUARED SUPER DURALUMIN
- Buff finished
- Chosen machined axle holder
- ※ Does not fit with stock chain case, chain and rear shock.


| APPLICATION | |
|-----------------------------|--------------------|
| MONKEY (Including FI model) | FN0.Z50J-1300001 ~ |
| GORILLA | FN0.AB27-1000001 ~ |

DOUBLE SQUARED




type TT

- Uses stock chain adjuster
- Rubber chain slider and brake rod are included



type RS

- Chosen Machined Aluminum for chain adjuster
- Rubber chain slider, brake rod and axle shaft are included



| REPLACEMENT/OPTIONAL PARTS | | |
|----------------------------|----------------------------------|-------------|
| REPLACEMENT (COMMON) | CHAIN SLIDER | 519-1123990 |
| | BRAKE ROD (For 16cm longer type) | 519-1123049 |
| OPTION (For RS) | CHAIN ADJUSTER | 519-1123980 |
| | STAND PLATE (SILVER) | 519-1123800 |
| | STAND PLATE (BLUE) | 519-1123810 |
| | STAND PLATE (RED) | 519-1123820 |
| | SWING ARM BUTTON | 519-1123900 |

Bellow parts are required for 16 longer type swing arm

- Required to change rear shock and drive chain.
 - Recommended rear shock size
 - 330mm (Height -5mm) • 350mm (Height +24mm)
 - 365mm (Height +46mm)
 - Recommended drive chain length
 - 100L (Front 13T, Rear 31T)
- Required to change the sprocket to large outside diameter (large teeth) one to avoid scraping chain and swing arm.
- Brake hose is required. (When using rear disk brake type)
- Change brake rod length when attaching ALUMINUM SWING ARM 16cm longer type with KITACO BACK STEP KIT type X (516-1123100).
(BRAKE ROD for 12cm LONGER SWING ARM 519-1123039)

OPTIONAL PARTS for type RS (4/8/12/16 LONGER)

STAND PLATE SET

- Machined Aluminum / Alumite Finished
- Available in Silver, Red and Blue.
- R & L a set



SWING ARM BUTTON SET

- Machined Aluminum
- 2 pieces a set



※ REAR MAINTENANCE STAND is required.

IN STORE NOW!!

ALUMINUM SWING ARM for MONKEY



- typeTT • 4cm LONGER (519-1123010) • 8cm LONGER (519-1123020) • 12cm LONGER (519-1123030)
- type RS • 4cm LONGER (519-1123110) • 8cm LONGER (519-1123120) • 12cm LONGER (519-1123130)

| NAME | NO, |
|---|-------------|
| MONKEY/GORILLA ALUMINUM SWING ARM type TT (16cm LONGER) | 519-1123040 |
| MONKEY/GORILLA ALUMINUM SWING ARM type RS (16cm LONGER) | 519-1123140 |
| STAND PLATE SET (SILVER) for ALUMINUM SWING ARM type RS | 519-1123800 |
| STAND PLATE SET (BLUE) for ALUMINUM SWING ARM type RS | 519-1123810 |
| STAND PLATE SET (RED) for ALUMINUM SWING ARM type RS | 519-1123820 |
| SWING ARM BUTTON for ALUMINUM SWING ARM type RS | 519-1123900 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY/GORILLA 75cc LIGHT BIG BORE KIT (SILVER PAINTED CYLINDER)

- Big bore kit which uses stock cylinder head.
Low cost and suitable for beginners.
- STEEL CYLINDER
- Bore diameter : 48mm
Stroke : 41.4mm
Displacement : 74.87cc



IN STORE NOW!!

**75cc LIGHT BIG BORE KIT
(BLACK PAINTED CYLINDER)**

TYPE A : 212-1013480
TYPE B · C : 212-1123480



| 212-1013481 (TYPE A) | |
|----------------------|-----------------------------|
| MONKEY/GORILLA | FNo.Z50J-1000001 ~ 1510400 |
| CHALY | FNo.CF50-1000002 ~ 2899999 |
| DAX (ST50 6V) | FNo.ST50-1000001 ~ 6346265 |
| CD50 | FNo.CD50-1100001 ~ 1330600 |
| SUPER CUB 50 | FNo.C50-N000002 ~ V488897 |
| | FNo.C50-Z000002M ~ Z069126M |
| | FNo.C50-3000001 ~ 5121324 |
| | FNo.C50-5200011 ~ |
| | FNo.C50-6000037 ~ |

| 212-1123481 (TYPE B · C) | |
|---------------------------------------|----------------------------|
| MONKEY/GORILLA | FNo.Z50J-1600008 ~ 1805927 |
| | FNo.Z50J-2000001 ~ |
| | FNo.AB27-1000001 ~ 1899999 |
| MONKEY BAJA | ALL |
| DAX (12V) | AB26 ALL |
| MOTRA | ALL |
| CHALY (Does not fit with AT model) | FNo.CF50-3000031 ~ |
| JAZZ | ALL |
| MONKEY R/RT | ALL |
| GIOR CUB | AF53 ALL |
| SUPER CUB 50 | FNo.C50-8000001 ~ 9501323 |
| PRESS CUB | FNo.C50-9600001 ~ 0095210 |
| | FNo.C50-0200001 ~ |
| | FNo.AA01-1000001 ~ 1699999 |
| LITTLE CUB | FNo.C50-4300001 ~ |
| | FNo.AA01-1000001 ~ 3999999 |
| CD50/BENLY 50S | FNo.CD50-1500001 ~ |
| BENLY CL50 | |
| SOLO | AC17 ALL |
| MAGNA 50 | AC13 ALL |
| XR50R/CRF50F | AE03 ALL |

**CYGNUS X
TANDEM BACK REST BAR**

Easy-grasp thick bar!

- Tandem Bar : 32mm STAINLESS/BUFF FINISH
- Pad : DIMPLED DESIGN
Height 110mm
Width 300mm
Depth 100mm
- Pad adjustable



| APPLICATION | |
|---------------------|---------|
| CYGNUS X (FI MODEL) | 28S1/2 |
| CYGNUS X | 5UA ALL |

**SKYWAVE 250 (K9) CRANKCASE
COVER GARNISH (FRONT)**

Available for K9 model!

- ABS RESIN
- CHROME PLATED FINISH
- Double-sided tape attaching type
- ※ CRANKCASE COVER GARNISH for REAR
335-2790100 (Common to K7/8 model)



| APPLICATION | |
|---------------------|----------------|
| SKYWAVE 250 (K9) | CJ46A-105793 ~ |
| SKYWAVE 250-S (K9) | CJ46A-104713 ~ |
| SKYWAVE 250-SS (K9) | CJ46A-106023 ~ |

IN STORE NOW!!

CRANKCASE COVER GARNISH (REAR)

- 335-2790100
- ABS RESIN
- CHROME PLATED FINISH
- Double-sided tape attaching type

| APPLICATION | |
|--------------------|-----------|
| SKYWAVE 250/-S | CJ44A ALL |
| SKYWAVE 250/-S/-SS | CJ46A ALL |
| SKYWAVE 400/-S | CK44A ALL |



| NAME | NO. |
|--|-------------|
| MONKEY/GORILLA 75cc LIGHT BIG BORE KIT (SILVER/TYPE A) | 212-1013481 |
| MONKEY/GORILLA 75cc LIGHT BIG BORE KIT (SILVER/TYPE B · C) | 212-1123481 |
| CYGNUS X TANDEM BACK REST BAR | 652-0411000 |
| SKYWAVE 250 (K9) CRANKCASE COVER GARNISH (FRONT) | 335-2794110 |
| SKYWAVE 250/400 (K7 ~) CRANKCASE COVER GARNISH (REAR) | 335-2790100 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY • APE100/-D • KSR110 POWER REV -RW CDI

- Loaded 16bit microcomputer and user can set up original ignition map which can set up 2 types of spark timing map and 6 steps of rev limiter. (10,000rpm ~ 15,000rpm at 1,000rpm intervals)
- **5 maps pre-installed with best map for KITACO BIG BORE KIT**
- Harness and USB cable (50cm) are included.
- ※ It does not activate without battery since battery ignition system is adopted for this product.
- ※ Side stand safety system will not activate.

| SPECIFICATION | |
|-----------------------------|------------------------|
| FORM | BATTERY TYPE CDI |
| MINIMUM STARTING REV SPEED | 500rpm |
| POWER | BATTERY (DC12V) |
| OPERATING VOLTAGE | 9V ~ 18V (RATED VALUE) |
| CONSUMPTION CURRENT | 700mA (MAX) |
| OPERATING TEMPERATURE RANGE | - 5°C ~ 60°C |



SETTING BY CDI

- Can change ignition timing table by lead wire.

| DEFAULT SETTING | TABLE 1 (Disconnecting lead wire) | STD MAP 1/LIMIT 10000rpm |
|-----------------|-----------------------------------|--------------------------|
| | TABLE 2 (Connecting lead wire) | STD MAP 2/LIMIT 10000rpm |

SETTING BY PC

Software for editing ignition map for POWER REV -RW CDI [CDI Editor]

- Free to download from KITACO website (234MB)
- Hardware requirements
 - OS : Windows XP (SP2 32bit regular version)
 - Windows Vista (SP1 32bit regular version)
 - ※ Windows XP SP2 or latest is required.
 - It can not be installed with Windows 2000, XP SP1 or older one.
 - HDD : 250MB or more of free space
- Setting and editing original map & saving map on the PC
- Transfer original map to memory of POWER REV -RW (MAX 3 MAPS)
- Register the memorized map to TABLE 1 & 2

| | |
|--------------------|---------------------------------|
| STD MAP 1 ~ 5 | Preinstalled map/Not rewritable |
| ORIGINAL MAP 1 ~ 3 | Editing map area/Rewritable |



PC/WINDOWS are required!

When you don't use PC, you can use only pre-installed STD map 1 & 2 (TABLE 1 & 2)

| NO. | | 766-1123700 | 766-1422700 | 766-4021700 |
|---|------|------------------------------|---|----------------------------|
| APPLICATION | | 12V MONKEY, GORILLA | APE100/-D (BATTERY MOUNTED) | KSR110 |
| PRE-INSTALLED STD MAP Recommended engine | MAP1 | LIGHT 75cc/88cc | LIGHT115cc • SE125cc/145cc LIGHT STROKE UP 125cc | LIGHT125cc/143cc • SE143cc |
| | MAP2 | SE124cc • STD108cc • SE108cc | SE100cc HEAD SET • SE115cc • DOHC145cc | SE125cc • SE4V143cc/160cc |
| | MAP3 | DOHC124cc • SE117cc | - | SE4V125cc |
| | MAP4 | STD88cc | ALL STOCK | - |
| | MAP5 | SE88cc • DOHC88cc | DOHC125cc | - |


CORRECTION

- '09 ~ 10 [K-BOOK] P.732
LED WINKER SET YG9028 (831-0300200)
Bolt size is changed as indicated in the right picture.

- '09 ~ 10 [K-BOOK] P.668
Muffler joint gasket JPY-4 are all removed from **SUZUKI application**.
• VANVAN200(NH41A) • VANVAN200 FI model (NH42A) • ST250 FI model (NJ4CA)
• GRASS TRACKER/BIG BOY (NJ4DA) • SKYWAVE250/-S/-LIMITED (CJ44A)
• SKYWAVE250-M (CJ45A) • SKYWAVE250/-S/-LIMITED (CJ46A)
Joint gasket for them is under development now.

- '09 ~ 10 [K-BOOK] P.429
LEAD100 (JF16 ALL) is removed from HONDA weight roller application.

- **NEW MODEL ALUMINUM STEERING STEM (501-1123320)**
Does not fit with HEAD LIGHT KIT for MONKEY/GORILLA (800-1125000)
NEW MODEL ALUMINUM STEERING STEM is included in below items.
• 30mm FRONT FORK KIT (For DRUM : 500-1123310 / SILVER HUB for DISK BRAKE : 500-1123320 / BLACK HUB for DISK BRAKE : 500-1123330)
• ALUMINUM TOP BRIDGE & STEM SET (565-1123320)



| NAME | NO. |
|----------------------------------|-------------|
| MONKEY/GORILLA POWER REV -RW CDI | 766-1123700 |
| APE100/-D POWER REV -RW CDI | 766-1422700 |
| KSR110 POWER REV -RW CDI | 766-4021700 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ JOG/-ZR GPR DOWN MUFFLER (M1)

- Sound : 82db
- JMC No. 00640112
- With catalyzer/Fits with AI pipe
- Exhaust pipe : STAINLESS
- Silencer : 110mm ALUMINUM/BLACK ALUMITE FINISH
- Brings out the best performance using with POWER PACK (230-0089950) (Fits with stock model)
- ※ Muffler gasket sold separately (XY-14 963-0000014)





APPLICATION

JOG/JOG ZR (4-stroke · FI model)
3P3 ALL

■ JOG/-ZR · VOX POWER PACK


- Includes POWER DRIVE KIT type3 and i-map
- POWER DRIVE KIT type3 (480-0089400)
 - WEIGHT ROLLER included (3.5g X 6)
- i-map (763-0089000)
 - Three channels pre-installed with best fuel injection map & a user setting channel for original setting.
 - **Limit control function included.**
- ※ PC INTERFACE CABLE and Software (Free to download from KITACO website) are required to update the user setting channel.



APPLICATION


| | |
|-------------------------------------|---------|
| JOG/JOG ZR (4-stroke · FI model) | 3P3 ALL |
| VOX | 3B3 ALL |

| i-map CHANNEL SETTING | 1 | · STOCK | REV LIMIT 10,000 rpm |
|-----------------------------|---|----------------------|----------------------|
| | 2 | · POWER DRIVE KIT | REV LIMIT 10,500 rpm |
| | 3 | · KITACO MUFFLER | REV LIMIT 11,000 rpm |
| | 4 | USER SETTING CHANNEL | |



- **PC INTERFACE CABLE KIT** 763-0500900
- Required cable for editing i-map
- For Windows (Windows 2000 SP4 or later)/USB
- ※ Software is required for editing original map.

- Editing software for i-map **[Fuel Manager]**
- Free to download from KITACO website (32.5MB)
- Hardware requirements
 - OS : Windows 2000 (SP4 32bit regular version)
 - Windows XP (SP1 ~ 3 32bit regular version)
 - Windows Vista (SP1 32bit regular version)
 - HDD : 250MB or more of free space



| NAME | NO, |
|---|-------------|
| JOG/-ZR GPR DOWN MUFFLER (M1) | 548-0089310 |
| JOG/-ZR · VOX POWER PACK | 230-0089950 |
| JOG/-ZR · VOX POWER DRIVE KIT type3 | 480-0089400 |
| JOG/-ZR · VOX i-map (FUEL INJECTION CONTROL UNIT) | 763-0089000 |
| PC INTERFACE CABLE KIT for i-map | 763-0500900 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

Customize your FAZE with KITACO parts!



TANDEM BACK REST


- 25.4mm STAINLESS/POLISHED
- PAD : Height 90mm
Wedth 310mm
Depth 100mm

| APPLICATION | |
|-------------|-----|
| FAZE | ALL |



FENDERLESS KIT

- ALUMINUM/BLACK ALUMITE FINISH
- Reflector kit included



| APPLICATION | |
|-------------|-----|
| FAZE | ALL |



AIR CLEANER COVER GARNISH

- ABS RESIN/CHROME PLATED
- Double-sided tape attaching type



| APPLICATION | |
|-------------|----------|
| FAZE | ALL |
| FORZA | MF10 ALL |

ALUMINUM STEP BOARD (BLACK)

- ALUMINUM/BLACK ALUMITE FINISH
- Well nut and screw are included




| APPLICATION | |
|-------------|-----|
| FAZE | ALL |

IN STORE NOW!!

Recommended parts for FAZE

FRONT FORK COVER

- ABS RESIN/CHROME PLATED
- Double-sided tape attaching type
- R & L a set



| APPLICATION | |
|-------------|----------|
| FAZE | ALL |
| FORZA | MF10 ALL |

ALUMINUM CYLINDER CAP

- MACHINED ALUMINUM/SILVER ALUMITE FINISH
- Sold each
- Fits both R & L



| APPLICATION | |
|-------------|-----------------------------|
| FAZE | ALL |
| FORZA | MF06/08 ALL |
| FORZA | MF10 (Except for ABS model) |
| FTR223 | MC34 ALL |


| NAME | NO. |
|----------------------------------|-------------|
| FAZE AIR CLEANER COVER GARNISH | 590-1817100 |
| FAZE ALUMINUM STEP BOARD (BLACK) | 538-1817010 |
| FAZE TANDEM BACK REST | 652-1817000 |
| FAZE FENDERLESS KIT | 691-1817000 |
| FRONT FORK COVER | 626-1813000 |
| ALUMINUM CYLINDER CAP | 500-1805110 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


MONKEY/GORILLA 8 INCH FRONT DISK HUB KIT type X

- SILVER and BLACK, 2 types available
- Exclusive use for stock front fork
- DISK HUB : MACHINED ALUMINUM/ALUMITE FINISH
- CALIPER SUPPORT : MACHINED ALUMINUM/SILVER ALUMITE FINISH (Common to each kit)
- DISK ROTOR : STAINLESS (O.D. 155mm)
- CALIPER & BRAKE PAD included
- ※ MASTER CYLINDER, BRAKE HOSE and BRAKE FLUID are necessary to install.

| APPLICATION | |
|--|--|
| MONKEY/GORILLA/MONKEY BAJA (Including FI model) | FNo.Z50J-1300017 ~ FNo.AB27-1000001 ~ |
| <ul style="list-style-type: none"> ● Fits with 8 inch 2.50 rims (With tube type) ※ Does not fit with stock wheel ※ Does not fit with KITACO 8 inch cast wheel | |



SILVER





BLACK

| OPTION | No. | REMARKS |
|--|-------------|---|
| MASTER CYLINDER ASSY | 500-0200100 | |
| STAINLESS MESH BRAKE HOSE (700mm) | 773-1013100 | |
| STAINLESS MESH BRAKE HOSE (800mm) | 773-1013210 | |
| STAINLESS MESH BRAKE HOSE (860mm) | 773-1013220 | |
| HIGH THROTTLE SET | | Listed in K-BOOK 09'-10 P.714 ※ Not required for MONKEY BAJA |
| HEAD LIGHT ON/OFF SWITCH KIT | 756-1013700 | Required for 6V model (FNo.Z50J-1300017 ~ 1805927) |
| ALUMINUM WHEEL (With tube type) 8 X 2.50 | | Listed in K-BOOK 09'-10 P.146 |

NSF100/APE DISK ROTOR

- For STOCK CALIPER and 4 POT CALIPER, 2 types available
- Disk : STAINLESS
- Disk O.D. : 220mm
- Hole diameter : 58mm P.C.D. : 80mm
- Mounting hole diameter : 10mm
- Thickness : 4mm (Size of use limits : 3mm)
- ※ Does not include rotor bolt.


| APPLICATION | | | |
|---|------|----------|-----|
| APE50-D (FI model) | AC18 | NSF100 | ALL |
| APE100-D | HC13 | NSR50/80 | ALL |
| XR50 MOTARD | AD14 | NS-1 | ALL |
| XR100 MOTARD | HD13 | NSR-MINI | ALL |
| Fits with KITACO 30mm FRONT FORK For 30mm FRONT DISK HUB KIT | | | |



K-CON
ROTOR BOLT (HONDA type) ○ M8 X 23.5/P1.25 ○ STAINLESS
 ● 1 piece : 0900-500-07000 ● 5 pieces : 0900-500-07100
 ● 10 pieces : 0900-500-07200

LIVE DIO BIG DISK ROTOR

- Disk O.D. : 190mm (Stock : 160mm)
- STAINLESS
- Exclusive ALUMINUM CALIPER SUPPORT included



| APPLICATION | |
|--|--------------------|
| LIVE DIO/-SR/-ZX | FNo.AF35-1400001 ~ |
| SMART DIO-Z4 | AF63 (ALL model) |
| ※ Modification of bottom case is required for AF35-1500001 ~ . | |

NOTICE OF CORRECTION - 09-10 K-BOOK -

- P.570 CRANK CASE COVER GARNISH for SKYWAVE (FRONT)
SKYWAVE 250 (K9 model/CJ46A) is removed from the application.

| | |
|---------------------------------|---------------------------|
| SKYWAVE 250/-S | CJ44A |
| SKYWAVE 250 (Until K8 model) | FNO,CJ46A-100020 ~ 105792 |
| SKYWAVE 250-S (Until K8 model) | FNO,CJ46A-100220 ~ 104712 |
| SKYWAVE 250-SS (Until K8 model) | FNO,CJ46A-101370-106022 |
| SKYWAVE 400/-S | CK44A |

| NAME | NO, |
|--|-------------|
| MONKEY/GORILLA 8 INCH FRONT DISK HUB KIT type X (SILVER) | 500-1083420 |
| MONKEY/GORILLA 8 INCH FRONT DISK HUB KIT type X (BLACK) | 500-1083430 |
| NSF100/APE DISK ROTOR (For STOCK CALIPER) | 500-1418880 |
| NSF100/APE DISK ROTOR (For 4 POT CALIPER) | 500-1418890 |
| LIVE DIO BIG DISK ROTOR | 500-1077880 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY/NSF100 KEIHIN CR mini CARBURETOR KIT

- SPECIAL VENTURI SHAPE for high-efficient intake.
- Venturi diameter : 22mm
- M/J & S/J TYPE : PWK type
- HIGH THROTTLE SET included
(CABLE : 800mm/Does not fit with stock air cleaner)
- Air funnel included.

KEIHIN



| APPLICATION | |
|-------------|---|
| 110-1123119 | MONKEY/GORILLA FNo.Z50J-1300001 ~ FNo.AB27-1000001 ~ 1899999 |
| 110-1418119 | NSF100 |


| PACKING LIST | | MONKEY GORILLA | NSF100 |
|--------------|-------------------------|-------------------|--------|
| NO. | NAME | QTY | QTY |
| 401-1123119 | CR mini 22mm CARBURETOR | × 1 | × 1 |
| 410-1129004 | MANIFOLD SET | × 1 | |
| 410-1418119 | MANIFOLD SET | | × 1 |
| 901-1123119 | HIGH THROTTLE SET | × 1 | × 1 |

ADDRESS V125 EXEX MUFFLER (~ K7 · K9)

- Can fix rigidly by using stay and 2 pieces band.
- Sounds : 82db/3750rpm
- Silencer/Exhaust pipe : STAINLESS
- With catalyzer. Fits with O2 sensor
(For K9 model)
- ※ MUFFLER GASKET sold separately
(XY-02 : 963-0000002)



| NO. | 547-2409000 | 547-2411000 |
|-------------|------------------------------------|----------------------------------|
| APPLICATION | ADDRESS V125-G (~ K7) CF46A ALL | ADDRESS V125-G (K9) CF4EA ALL |
| JMCA NO. | 00632114 | 00632113 |





BW'S125 (FI model) i-map (FUEL INJECTION CONTROL UNIT)

- Responds to each tuning menu.
- Can change four channels for fuel injection map by DIP switch.
- Three channels pre-installed with best fuel injection map for stock and KITACO parts.
- User can set up fuel injection map to make it responsive to another parts by the other channel.
- Limiter control function included.
- ※ PC INTERFACE CABLE is required to update the user setting channel.

| APPLICATION | |
|--------------|---------|
| BW'S125 (FI) | 5S9 ALL |


| i-map CHANNEL SETTING | 1 | STOCK | REV LIMIT 10000 rpm |
|-----------------------------|---|---|------------------------|
| | 2 | PULLEY & SUPER ROLLER SET (10g X6) | |
| | 3 | PULLEY, SUPER ROLLER SET (10g X6) & EXEX MUFFLER | |
| | 4 | USER SETTING CHANNEL | |

| OPTION | | |
|--|--------------------------|--------------------|
| NAME | NO. | 09' ~ 10 K-BOOK |
| HIGH SPEED PULLEY KIT type3 | 490-0407000 | P.456 |
| SUPER DRIVE FACE type3 | 490-0407500 | P.456 |
| SUPER ROLLER SET (5.0 ~ 13.0g/6 pieces a set) | 462-0106050 ~ 0106130 | P.456 |
| EXEX MUFFLER | 547-0412000 | Not listed |



PC INTERFACE CABLE for i-map

- 763-0500900
- Required cable for editing i-map
- For Windows (Windows 2000 SP4 or later)
- USB
- ※ Software is required for editing original map.
(Free to download from KITACO website)




| NAME | NO. |
|--|-------------|
| MONKEY/GORILLA KEIHIN CR mini CARBURETOR KIT | 110-1123119 |
| NSF100 KEIHIN CR mini CARBURETOR KIT | 110-1418119 |
| ADDRESS V125 EXEX MUFFLER (~ K7) | 547-2409000 |
| ADDRESS V125 EXEX MUFFLER(~ K9) | 547-2411000 |
| BW'S125 (FI model) i-map (FUEL INJECTION CONTROL UNIT) | 763-0412000 |
| PC INTERFACE CABLE for i-map | 763-0500900 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY/KSR110 MIKUNI TDMR 32mm CARBURETOR KIT

- Exclusive for over 125cc engine
- Exclusive for KITACO CYLINDER HEAD
- MANIFOLD included
- HIGH THROTTLE SET included
 - HIGH THROTTLE SET (TMR/TDMR) : RESIN THROTTLE
 - HIGH THROTTLE SET (TMR/TDMR · B) : ALUMINUM THROTTLE for 2 throttle cable type



| APPLICATION | |
|----------------|--|
| MONKEY/GORILLA | FNo.Z50J-1300001 ~ FNo.AB27-1000001 ~ 1899999 ● For ULTRA-SE CYLINDER HEAD |
| KSR110 | KL110A ● For ULTRA-SE · ULTRA-SE 4V CYLINDER HEAD |

| SETTING PARTS (Listed in K-BOOK '09-10 P.17) | | |
|---|--------------------------|---|
| NAME | EMBEDDED STANDARD JET | NO. |
| PILOT JET #10 ~ #45 (#2.5 step)/#50 | # 27.5 | 451-3100100 ~ 451-3100500 |
| JET NEEDLE J8-9C01-54 ~ J8-9C01-50 (Lean) J8-9D03-54 ~ J8-9D03-50 J8-9E12-54 ~ J8-9E12-50 (Rich) | J8-9D03-52 | 401-3100540 ~ 544 401-3100545 ~ 549 401-3100550 ~ 554 |
| MAIN JET #60 ~ #160 (#2.5 step) #160 ~ #200 (#5.0 step) #200 ~ #240 (#10.0 step) | # 200 | 450-3010600 ~ 450-3012400 |


※ The photo is for ALUMINUM
THROTTLE for 2 throttle cable type

| KIT CONTENT | | | |
|-------------|----------------------------------|-------------|-------------|
| NO. | NAME | 110-1123700 | 110-1123710 |
| 401-1123113 | TDMR32 CARBURETOR ASSY | × 1 | × 1 |
| 410-1013128 | MANIFOLD (FCR/TDMR) | × 1 | × 1 |
| 413-1123110 | SPIGOT (T) SE/TDMR | × 1 | × 1 |
| 514-0400200 | FUNNEL (TMR32/TDMR32) | × 1 | × 1 |
| 901-1083113 | HIGH THROTTLE SET (TMR/TDMR) | × 1 | - |
| 901-1123113 | HIGH THROTTLE SET (TMR/TDMR · B) | - | × 1 |

SUPER IGNITION COIL SET

- Alternative item for old model 754-1083900
- Increases discharge voltage and brings more power and fuel saving
- With code
- Special bracket included

| APPLICATION | | | |
|----------------|--|-----------------|------------------------------------|
| MONKEY/GORILLA | FNo.Z50J-2000001 ~ FNo.AB27-1000001 ~ 1899999 | APE50 APE100 | FNo.AC16-1000001 ~ 1599999 HC07 |
| MONKEY BAJA | ALL | XR50R/CRF50F | AE03 |




■ SUPER IGNITION COIL

APPLICATION : MONKEY/GORILLA/SUPER CUB/HONDA 4-strokes mini for 12V CDI IGNITION TYPE
DREAM50/NSR50/80/XR100R
DIO/SUPER DIO/LIVE DIO
ZOOMER/TT-R50E

- ※ Does not fit with FI model
○ Recommend to use with SUPER SILICON CODE when using without code.



WITHOUT CODE



WITH CODE

■ SUPER SILICON CODE (BLUE/1m) 754-0901100

NOTICE OF NUMBER CHANGE

Old models are discontinued according to the new models release.


| [K-BOOK] | | OLD NO. | NEW NO. | REMARKS |
|----------|--|-------------|-------------|-----------------|
| P.137 | 30mm FRONT FORK KIT (For DRUM BRAKE) | 500-1123210 | 500-1123310 | CHANGE IN SHAPE |
| P.137 | 30mm FRONT FORK KIT (For DISK BRAKE/SILVER HUB) | 500-1123220 | 500-1123320 | CHANGE IN SHAPE |
| P.137 | 30mm FRONT FORK KIT (For DISK BRAKE/BLACK HUB) | 500-1123230 | 500-1123330 | CHANGE IN SHAPE |
| P.139 | ALUMINUM STEERING STEM (PITCH 199mm/OFFSET 40mm) | 501-1123202 | 501-1123320 | CHANGE IN SHAPE |
| P.139 | ALUMINUM TOP BRIDGE (PITCH 199mm/OFFSET 40mm) | 560-1123202 | 560-1123320 | CHANGE IN SHAPE |
| P.139 | ALUMINUM TOP BRIDGE & STEM SET (PITCH 199mm/OFFSET 40mm) | 565-1123202 | 565-1123320 | CHANGE IN SHAPE |

| NAME | NO. |
|---|-------------|
| MONKEY/KSR110 MIKUNI TDMR 32mm CARBURETOR KIT (For ULTRA-SE/RESIN) | 110-1123700 |
| MONKEY/KSR110 MIKUNI TDMR 32mm CARBURETOR KIT (For ULTRA-SE/ALUMINUM THROTTLE/2 THROTTLE CABLE TYPE) | 110-1123710 |
| SUPER IGNITION COIL SET | 754-1083910 |
| SUPER IGNITION COIL (WITHOUT CODE) | 754-0810000 |
| SUPER IGNITION COIL (WITH CODE) | 754-0810100 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ BW'S125 (FI model) EXEX MUFFLER

- Can fix rigidly by using stay and 2 pieces band.
- Sound : 90db
- JMCA NO. 00642111
- With catalyzer
- Silencer/Exhaust pipe : STAINLESS
- ※ Does not fit with stock fan cover
- ※ MUFFLER GASKET sold separately (XY-17 : 963-0000017)




| APPLICATION |
|------------------------------|
| BW'S125 (FI model) 5S91/2 |



■ SUPER CUB 50 (FI model)/LITTLE CUB 50 (FI model) POWER INSPIRE

- Max speed will be increased by avoiding a system that makes 60km/h running at top gear.
- ※ Be sure to install with i-map to bring out the power of the engine.

| APPLICATION |
|---|
| SUPER CUB 50 CUSTOM (FI model) FNo.AA01-1700001 ~ |
| LITTLE CUB 50 DELUXE FNo.AA01-4000001 ~ |
| ※ Exclusive use for 4-speed transmission and self-starter type. |



■ JOG/-ZR CLEAR WINKER LENS SET (REAR)

- For rear/Direct replacement for stock lens
- R & L a set
- 12V-10W AMBER WEDGE BULB included

- (REPLACEMENT) 12V-10W AMBER WEDGE BLUE (T13) 806-0200100 2pieces

| APPLICATION |
|--|
| JOG/-D/-ZR (4st · FI model) 3P31 ~ 35 |
| ※ Use as a replacement for JOG-ZR since stock lens is clear. |



IN STORE NOW!!
CLEAR WINKER LENS SET (FRONT) 807-0078000
○ R & L a set ○ 12V-10W AMBER WEDGE BULB included

NOTICE

NEW PRODUCT INFORMATION VOL.16

GRAB BAR for AB27 MONKEY does **not fit with KITACO TL SEAT for carburetor model** since this grab bar uses stock rear carrier.
For FI model, it fits with stock seat and KITACO TL SEAT.

APPLICATION

| | |
|---|--------------------|
| MONKEY (including FI model) | FNo.AB27-1400001 ~ |
| ● CARB model : Fits with stock seat. Does not fit with TL SEAT. | |
| ● FI model : Fits with stock seat and TL SEAT. | |

NOTICE OF CORRECTION

- '09 ~ 10 K-BOOK P.790, 791
VIVID BOLT and CAP BOLT

Screw types are changed as indicated in the right picture.

| VIVID BOLT (STAINLESS) | |
|------------------------|----------------|
| M10 × 45 (P1.25) | 0900-100-00006 |
| M10 × 50 (P1.25) | 0900-100-00007 |
| M10 × 55 (P1.25) | 0900-100-00008 |
| M10 × 60 (P1.25) | 0900-100-00009 |

| CAP BOLT (STAINLESS) | |
|----------------------|----------------|
| M10 × 45 (P1.25) | 0900-100-10006 |
| M10 × 50 (P1.25) | 0900-100-10007 |

| NAME | NO. |
|--|-------------|
| BW'S125 (FI model) EXEX MUFFLER | 547-0412000 |
| SUPER CUB 50/LITTLE CUB 50 POWER INSPIRE | 765-1136700 |
| JOG/-ZR CLEAR WINKER LENS SET (REAR) | 807-0088010 |


※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

NSF100 BIG DISK ROTOR KIT

Withstand harsh racing environments by full floating!

- Full floating (Revised from semi floating)
- Disk O.D. 240mm (STD : 220mm)
- OUTER : STAINLESS
INNER : ALUMINUM
- Caliper bracket included

| REPLACEMENT PARTS | NO. |
|-------------------|-------------|
| WAVE WASHER | 500-0700902 |
| FLOATING PIN | 500-0700908 |
| E-RING | 500-0700909 |
| WASHER | 463-1071002 |





| APPLICATION | | | |
|-----------------|---------------|----------|--------------------|
| NSF100 | HR01 ALL | NSR50 | FNo.AC10-1700001 ~ |
| XR50/100 MOTARD | AD14/HD13 ALL | NSR80 | FNo.HC06-1600001 ~ |
| APES0-D/100-D | AC18/HC13 ALL | NSR-MINI | ALL |
| NS1 | ALL | | |

※ Old model 500-1418800 is discontinued (Semi floating).

K-CON STAINLESS β PIN

New minimum size 4mm available!

- Each required size available individually.
Minimum size 4mm was newly added.
- STAINLESS
- QTY : 5 pieces
- ※ Make sure to check the size.



| SIZE (mm) | | | |
|-----------|-----|-----|---------------------------|
| | A | B | RECOMMENDED SHAFT SIZE |
| 4mm | 1.1 | 1 | φ 4 |
| 5mm | 1.5 | 1 | φ 5 |
| 6mm | 1.7 | 1.2 | φ 6 |
| 8mm | 2.4 | 1.7 | φ 8 |
| 10mm | 3.3 | 1.8 | φ 10 |
| 12mm | 4.2 | 1.8 | φ 12 |
| 14mm | 5.5 | 2 | φ 14 |
| 16mm | 6.1 | 2 | φ 16 |

STAINLESS β PIN SET

0900-995-70000

○ Includes 3 pieces for each 5/6/8/10/12/14/16

| NAME | NO. |
|--|----------------|
| NSF100 BIG DISK ROTOR KIT | 500-1418810 |
| RECOIL KIT (M10 X P1.00/FOR SPARK PLUG HOLE) | 674-0711100 |
| RECOIL KIT (M12 X P1.25/FOR SPARK PLUG HOLE) | 674-0711120 |
| K-CON STAINLESS β PIN (4mm) | 0900-995-70004 |
| K-CON STAINLESS β PIN (5mm) | 0900-995-70005 |
| K-CON STAINLESS β PIN (6mm) | 0900-995-70006 |
| K-CON STAINLESS β PIN (8mm) | 0900-995-70008 |
| K-CON STAINLESS β PIN (10mm) | 0900-995-70010 |
| K-CON STAINLESS β PIN (12mm) | 0900-995-70012 |
| K-CON STAINLESS β PIN (14mm) | 0900-995-70014 |
| K-CON STAINLESS β PIN (16mm) | 0900-995-70016 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

RECOIL KIT (FOR SPARK PLUG HOLE)

Available for spark plug hole!

- Recovers broken head of internal thread.
- M10 × P1.00 and M12 × P1.25, 2 types available
- Includes TAP, INSERTION TOOL and RECOIL PACKET (10pieces)
- ※ Includes 5 pieces for each long and short recoil packet for M12 x P1.25



■ KSR110/KLX110 MIKUNI TMR28/32 CARBURETOR KIT

- Provides great intake efficiency in high speed range by seal ring and thinned throttle valve.
 - Responds to rapid acceleration smoothly by hyper-nozzle and accelerator pump.
Chosen plunger accelerator pump and discharges suitable fuel amount for throttle on-off speed.
 - Improves operability by using ball bearing to move throttle valve smoothly
 - Compact size and lightweight
 - Easy to change setting parts
 - Easy engine starting by separate starter function even in cold weather and can warm up steadily after fast idling.
- ※ HOSE JOINT 6mm-8mm and FUEL HOSE 8mm is required to install.



| PACKING LIST | | TMR28 | TMR32 |
|--------------|-------------------------------|-------|-------|
| NO. | NAME | QTY | QTY |
| 401-1418111 | TMR28 CARBURETOR ASSY | × 1 | |
| 401-1418112 | TMR32 CARBURETOR ASSY | | × 1 |
| 410-4021128 | MANIFOLD SET | × 1 | × 1 |
| 413-1418210 | SPIGOT STR (TMR28) | × 1 | |
| 413-1418320 | SPIGOT STR (TMR32) | | × 1 |
| 514-0400100 | FUNNEL (TMR28) | × 1 | |
| 514-0400200 | FUNNEL (TMR32) | | × 1 |
| 901-1083113 | HIGH THROTTLE SET | × 1 | × 1 |
| 110-0502120 | 12 WAY ATTACHMENT (I.D. 26mm) | × 1 | × 1 |

| OPTION | | |
|----------------------------|-----------------------|-------------|
| NAME | TYPE | NO. |
| HOSE JOINT 6mm-8mm | RED | 993-0006080 |
| HOSE JOINT 6mm-8mm | BLUE | 993-0016080 |
| FUEL HOSE 8mm | GREEN | 991-0800000 |
| FUEL HOSE 8mm | PINK | 991-0801000 |
| ALUMINUM HIGH THROTTLE SET | 2 THROTTLE CABLE TYPE | 901-1123113 |

| APPLICATION | |
|-----------------------------------|---------------------|
| KSR110 | FNo.KL110A-A02833 ~ |
| KLX110 | FNo.LX110A-A08133 ~ |
| ※ For KITACO ULTRA-SE 4VALVE HEAD | |

| SETTING PARTS (Listed in K-BOOK '09-10 p.17) | | |
|---|-----------------------|---|
| NAME | EMBEDDED STANDARD JET | NO. |
| PILOT JET (NEW) #10 ~ #45 (#2.5 step)/#50 | # 27.5 | 451-3100100 ~ 451-3100500 |
| JET NEEDLE (NEW) J8-9C01-54 ~ J8-9C01-50 (Lean) J8-9D03-54 ~ J8-9D03-50 J8-9E12-54 ~ J8-9E12-50 (Rich) | J8-9D03-52 | 401-3100540 ~ 544 401-3100545 ~ 549 401-3100550 ~ 554 |
| MAIN JET #60 ~ 160 (#2.5 step) #160 ~ 200 (#5.0 step) #200 ~ 240 (#10.0 step) | # 140 | 450-3010600 ~ 450-3012400 |

■ MINI AERO VISOR SET (CLEAR)

- For MONKEY/APE STOCK HEAD LIGHT
- ACRYLIC/CLEAR
- Screen stay included (CHROME)
- Height: 165mm Width: 210mm
- Stay inner width: 160mm



| |
|--------------------------------|
| ■ MINI AERO VISOR SET (SMOKE) |
| 603-0500000 |
| ● ACRYLIC/SMOKE ● STAY (BLACK) |

■ MONKEY (FI) DIGITAL SPEEDOMETER

- Blue LCD light
- Displays max 199km/h
- ODOMETER display
- With special harness



| APPLICATION | |
|--------------------------------|--------------------|
| MONKEY (FI) | FNo.AB27-1900001 ~ |
| ※ Direct replacement for stock | |



| NAME | NO. |
|---|-------------|
| KSR110/KLX110 MIKUNI TMR28 CARBURETOR KIT | 110-4021920 |
| KSR110/KLX110 MIKUNI TMR32 CARBURETOR KIT | 110-4021930 |
| MINI AERO VISOR SET (CLEAR) | 603-0500010 |
| MONKEY (FI) DIGITAL SPEEDOMETER | 752-1137770 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ APE100/XR100 MOTARD BACK STEP KIT type X

- For race
 - Machined Aluminum / Silver Alumite Finished
 - For disk brake (Does not fit with drum brake)
 - Step : Black Alumite / Fixed type
 - Step position : 165mm back
100mm up
- ※ Does not fit with stock kick pedal.
Requires kick pedal for NSR50.
HONDA GENUINE PARTS No.: 28300-GT4-000

| APPLICATION | |
|---------------|----------|
| APE100 type D | HC13 ALL |
| XR100 MOTARD | HD13 ALL |



Attached image for XR100 MOTARD (Left)


■ CYGNUS X FRONT/REAR FENDER

FRP and CARBON, 2 types available!


- FRP : White Gel Coat Finished
- CARBON : Carbon (Twill Patterned)
- Includes Bolts and Washers

| APPLICATION | |
|-----------------------|---------|
| CYGNUS X (FI MODEL) | 28S1/2 |
| CYGNUS X (CARB MODEL) | 5UA ALL |

■ FRONT



■ REAR




■ LITTLE CUB (FI MODEL) CABTON MUFFLER

Standard style!

- Sound : 80db
 - JMCA No. 00610105
 - STAINLESS
 - With catalyzer
 - Fits with center stand
- ※ Muffler gasket is required for installing.
(XH-01 963-1000001)

| APPLICATION | |
|-----------------------|--------------------|
| LITTLE CUB (FI MODEL) | FNO,AA01-4000001 ~ |



| NAME | NO, |
|--|-------------|
| APE100/XR100 MOTARD BACK STEP KIT type X | 516-1417100 |
| CYGNUS X FRONT FENDER (FRP/WHITE GEL COAT) | 680-0411000 |
| CYGNUS X FRONT FENDER (CARBON) | 680-0411700 |
| CYGNUS X REAR FENDER (FRP/WHITE GEL COAT) | 681-0411000 |
| CYGNUS X REAR FENDER (CARBON) | 681-0411700 |
| LITTLE CUB (FI MODEL) CABTON MUFFLER | 543-1136850 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY ALUMINUM SWING ARM type RS (4cm LONGER/8cm LONGER/12cm LONGER)

- Main pipe : DOUBLE SQUARED SUPER DURALUMIN
- Buff finished
- Chosen machined axle holder (Chain adjuster)
- Rubber chain slider/bending processed brake rod/axle shaft are included
- ※ Does not fit with stock chain case/chain/rear shock

4cm LONGER



- Recommended rear shock length : 265mm (STD height) ~ 285mm (MAX)
- Recommended chain link : 82L

8cm LONGER

- Recommended rear shock length : 285mm (STD height) ~ 305mm (MAX)
- Recommended chain link : 88L

12cm LONGER

- Recommended rear shock length : 305mm (STD height) ~ 330mm (MAX)
- Recommended chain link : 94L



| APPLICATION | |
|--|--------------------|
| MONKEY (including FI model) | FNo.Z50J-1300001 ~ |
| GORILLA | FNo.AB27-1000001 ~ |
| ※ 4cm LONGER type is exclusive use for 8 inch tire | |

| REPLACEMENT PARTS | |
|-------------------|-------------|
| CHAIN SLIDER | 519-1123990 |
| CHAIN ADJUSTER | 519-1123980 |

- OPTIONAL PARTS
SWINGARM BUTTON SET for RS
519-1123900
○ MACHINED ALUMINUM ○ 2 pieces a set

MONKEY (CARB MODEL) GPR MUFFLER (type 212V/type M-1)


2 types available for carburetor model!

■ GPR UP MUFFLER type 212V

- JMCA No. 00610107
- Sound : 79db
- Exhaust pipe/Silencer : STAINLESS
- With carbon heat guard
- ※ Fits with stock kick pedal but we recommend to change to bellow
OPTIONAL KICK PEDAL.



| OPTIONAL KICK PEDAL | |
|---------------------|-------------|
| BLACK | 307-1083900 |
| CHROME PLATED | 307-1083901 |




■ GPR DOWN MUFFLER type M-1

- JMCA No. 00610106
- Sound : 77db
- Exhaust pipe : STAINLESS
- Silencer : O.D.110mm ALUMINUM (BLACK ALUMITE)
- ※ It is necessary to change kick pedal.



| OPTIONAL KICK PEDAL | |
|---------------------|-------------|
| BLACK | 307-1083900 |
| CHROME PLATED | 307-1083901 |




| NAME | NO, |
|---|-------------|
| MONKEY ALUMINUM SWING ARM type RS (4cm LONGER) | 519-1123110 |
| MONKEY ALUMINUM SWING ARM type RS (8cm LONGER) | 519-1123120 |
| MONKEY ALUMINUM SWING ARM type RS (12cm LONGER) | 519-1123130 |
| (OPTIONAL PARTS) SWINGARM BUTTON SET for RS | 519-1123900 |
| MONKEY (CARB MODEL) GPR UP MUFFLER (type 212V) | 548-1123100 |
| MONKEY (CARB MODEL) GPR DOWN MUFFLER (type M-1) | 548-1123300 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

AB27 MONKEY GRAB BAR

- O.D. 16mm CHROME PLATED STEEL
- Fits with carrier
- ※ Does not fit with tool box
- ※ Does not fit with U-shaped lock carrier

| APPLICATION |
|--|
| MONKEY (including FI model) FNO, AB27-1400001 ~ |



APE100 HIGH COMP PISTON KIT (O.D. 53mm)

- Optional parts for KITACO ULTRA-SE 100cc HEAD KIT (221-1413700 ¥78,000)
- FORGED ALUMINUM 3 RING PISTON
- WPC+MOS2 SHOT PROCESS
- Compression ratio : 11.8 : 1 (STD 11.3 : 1) (STOCK 9.4 : 1)
- Gasket included
- ※ Limited-production


| APPLICATION |
|---|
| ● For KITACO APE100 ULTRA-SE 100cc HEAD KIT |



MUFFLER JOINT GASKET (JPY-8/JPK-7/JPK-8)

Joint gasket for new model!

- Prevents exhaust leaks and brings out the full performance of muffler.
- Sold each
- ※ Muffler joint gasket is consumable parts. Make sure to change with new gasket when installing silencer.



| SPECIFIC | APPLICATION / USABLE PLACE | | REMARKS |
|----------|--|---|--|
| JPY-8 | XJR1300 (06 ~) | (1 place between exhaust pipe and silencer) | ● YAMAHA GENUINE NUMBER : 5YU-14714-00 ● 58.0mm x 52.5mm x 30mm |
| JPK-7 | NINJA250R ALL | (1 place between exhaust pipe and silencer) | ● KAWASAKI GENUINE NUMBER : 11009-1667 ● 41.0mm x 34.8mm x 25mm |
| JPK-8 | ZX-6R (09) | (1 place between exhaust pipe and silencer) | ● KAWASAKI GENUINE NUMBER : 11060-1376 ● 61.8mm x 54.0mm x 30mm |
| | ZX-10R (08 ~ 09) | (1 place between exhaust pipe and silencer) | |
| | ZZR1400 (08 ~ 09) GTR1400 (08 ~ 09) | (2 places between exhaust pipe and silencer) (1 place between exhaust pipe and silencer) | |

NOTICE OF CORRECTION - 09-10 K-BOOK -

■ P.637 KEIHIN PE 24mm CARBURETOR INNER PARTS

G ↓ INCORRECT JET NEEDLE SET (N94D) → CORRECT JET NEEDLE SET (36S)

■ P.638 KEIHIN PWK 28M CARBURETOR INNER PARTS

| | | | INCORRECT | CORRECT |
|----|-------------------|-----------|-------------|-------------|
| F1 | JET NEEDLE (N68J) | ↓ (OP) | 401-0800560 | 401-0800549 |
| F1 | JET NEEDLE (N80J) | ↓ (OP) | 401-0800561 | 401-0800560 |
| F1 | JET NEEDLE (N80K) | Lean (OP) | 401-0800549 | 401-0800561 |

| NAME | NO, |
|---|-------------|
| AB27 MONKEY GRAB BAR | 653-1137010 |
| APE100 HIGH COMP PISTON KIT (O.D. 53mm) | 350-1413300 |
| MUFFLER JOINT GASKET (JPY-8) | 973-0000008 |
| MUFFLER JOINT GASKET (JPK-7) | 973-4000007 |
| MUFFLER JOINT GASKET (JPK-8) | 973-4000008 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

ZOOMER (FI/CARB) 160km/h SPEEDOMETER KIT

Stepping motor type!

- For fuel injection and carburetor, 2 types available
- Electrical speedometer (Stepping motor)
- Can change suitable pulse setting for tire size
- Meter O.D. : 60mm
- LED METER LIGHT
- Conversion adapter for electrical speedometer included.
- CLOCK, TRIP METER A/B and ODOMETER functions installed.
- Can select the function with HANDLE SWITCH
- ※ Use special stay and stock meter stay when installing.



| No. | APPLICATION |
|-------------|---|
| 752-1125100 | ZOOMER (CARBURETOR) AF58-1000001 ~ 1699999 |
| 752-1135100 | ZOOMER (FI) AF58-1700001 ~ |

※ The photo is for FI model.

CYGNUS X (FI) FENDERLESS KIT

- STEEL/BLACK
- ※ Stock fender modification is required.



| APPLICATION |
|----------------------|
| CYGNUS X (FI) 28S1/2 |

DURO 8 INCH TUBELESS TIRE (DM1020A 120/70-8/44L)

120 wide tire available!

- Fits with stock swing arm
- High grip type
- Solid each
- Tire brand and size : DURO DM-1020A, 120/70-8/44L
- O.D. : 372 ± 7mm
- Tread width : 118 ± 2mm
- Recommended air pressure : 100 ~ 125kpa (Weight 70kg)
- ※ May not fit with other maker wheel.

| APPLICATION |
|--|
| ● FRONT Fits with only 8 inch 2.50 aluminum cast wheel (Tubeless type) |
| ● REAR 8 inch 3.50 aluminum rims (With tube type) 8 inch 2.50 aluminum cast wheel (Tubeless type) 8 inch 3.50 aluminum cast wheel (Tubeless type) ※ Does not fit with stock chain cover. |
| ※ Does not fit with 8 inch 2.50 rims (With tube type). |
| ※ Aluminum rims require tire tube. |



KSR110/KLX110 5-SPEED SUPER CLOSE-RATIO TRANSMISSION ASSY

Smooth acceleration by upgrading to 5-speed!

- Provides smooth acceleration by segmented gear ratio.
- Chosen high-strength material (machined finish) which can endure under hard driving and racing conditions.
- GEAR RATIO : 1st 3.000 2nd 1.823 3rd 1.400 4th 1.181 5th 1.086
(Stock : 1st 3.000 2nd 1.937 3rd 1.350 4th 1.086)
- Fits with stock clutch and KITACO HIGH GEARED CLUTCH OUTER
- Fits with stock kick starter gear
- ※ Left crank case modification is required when installing.
- ※ Does not fit with neutral switch rotor.

| APPLICATION |
|-------------------|
| KSR110 KL110A ALL |
| KLX110 KX110A ALL |



| NAME | NO. |
|---|-------------|
| ZOOMER (FI) 160km/h SPEEDOMETER KIT | 752-1135100 |
| ZOOMER (CARB) 160km/h SPEEDOMETER KIT | 752-1125100 |
| CYGNUS X (FI) FENDERLESS KIT | 691-0411000 |
| DURO 8 INCH TUBELESS TIRE (DM1020A 120/70-8/44L) | 911-1123108 |
| KSR110/KLX110 5-SPEED SUPER CLOSE-RATIO TRANSMISSION ASSY | 305-4021100 |


※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ APE100 LIGHTING SWITCH KIT

Easy-to-use collective switch!

- Includes HEAD LIGHT ON/OFF SWITCH, CLUTCH LEVER & HOLDER
- Push-to-cancel turn signal switch
- Long lever : 170mm
- With mirror holder : Mirror attaching hole 10mm
- Cable outer length : 960mm
- ※ Attaching space may not be enough when installing with stock handle.

| APPLICATION | |
|-------------|--------------------|
| APE100 | Fno.HC07-1600001 ~ |
| APE100-D | HC13 ALL |



HEAD LIGHT ON/OFF SWITCH KIT

without CLUTCH LEVER & HOLDER is also available!

| APPLICATION | |
|-------------|--------------------|
| APE100 | Fno.HC07-1600001 ~ |
| APE100-D | HC13 ALL |



※ CLUTCH LEVER & HOLDER is required for some model.


※ Be sure to turn on head light when driving on the street.

■ CYGNUS X (FI) ALUMINUM STEP BOARD

Silver & black available!

- Aluminum
- Tapping screw included
- Right & Left a set
- Silver : Aluminum
- Black : Black alumite

| APPLICATION | |
|---------------|--------|
| CYGNUS X (FI) | 28S1/2 |




■ ADDRESS V125/-G BIG DISK ROTOR KIT (For BREMBO 2POT CALIPER)

210mm big disk!

- Disk : Stainless
- Disk O.D. : 210mm (Stock 160mm)
- ※ BREMBO CALIPER and BANJO BOLT for BREMBO are required for installing.

| APPLICATION | |
|--|-----------|
| ADDRESS V125/-G | CF46A ALL |
| ADDRESS V125-G | CF4EA ALL |
| ● Fits with BREMBO 2POT LARGE PISTON (34mm) CALIPER (GOLDLINE 20.6951.42/51) | |




| NAME | NO, |
|---|-------------|
| APE100 LIGHTING SWITCH KIT | 756-1422210 |
| APE100 HEAD LIGHT ON/OFF SWITCH KIT | 756-1422700 |
| CYGNUS X (FI) ALUMINUM STEP BOARD (SILVER) | 538-0411000 |
| CYGNUS X (FI) ALUMINUM STEP BOARD (BLACK) | 538-0411010 |
| ADDRESS V125/-G BIG DISK ROTOR KIT(For BREMBO 2POT CALIPER) | 500-2407890 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ APE50 (FI) 82cc LIGHT BIG BORE KIT

- With high capacity injector
- Aluminum cylinder
- Displacement : 82cc
Bore I.D. : 54mm
Stroke : 35.6mm (stock)
- ※ i-map (763-1138000) is required for installing.

| APPLICATION | |
|--------------|--------------------|
| APE50 (FI) | FNo.AC16-1600001 ~ |
| APE50-D (FI) | AC18 ALL |



■ APE/XR MOTARD OIL JET HEAD COVER

- Allows direct and smooth oil supply to camshaft journal with 2 jet orifices
- Chosen a hole to eject breather freely
- Aluminum die casting/Champagne gold painted
- Direct replacement for stock cylinder head cover
- Fits with KITACO SPL/ULTRA-SE HEAD


| APPLICATION | |
|-----------------|----------------------------|
| APE50 | FNo. AC16-100001 ~ 1599999 |
| APE100 | HC07 ALL |
| XR50/100 MOTARD | AD14/HD13 ALL |
| NSF100 | |



■ MONKEY (FI) GPR MUFFLER (type 212V/type M1)

■ GPR UP MUFFLER type 212V

- JMCA No. 00610108
- Sound : 79db
- With catalyzer
- Exhaust pipe/Silencer : STAINLESS
- With carbon heat guard




| APPLICATION | |
|-------------|---------------------|
| MONKEY (FI) | FNO, AB27-1900001 ~ |



■ GPR DOWN MUFFLER type 212V

- JMCA No. 00610109
 - Sound : 78db
 - With catalyzer
 - Exhaust pipe/Silencer : STAINLESS
- ※ It is necessary to change kick pedal.




| APPLICATION | |
|-------------|---------------------|
| MONKEY (FI) | FNO, AB27-1900001 ~ |



■ GPR DOWN MUFFLER type M1

- JMCA No. 00610110
 - Sound : 80db
 - With catalyzer
 - Exhaust pipe : STAINLESS
 - Silencer : 110mm ALUMINUM (BLACK ALUMITE)
- ※ It is necessary to change kick pedal.



| APPLICATION | |
|-------------|---------------------|
| MONKEY (FI) | FNO, AB27-1900001 ~ |



| NAME | NO, |
|--|-------------|
| APE50 (FI) 82cc LIGHT BIG BORE KIT | 214-1138400 |
| APE/XR MOTARD OIL JET HEAD COVER | 310-1418400 |
| MONKEY (FI) GPR UP MUFFLER (type 212V) | 548-1137110 |
| MONKEY (FI) GPR DOWN MUFFLER (type 212V) | 548-1137210 |
| MONKEY (FI) GPR DOWN MUFFLER (type M1) | 548-1137310 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY DOHC 88cc BIG BORE KIT

- Delivers strong power and torque.
- Compact DOHC 4 valve cylinder head
- Fits with stock front fork (It is necessary to change the tire to 110/80/-8 and cut front fender.)
- HARD PLATED ALUMINUM CYLINDER
- FORGED PISTON (2R)
- Displacement : 88cc
- Bore I.D. : 52mm
- Stroke : 41.4mm (stock)

- ※ It is necessary to move ignition coil.
- ※ It is necessary to strengthen clutch, high geared and install oil cooler.
- ※ Exclusive manifold is required for oval intake port.
- ※ Special tools are required besides basic tools.




APPLICATION

MONKEY/GORILLA FNO, Z50J-2000001 ~
FNO, AB27-1000001 ~ 1899999

TESTED MOTORCYCLE : MONKEY (12V)

- DOHC 88cc BIG BORE KIT
(PWK 28M BIG CARBURETOR KIT + REV-CON + HIGH END DOWN MUFFLER)
- STD 88cc BIG BORE KIT
(PC 20M BIG CARBURETOR KIT + STAINLESS DOWN MUFFLER JMCA)



SPECIAL MONKEY TECHNICAL DVD & BOOK

KITACO collaborated with MOTO CHAMP !

- Can learn and master way of big bore with movie and text

DVD CONTENTS 01

- STD BIG BORE KIT 88cc -INSTALLING-
(Change the parts for cylinder head, cylinder & piston to up to 88cc from 49cc)

DVD CONTENTS 02

- DOHC 124cc BIG BORE KIT -INSTALLING-
(Change long stroke crank shaft, closed transmission & ULTRA clutch and install 4 valve head)
- ※ With English subtitle.
(You can choose English subtitle by right clicking menu on the screen.)

DVD CONTENTS 03

SPECIAL EDITION

- Check details of DOHC 4 valve and high compression piston
- Secret tricks of head tuning
- Running scene and sound of tuned Monkey

- You can get more detailed information on the book.

Includes installation procedures, points and required tools of DOHC 124cc BIG BORE KIT.

- DVD Region code : 2 (Language : Japanese)




| NAME | NO. |
|-------------------------------------|-------------|
| MONKEY DOHC 88cc BIG BORE KIT | 215-1123910 |
| SPECIAL MONKEY TECHNICAL DVD & BOOK | 000-7778001 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY (FI) TAIL LAMP SET (BULB/LED)

- Clear and red lens combined stylish tail lamp
- LED type & BULB type, 2 types available
- LED type : 12V HIGH-INTENSITY LED (With licence plate light)
- BULB type : 12V-10/5W CLEAR BULB
- Direct replacement for stock



LED type

APPLICATION

MONKEY (FI)
FNO. AB27-1900001 ~

MONKEY (FI) R SIDE COVER

- ABS RESIN
- WHITE
- For DOWN MUFFLER
- ※ Does not fit with stock muffler or up-type muffler.




APPLICATION

MONKEY (FI)
FNO. AB27-1900001 ~

MONKEY (FI) TL SEAT type 3 (STD/MESH)

- Length : 370mm
- Width : 230mm
- Thickness : 90mm
- STD and MESH, 2 types available
- Fits with stock rear carrier



APPLICATION

MONKEY (FI)
FNO. AB27-1900001 ~




MESH PATTERNED

APE50 (FI) i-map (FUEL INJECTION CONTROL UNIT)

- Responds to each tuning menu.
- Can change four channels for fuel injection map by DIP switch.
- Three channels pre-installed with best fuel injection map for stock and KITACO parts.
- User can set up fuel injection map to make it responsive to another parts by the other channel. (Can choice 50cc or 82cc when setting user channel)
- ※ PC INTERFACE CABLE is required to update the user setting channel.
- Limiter control function included
- ※ Wiring modification is required to install.

APPLICATION

| | |
|--------------|--------------------|
| APE50 (FI) | FNo.AC16-1600001 ~ |
| APE50-D (FI) | AC18 ALL |




PC INTERFACE CABLE KIT for i-map

- Required cable for editing i-map (For Windows/USB)
- UNIVERSAL (For KITACO i-map)
- ※ Software is required for editing original map. (Free to download from KITACO website)

ADDRESS V125/-G UNDER GUARD

- Covers over frame
- ALUMINUM
- R & L a set (With mounting stays)
- Silver : Aluminum
- Black : Black alumite finish
- Fits with stock side stand
- ※ Does not fit with KITACO side stand.



APPLICATION

| | |
|-----------------|-----------|
| ADDRESS V125/-G | CF46A ALL |
| ADDRESS V125-G | CF4EA ALL |

| NAME | NO. |
|--|-------------|
| MONKEY (FI) TAIL LAMP SET (BULB type) | 809-1137010 |
| MONKEY (FI) TAIL LAMP SET (LED type) | 809-1137310 |
| MONKEY (FI) R SIDE COVER (WHITE) | 615-1137010 |
| MONKEY (FI) TL SEAT type3 (STD) | 610-1137330 |
| MONKEY (FI) TL SEAT type3 (MESH) | 610-1137340 |
| APE50 (FI) i-map (FUEL INJECTION CONTROL UNIT) | 763-1138000 |
| PC INTERFACE CABLE KIT for i-map | 763-0500900 |
| ADDRESS V125/-G UNDER GUARD (SILVER) | 632-2407000 |
| ADDRESS V125/-G UNDER GUARD (BLACK) | 632-2407010 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


MONKEY (FI) WINKER KIT

ROUND MINI WINKER KIT

- ALUMINUM BODY
- FRONT/REAR SET (4 pieces a set of the same color)
- Special stay included
- 12V-10W bulbs included

APPLICATION

MONKEY (FI)
FNO, AB27-1900001 ~




| NO. | BODY | LENS |
|-------------|--------|--------|
| 830-1137000 | BLACK | ORANGE |
| 830-1137010 | BLACK | CLEAR |
| 830-1137020 | CHROME | ORANGE |
| 830-1137030 | CHROME | CLEAR |

WALENS MINI WINKER KIT

- Helps prevent damage with special stay and hard lens
- FRONT/REAR SET (4 pieces a set of the same color)
- 12V-8W bulbs included

APPLICATION

MONKEY (FI)
FNO, AB27-1900001 ~





| NO. | BODY | LENS |
|-------------|-------|--------|
| 830-1137900 | BLACK | ORANGE |
| 830-1137910 | BLACK | CLEAR |

LED WINKER KIT (ST-181C)

- CHROME PLATED/CLEAR LENS
- FRONT/REAR SET (4 pieces a set of the same color)
- Special stay included
- Winker relay included

APPLICATION

MONKEY (FI)
FNO, AB27-1900001 ~





LED WINKER KIT (ST-189)

- CHROME PLATED/CLEAR LENS
- FRONT/REAR SET (4 pieces a set of the same color)
- Special stay included
- Winker relay included

APPLICATION

MONKEY (FI)
FNO, AB27-1900001 ~



| NAME | NO. |
|--|-------------|
| WINKER KIT for MONKEY (FI) (ROUND MINI/BLACK/ORANGE LENS) | 830-1137000 |
| WINKER KIT for MONKEY (FI) (ROUND MINI/BLACK/CLEAR LENS) | 830-1137010 |
| WINKER KIT for MONKEY (FI) (ROUND MINI/CHROME/ORANGE LENS) | 830-1137020 |
| WINKER KIT for MONKEY (FI) (ROUND MINI/CHROME/CLEAR LENS) | 830-1137030 |
| WALENS MINI WINKER KIT for MONKEY (FI) (ORANGE LENS) | 830-1137900 |
| WALENS MINI WINKER KIT for MONKEY (FI) (CLEAR LENS) | 830-1137910 |
| LED WINKER KIT for MONKEY (FI) (ST-181C) | 831-1137040 |
| LED WINKER KIT for MONKEY (FI) (ST-189) | 831-1137050 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■KITACO ZOOMER i-Map (INJECTION CONTROL UNIT)

- Can adjust fuel injection volume
- Can change four channels by DIP switch

Three channels pre-installed with best fuel injection map for stock and KITACO parts. User can set up original fuel injection map to make it responsive another parts by the other channel.




4 DIP SWITCH



KITACO i-Map 763-1135000

*PC INTERFACE CABLE is required to update the original map.

*For Windows (Does not respond to Macintosh)




PC INTERFACE CABLE 763-0500900

User can adjust the stock fuel injection volume in the range of $\pm 40\%$ based on rotating speed and throttle opening angle by connecting with a PC (USB).

*Software is required for editing original map. (Free to download from KITACO website)

Throttle opening angle



i-Map EDITING *Throttle opening angle : It's 0% when fully closed, and 100% when fully open.

- Limiter control function included

(ENGINE REV LIMITER FOR ZOOMER)

ZOOMER activates the rev limiter not to rev up from 8000rpm.

The rev limiter is activated by stopping fuel supplies. It is not stopped completely but stopped irregularly for several revolutions.

This system makes the engine not to rev up more than 8000rpm.

However, fuel supply is stopped completely when overed 9400rpm on a sharp descent where it is easy to rev up.

You can raise its rev limit by installing i-Map. *1

*1 Rev Limit
map 1: 9000rpm
map 2: 9500rpm
map 3: 10000rpm

- To fulfill i-Map functions


We recommend to install POWER DRIVE KIT at the same time and change the weight roller to 5.0g or 5.5g 6 pieces from stock weight roller 6.5g as i-Map fulfill its function when the engine rev up by lightening weight like this and max speed will be expected when i-Map installed at that time.

POWER DRIVE KIT + WEIGHT ROLLER 5.0g x 6pieces or 5.5g x 6pieces + i-map = About 70km/h (Stock 60km/h)(Weight 60kg)

It shows max speed 83km/h at 10000rpm



Test result of engine rev and max speed when installed bellow parts




*The test result may differ from actual running due to the effects of rider's weight or wind.

KITACO RECOMMENDED PARTS
POWER DRIVE KIT (480-1126400)
WEIGHT ROLLER 5.0g 6pieces SET (462-1006050)
or 5.5g 6pieces SET (462-1006055)

USED PARTS:
i-Map 763-1135000
POWER DRIVE KIT 480-1126400
WEIGHT ROLLER 5.0g 6 pieces SET 462-1006050
DELTA CORN MUFFLER 545-1125700
POWER FILTER KIT 515-1135700

■ NSF100 MIKUNI TRM28/32 CARBURETOR KIT

- Provides great intake efficiency in high speed range by seal ring and thinned throttle valve.
 - Responds to rapid acceleration smoothly by hyper-nozzle and accelerator pump. Chosen plunger accelerator pump and discharges suitable fuel amount for throttle on-off speed.
 - Improves operability by using ball bearing to move throttle valve smoothly
 - Compact size and lightweight
 - Easy to change setting parts
 - Easy engine starting by separate starter function even in cold weather and can warm up steadily after fast idling.
- ※ HOSE JOINT 6mm-8mm and FUEL HOSE 8mm is required to install.



| APPLICATION | |
|-------------|----------|
| NSF100 | HR01 ALL |



| PACKING LIST for MIKUNI TMR28 CARBURETOR KIT | |
|--|-----------------------|
| NO. | PARTS NAME |
| 401-1418111 | TMR28 CARBURETOR ASSY |
| 410-1122900 | MANIFOLD SET |
| 413-1418210 | SPIGOT (TMR28) |
| 514-0400100 | FUNNEL |
| 901-1083113 | HIGH THROTTLE SET |

| PACKING LIST for MIKUNI TMR32 CARBURETOR KIT | |
|--|-----------------------|
| NO. | PARTS NAME |
| 401-1418112 | TMR32 CARBURETOR ASSY |
| 410-1122900 | MANIFOLD SET |
| 413-1418320 | SPIGOT (TMR32) |
| 514-0400200 | FUNNEL |
| 901-1083113 | HIGH THROTTLE SET |

| OP | | |
|--------------------|-------|-------------|
| PARTS NAME | TYPE | NO. |
| HOSE JOINT 6mm-8mm | RED | 993-0006080 |
| HOSE JOINT 6mm-8mm | BLUE | 993-0016080 |
| FUEL HOSE 8mm | GREEN | 991-0800000 |
| FUEL HOSE 8mm | PINK | 991-0801000 |

MAIN JET, PILOT JET and JET NEEDLE for TMR28, 32 and 34 are available!


■ KEIHIN CR mini CARBURETOR ASSY

- For 4 stroke mini bike race
- PORT I.D.: 22mm
- Uses common M/J and S/J with PE and PWK

- OPTION PARTS
HIGH THROTTLE SET (For CR mini)
901-1123119
• CABLE : 800mm/Black



※ For universal carburetor.
M/J #100, S/J #55 included



■ CYGNUS X (5UA) EXEX MUFFLER

- Can fix rigidly by using stay and 2 pieces band.
- Sounds : 88db/4250rpm
- JMCA NO. 00642104
- Exhaust pipe/Silencer : STAINLESS
- ※ Does not fit with stock fan cover.
Remove the fan cover or attach KITACO ALUMINUM FAN COVER TYPE 2.
- ※ MUFFLER GASKET sold separately
(XY-17 : 963-0000017)



| APPLICATION | |
|-------------|---------|
| CYGNUS X | 5UA ALL |

| NAME | NO. |
|------------------------------------|-------------|
| NSF100 MIKUNI TRM28 CARBURETOR KIT | 110-1418800 |
| NSF100 MIKUNI TRM32 CARBURETOR KIT | 110-1418810 |
| KEIHIN CR mini CARBURETOR ASSY | 401-1123119 |
| CYGNUS X (5UA) EXEX MUFFLER | 547-0407000 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ CYGNUS X (FI) EXEX MUFFLER

- Can fix rigidly by using stay and 2 pieces band.
 - Sounds : 88db/4250rpm
 - JMCA NO. 00642103
 - Exhaust pipe/Silencer : STAINLESS
 - With catalyzer
 - Does not fit with stock fan cover.
- Remove the fan cover or attach KITACO ALUMINUM FAN COVER TYPE 2.
- ※ MUFFLER GASKET sold separately (XY-17 : 963-0000017)



| APPLICATION | |
|---------------|--------|
| CYGNUS X (FI) | 28S1/2 |

■ CYGNUS X (FI) CRANK CASE COVER GARNISH

- CHROME PLATED
- 3 pieces a set of CRANK CASE, AIR DUCT and AIR CLEANER COVER
- ※ Reuse stock bolt
- ※ This product is made in Taiwan. Specifications are subject to change without notice.



| APPLICATION | |
|---------------|--------|
| CYGNUS X (FI) | 28S1/2 |

■ LOAD ADJUSTER SET (O.D. 30mm)


- Can adjust preload of front fork spring
- MACHINED ALUMINUM
- BODY : SILVER ALUMITE finished
- ADJUSTER : RED ALUMITE finished
- ADJUSTMENT RANGE : 9mm
- R & L a set
- ※ Requires ALUMINUM TOP BRIDGE when installing to APE or XR MOTARD.
- ※ May need to remove handle as the adjuster may hit when installing to up-type handle model.
- ※ Reuse stock O-ring.




| APPLICATION | | | |
|--|-----------------------------|--------------|---------------------|
| APE50 | FNO, AC16-1000001 ~ 1599999 | XR50 MOTARD | AD14 ALL |
| | | XR100 MOTARD | HD13 ALL |
| APE50(FI model) | FNO, AC16-1600001 ~ | NSF100 | |
| APE50-D(FI model) | AC18 ALL | NSR50 | FNO, AC10-1700001 ~ |
| APE100 | HC07 ALL | NSR80 | FNO, HC06-1600001 ~ |
| APE100-D | HC13 ALL | NSR-MINI | |
| ● Fits with KITACO 30mm FRONT FORK | | | |
| ● See right notice when installing to KITACO 30mm FRONT FORK | | | |

※ Fits with top bolt for current KITACO 30mm FRONT FORK but does not fit with old one.

Current Top Bolt - FITTED



Old Top Bolt - UNFITTED



| NAME | NO. |
|--|-------------|
| CYGNUS X (FI) EXEX MUFFLER | 547-0411000 |
| CYGNUS X (FI) CRANK CASE COVER GARNISH | 335-0411710 |
| MINI AERO VISOR SET | 603-0500000 |
| LOAD ADJUSTER SET (O.D. 30mm) | 502-0030000 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

ADDRESS V125/-G 10 INCH 5 SPOKES ALUMINUM CAST WHEEL

Sporty 5 spokes aluminum cast wheel!

- ALUMINUM
- BLACK and SILVER, 2 types available
- ※ This product is made in Taiwan.
- Specifications are subject to change without notice.

APPLICATION

ADDRESS V125/-G
CF46A/CF4EA ALL

FOR FRONT

- With meter gear box
- Rim size : 2.15 x 10
- ※ It is necessary to shave caliper when installing KITACO BIG DISK ROTOR (for stock caliper) as the rim and caliper will hit each other.



FOR REAR

- Rim size : 2.15 x 10



ADDRESS V125-G (K9) DIGITAL SPEEDOMETER

Available for K9 model!


- Direct replacement for stock meter
- With fuel level meter
- Chosen **stepping motor** for tachometer
- LCD back light : BLUE

APPLICATION

ADDRESS V125-G (K9)
CF4EA ALL



EACH PARTS NAME



| | |
|---|--|
| A SPEEDOMETER | B DIGITAL DISPLAY TACHO-INDICATOR |
| C FUEL LEVEL METER | D ANALOG DISPLAY TACHOMETER |
| E CLOCK/ODOMETER/TRIP METER/RUN TIME/AVERAGE SPEED/TOTAL ODOMETER (SWITCH DISPLAY) | |

※ Alarm lamp is activated only when installed to motorcycle with SUZUKI stock alarm.

NSF100 CLUTCH DISK SET


Lightweight DURALUMIN clutch plate!

- Chosen DURALUMIN material for clutch plate.
- It improves the performance of radiation, reduces heat evolution at half clutch and provides stable handling of clutch.
- Heat-resistance and abrasion-resistance have been increased by special hard alumite treatment
- Reduces the spin friction by lightening weight. (STD: 43.5g / SPL: 14.3g)
- With CLUTCH DISK PLATE (Made by FCC: 4 pieces)

APPLICATION

| | | | |
|----------|----------|--------------|----------|
| APE100 | HC07 ALL | XR100 MOTARD | HD13 ALL |
| APE100-D | HC13 ALL | NSF100 | HR01 ALL |

- Fits with KITACO ULTRA CLUTCH KIT (for MONKEY)
- Fits with KITACO CLUTCH KIT (for APE50/XR50 MOTARD)



| NAME | NO. |
|--|-------------|
| ADDRESS V125/-G 10 INCH 5 SPOKES ALUMINUM CAST WHEEL (FRONT/BLACK) | 509-2407710 |
| ADDRESS V125/-G 10 INCH 5 SPOKES ALUMINUM CAST WHEEL (REAR/BLACK) | 509-2407810 |
| ADDRESS V125/-G 10 INCH 5 SPOKES ALUMINUM CAST WHEEL (FRONT/SILVER) | 509-2407700 |
| ADDRESS V125/-G 10 INCH 5 SPOKES ALUMINUM CAST WHEEL (REAR/SILVER) | 509-2407800 |
| ADDRESS V125-G (K9) DIGITAL SPEEDOMETER | 752-2411880 |
| NSF100 CLUTCH DISK SET | 307-1418550 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


■ SUPER ROLLER SET (ADDRESS V125/CYGNUS X, MAJESTY125)

● Chosen engineering plastic which brings out great heat resistance, stiffness and rub resistance in high temperature.

※ Weight roller is consumable parts.

Make sure to check every 3000km and replace if it shows any wear or damage.

It will wear out soon under hard driving or high level tuning.



Heavy weight 17.0g available!

■ ADDRESS V125/-G

● 6 pieces a set

● Size: O.D. 20.0mm x 15.0mm

| APPLICATION | |
|-------------------------------|-------------------------|
| SUZUKI (O.D. 20.0mm x 15.0mm) | |
| ADDRESS V125/-G | CF46A ALL (STOCK : 17g) |
| ADDRESS V125-G | CF4EA ALL (STOCK : 19g) |

| IN STORE NOW!! | | |
|----------------|----------|-------------|
| 10.0g | 6 pieces | 462-2206100 |
| 11.0g | 6 pieces | 462-2206110 |
| 12.0g | 6 pieces | 462-2206120 |
| 13.0g | 6 pieces | 462-2206130 |
| 14.0g | 6 pieces | 462-2206140 |
| 15.0g | 6 pieces | 462-2206150 |
| 16.0g | 6 pieces | 462-2206160 |

Light weight 5.0 ~ 8.0g available!

■ CYGNUS X, MAJESTY125

● 6 pieces a set

● Size: O.D. 20.0mm x 12.0mm

| APPLICATION | |
|---------------------------|------------------------|
| CYGNUS X (FI) | 28S1/2 (STOCK : 12g) |
| CYGNUS X (Japanese model) | 5UA1 ~ 4 (STOCK : 12g) |
| CYGNUS X (Japanese model) | 5UA5 ~ 9 (STOCK : 15g) |
| BW'S125 | 5S91/2 (STOCK : 12g) |
| MAJESTY125 | ALL (STOCK : 12g) |

| IN STORE NOW!! | | |
|----------------|----------|-------------|
| 8.5g | 6 pieces | 462-0106085 |
| 9.0g | 6 pieces | 462-0106090 |
| 10.0g | 6 pieces | 462-0106100 |
| 11.0g | 6 pieces | 462-0106110 |
| 12.0g | 6 pieces | 462-0106120 |
| 13.0g | 6 pieces | 462-0106130 |

NOTICE OF CORRECTION - 08-09 K-BOOK -

● P.639 SIDE STAND (HONDA SCOOTER)

| | | | |
|-----------|------------------------|----------------|--|
| INCORRECT | HS-119 (CHROME PLATED) | No.656-1010119 | APPLICATION : LITTLE CUB FNo.C50-4300001 ~ /FNo.AA01-1000001 ~ 3999999 |
| CORRECT | HS-119 (BLACK) | No.656-1010119 | APPLICATION : SUPER CUB 50/90, MATE 50/80 |

● SIDE STAND (CHROME PLATED) for LITTLE CUB is available as bellow.

| | | |
|-----------------------|--|----------------|
| H-A02 (CHROME PLATED) | APPLICATION : LITTLE CUB (FI) C50/AA01 | No.676-1116200 |
|-----------------------|--|----------------|

● SIDE STAND for ZOOMER HS-156 (CHROME PLATED/No.676-1125200) has changed to H-A01.


| NAME | NO, |
|--|-------------|
| ADDRESS V125/-G SUPER ROLLER SET (17.0g) | 462-2206170 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (5.0g) | 462-0106050 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (5.5g) | 462-0106055 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (6.0g) | 462-0106060 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (6.5g) | 462-0106065 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (7.0g) | 462-0106070 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (7.5g) | 462-0106075 |
| CYGNUS X, MAJESTY125 SUPER ROLLER SET (8.0g) | 462-0106080 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


■ ZOOMER i-Map (INJECTION CONTROL UNIT)

Customize your fuel injection system!

- Responds to each tuning menu.
Can change four channels for fuel injection map by DIP switch.
Three channels pre-installed with best fuel injection map for stock and KITACO parts.
User can set up fuel injection map to make it responsive to another parts by the other channel.
※ PC INTERFACE CABLE (upcoming) is required to update the user setting channel.
- Limiter control function included
- ※ Wiring modification is required to install.




| APPLICATION |
|---|
| ZOOMER (FI model) FNo.AF58-1700001 ~ |



COMING SOON!!

■ PC INTERFACE CABLE

- User can adjust the stock injection volume in the range of +/- 40% based on rotating speed and accelerator opening angle by connecting with a PC (USB).



■ XR100 MOTARD/KSR110 REV-CON (REV CONTROL CDI UNIT)

Available for XR100 MOTARD and KSR110!

- Loaded 16bit microcomputer (4000 times greater than conventional 4 bit microcomputer) which you could set 8 types of spark timing map and 5 steps of rev limiter (12,000rpm ~ 16,000rpm at 1,000rpm intervals).
- Realizes "2 REVOLUTION, 1 IGNITION" system and smooth shift up system with use of option parts.
- ※ Battery (YTR4A-BS), battery tray and L side cover is required for XR100 MOTARD.




for KSR110



for XR100 MOTARD

| APPLICATION | | | |
|--------------|-------------|--------------|---------------------|
| KSR110 | 764-4021100 | KSR110 | FNo.KL110A-A02833 ~ |
| XR100 MOTARD | 764-1417100 | XR100 MOTARD | HD13 ALL |



OPTION PARTS (REV-CON)

| | | |
|----------------------------|---|-------------|
| INTAKE PRESSURE SENSOR KIT | Required for "2 revolution, 1 ignition" | 764-1123110 |
| DRIVE MODULE | Required for "2 revolution, 1 ignition" to activate KITACO TACHOMETER | 768-0500900 |
| PUSH SWITCH | Self-starter switch for hand shift | 756-0500300 |

OPTION PARTS (required for XR100 MOTARD)

| | | |
|--------------|---------------------|-------------------|
| BATTERY TRAY | Battery is required | 749-1417000 |
| BATTERY | YTR4A-BS | |
| L SIDE COVER | ABS Resin | WHITE 615-1134800 |
| | | BLACK 615-1134810 |

| NAME | NO. |
|---------------------------------------|-------------|
| ZOOMER i-Map (INJECTION CONTROL UNIT) | 763-1135000 |
| KSR110 REV-CON | 764-4021100 |
| XR100 MOTARD REV-CON | 764-1417100 |
| XR100 MOTARD BATTERY TRAY KIT | 749-1417000 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!


Customize your BW'S125 with
KITACO CARBON parts!



APPLICATION
BW'S125 5S9

① METER VISOR

- Vertically longer than stock
- CARBON (TWILL PATTERNED)
- Double-sided tape attaching type
- Size : Length 255mm
Width 220mm




② FUEL TANK CAP COVER

- Dress up parts for the fuel fill opening
- CARBON (TWILL PATTERNED)
- Double-sided tape attaching type



③ LIGHT COWL

- CARBON (TWILL PATTERNED)
- Double-sided tape attaching type



④ FRONT FENDER

- CARBON (TWILL PATTERNED)




⑤ REAR FENDER

- CARBON (TWILL PATTERNED)



⑥ REAR CARRIER

- Maximum load capacity : 6kg
- STEEL/BLACK PAINTED




| NAME | NO. |
|----------------------------|-------------|
| BW'S125 METER VISOR | 670-0412700 |
| BW'S125 GASOLINE CAP COVER | 614-0412700 |
| BW'S125 LIGHT COWL | 601-0412700 |
| BW'S125 FRONT FENDER | 680-0412700 |
| BW'S125 REAR FENDER | 681-0412700 |
| BW'S125 REAR CARRIER | 539-0412000 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

■ APE ULTRA CLUTCH COVER PROTECTOR

- Helps protect from damages.
- CARBON (CFRP)
- Double-sided tape attaching type




APPLICATION

KITACO ULTRA CLUTCH COVER FOR APE

■ APE50 (FI model) FENDERLESS KIT

- Resists vibration by rubber mount.
 - ALUMINUM/BLACK ALUMITE FINISH
 - Fits with stock tail lamp and winker.
- ※ Modification for stock rear fender is required.



APPLICATION


APE50 (FI model) FNo.AC16-1600001 ~

(OP)

LED TAIL LAMP SET 809-1138310

■ APE100 DELTACONE MUFFLER (SLIPON)

- JMCA No. 00612102
- Exhaust sound : 83db
- Meets exhaust regulations
- Silencer : STAINLESS



APPLICATION

APE100 FNo.HC07-1600001 ~
FNo.HC13-1000001 ~ (type D)

(OP)

MUFFLER JOINT GASKET (JPH-7) 973-1000007

NOTICE OF CORRECTION - 08-09 K-BOOK -

- P.465 ALUMINUM WHEEL SET (HONDA SCOOTER/REAR 509-1126510)
Remove DIO(4 stroke) AF62 ALL and TODAY AF61 ALL from application.
- P.587 WINKER KIT (VANVAN200 830-2777000)
INCORRECT) VANVAN200 NH41A ALL → CORRECT) NH41A-100001 ~ 106593

| NAME | NO. |
|-----------------------------------|-------------|
| APE ULTRA CLUTCH COVER PROTECTOR | 660-1413290 |
| APE50 (FI MODEL) FENDERLESS KIT | 691-1138000 |
| APE100 DELTACONE MUFFLER (SLIPON) | 545-1422770 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

BIG CARBURETOR KIT for DOHC CYLINDER HEAD

2 different types available for DOHC engine!

MIKUNI VM 26

- Increases air intake volume by large manifold port.



- Left sided type
- M/J #150, P/J #15 installed
- Fits with Up-Type muffler
- For KITACO DOHC CYLINDER HEAD
- Does not fit with stock air cleaner.
- Does not fit with stock handle when installing to XR50R/CRF50F.
- 22.2mm HANDLE, R LEVER&HOLDER SET, FRONT FORK KIT and KILLSWITCH are required.


| NO. | APPLICATION |
|----------------------------|---|
| MONKEY/GORILLA 110-1123203 | FN0.Z50J-2000001 ~ FN0.AB27-1000001 ~ 1899999 |
| XR50R/CRF50F 110-1129203 | AE03 ALL |

PACKING LIST for MIKUNI VM 26 CARBURETOR KIT

| | NAME | MONKEY/ GORILLA | XR50R/ CRF50F |
|-------------|---|--------------------|------------------|
| 401-1013003 | VM26-671 CARBURETOR ASSY | × 1 | × 1 |
| 410-1123203 | MANIFOLD SET for DOHC | × 1 | × 1 |
| 450-3001300 | MAIN JET (MIKUNI HEX/LARGE) #130 | × 1 | |
| 450-3001400 | MAIN JET (MIKUNI HEX/LARGE) #140 | × 1 | |
| 575-0500010 | FUEL COCK TYPE 2 | × 1 | |
| 901-0550750 | MULTI HIGH THROTTLE SET (750mm) | × 1 | |
| 901-1015901 | HIGH THROTTLE PIPE | | × 1 |
| 905-0550750 | MULTI THROTTLE CABLE (CABLE OUTER LENGTH:750mm) | | × 1 |
| 901-1015900 | HIGH THROTTLE HOLDER SET | | × 1 |
| 093-1129010 | TANK SPACER COLLAR SET | | × 1 |

KEIHIN PWK 28M

- Flat valve brings out great power and acceleration.
- Increases air intake volume by large manifold port.



- Left sided type
- M/J #135, P/J #38 installed
- Fits with Up-Type muffler
- For KITACO DOHC CYLINDER HEAD
- Does not fit with stock air cleaner.
- Does not fit with stock handle when installing to XR50R/CRF50F.
- 22.2mm HANDLE, R LEVER&HOLDER SET, FRONT FORK KIT and KILLSWITCH are required.

| NO. | APPLICATION |
|----------------------------|---|
| MONKEY/GORILLA 110-1123228 | FN0.Z50J-2000001 ~ FN0.AB27-1000001 ~ 1899999 |
| XR50R/CRF50F 110-1129228 | AE03 ALL |

PACKING LIST for KEIHIN PWK 28M CARBURETOR KIT

| | NAME | MONKEY/ GORILLA | XR50R/ CRF50F |
|-------------|---|--------------------|------------------|
| 401-1083128 | PWK 28M CARBURETOR ASSY | × 1 | × 1 |
| 410-1123228 | MANIFOLD SET for DOHC | × 1 | × 1 |
| 450-3070950 | MAIN JET (PE/PWK28/PWK) #95 | × 1 | |
| 450-3071150 | MAIN JET (PE/PWK28/PWK) #115 | × 1 | |
| 575-0500010 | FUEL COCK TYPE 2 | × 1 | |
| 901-0550750 | MULTI HIGH THROTTLE SET (750mm) | × 1 | |
| 901-1015901 | HIGH THROTTLE PIPE | | × 1 |
| 905-0550750 | MULTI THROTTLE CABLE (CABLE OUTER LENGTH:750mm) | | × 1 |
| 901-1015900 | HIGH THROTTLE HOLDER SET | | × 1 |
| 093-1129010 | TANK SPACER COLLAR SET | | × 1 |

MANIFOLD SET is also available for anyone who already has MIKUNI VM 26 and KEIHIN PWK 28M!

MANIFOLD SET for DOHC CYLINDER HEAD

MIKUNI VM 26 410-1123203

KEIHIN PWK 28M 410-1123228

- For KITACO DOHC CYLINDER HEAD

| APPLICATION |
|------------------------------------|
| MONKEY/ FN0.Z50J-2000001 ~ |
| GORILLA FN0.AB27-1000001 ~ 1899999 |
| XR50R/CRF50F AE03 ALL |

| NAME | NO. |
|---|-------------|
| MONKEY/GORILLA (FOR DOHC CYLINDER HEAD) BIG CARBURETOR KIT MIKUNI VM 26 | 110-1123203 |
| XR50R/CRF50F (FOR DOHC CYLINDER HEAD) BIG CARBURETOR KIT MIKUNI VM 26 | 110-1129203 |
| MONKEY/GORILLA (FOR DOHC CYLINDER HEAD) BIG CARBURETOR KIT KEIHIN PWK 28M | 110-1123228 |
| XR50R/CRF50F (FOR DOHC CYLINDER HEAD) BIG CARBURETOR KIT KEIHIN PWK 28M | 110-1129228 |
| MONKEY/GORILLA/XR50R/CRF50F (FOR DOHC CYLINDER HEAD) MANIFOLD SET MIKUNI VM 26 | 410-1123203 |
| MONKEY/GORILLA/XR50R/CRF50F (FOR DOHC CYLINDER HEAD) MANIFOLD SET KEIHIN PWK 28M | 410-1123228 |


※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

MONKEY/GORILLA DOHC 124cc BIG BORE KIT

4VALVE DOHC available!

- Delivers more power and torque than SOHC2 valve.
- HARD PLATED ALUMINUM CYLINDER
- FORGED PISTON (3R)
- Displacement : 124cc Bore I.D. : 54mm
Stroke : 54.0mm (Long stroke)
- Compact design and can install to stock front fork.
- ※ It is necessary to change the tire to 110/80/-8 and cut front fender.
- ※ It is necessary to move the ignition coil or extend the high tension code.

| APPLICATION | |
|--------------------|---|
| MONKEY/ GORILLA | FNo.Z50J-2000001 ~ FNo.AB27-1000001 ~ 1899999 |
| XR50R/CRF50F | AE03 ALL |
| XR70R/CRF70F | DE03 ALL |



FORGED ALUMINUM FLAT HEAD PISTON

Durability has been increased by implementing WPC+Mos 2 shot as surface treatment.




VALVE SPRING

Chosen ultra high strength materials which can use until the high rev range.



DOHC CAMSHAFT

Combined gear drive and chain drive to make the cylinder head more compact.



DOHC 4VALVE CYLINDER HEAD

Very compact design and have an oilline mouth to upper side of the head so that optional OIL COOLER KIT can be installed to enhance cooler effect.



ELLIPTIC INTAKE PORT

- Increases atomization efficiency and enables ultrafast combustion by elliptic port.
- ※ Optional MANIFOLD for DOHC is required (VM26/PWK28M).
- ※ Fits with KITACO muffler.

DOHC VALVE (mounted)

Narrowed the angle from 66° (stock) to 46.2° (DOHC) for compact pentroof combustion chamber.



※ REFERENCE DATA: ULTRA-SE HEAD 56.75°

Option parts SS PISTON KIT for Drag Race is available!

DOHC 124cc SS PISTON KIT (350-1123990)

- For KITACO DOHC 124cc CYLINDER HEAD (For KITACO 54.0mm LONG STROKE CRANKSHAFT)
- Compression ratio HIGH COMP 12.2 : 1 (DOHC 124cc : 11.6 : 1) ● STAINLESS HEAD GASKET

VERSION UPGRADE KIT is also available!

ULTRA-SE 124cc → DOHC 124cc VERSION UPGRADE KIT

- For KITACO ULTRA-SE 124cc BIG BORE KIT (212-1123700/212-1123800) ● Reuses the cylinder
- ※ It is necessary to move the ignition coil or extend the high tension code.


MONKEY/GORILLA SUPER OIL COOLER KIT (FITS WITH DOHC)

Must-have item for high tuned engine!

- It keeps the engine performance stable even under hard driving and racing conditions.
- Stay included.
- Union bolts adapted to change hose position freely. (colored almite treated)
- Fits with KITACO DOHC CYLINDER HEAD
- Chosen three-core condenser (Oil condenser capacity: 75cc)

※ Use with large-capacity oil pump.

| APPLICATION | |
|--------------------|---|
| MONKEY/ GORILLA | FNo.Z50J-2000001 ~ FNo.AB27-1000001 ~ 1899999 |
| XR50R/CRF50F | AE03 ALL |




| NAME | NO. |
|--|-------------|
| MONKEY/GORILLA DOHC 124cc BIG BORE KIT | 215-1123900 |
| MONKEY/GORILLA ULTRA-SE 124cc → DOHC 124cc VERSION UPGRADE KIT | 216-1123900 |
| MONKEY/GORILLA DOHC 124cc SS PISTON KIT for DRAG RACE | 350-1123990 |
| MONKEY/GORILLA SUPER OIL COOLER KIT (FITS WITH DOHC) | 330-1133290 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!

ANCHOR BASE PLATE

Anti-theft anchor available!


- Compact design and can place wherever a bike could be parked.
- Can stabilize with bike's own weight.
- STEEL/Black paint finish
- Weight : 11.0kg
- Size : L 635mm x W 420mm x H 180mm
- 4 mounting holes (O.D. 14mm)
- ※ Do not stabilize with anchor bolt at public place.



GEMMA SPEEDOMETER COVER GARNISH

High-quality and new design which is not chrome plated!

- ABS RESIN / CARBON PATTERNED (TWILL PATTERNED TYPE)
Chosen ELMARD for new material.
- Double-sided tape attaching type



APPLICATION
GEMMA CJ47A

New material ELMARD


Expressed CARBON / SILVER CARBON TWILL PATTERNED with ELMARD which combines 3D appearance, depth effect and premium accent.

MONKEY/GORILLA HIGH CAMSHAFT SPL

SPL HIGH CAMSHAFT is available!

- Optional new high camshaft for stock cylinder head
- Especially, improves high rev range
- VALVE TIMING ANGLE (When 1mm lifted)

IN VALVE : (OPEN) 12° BTDC
(CLOSE) 38° ABDC
EX VALVE : (OPEN) 50° BBDC
(CLOSE) 9° ATDC



※ The test result may differ from actual running.



※ Old camshaft (300-1083000 K BOOK P.152) is discontinued.

| APPLICATION | | | |
|--------------|----------------------------|--------------|--------------------|
| MONKEY | FNO,Z50J-2000001 ~ | MONKEY BAJA | ALL |
| GORILLA | FNO,AB27-1000001 ~ 1899999 | CD50/BENLY50 | FNO,CD50-1500001 ~ |
| | | BENLY CL50 | |
| SUPER CUB 50 | FNO,C50-9000001 ~ 9501323 | DAX (AB26) | ALL |
| PRESS CUB | FNO,C50-9600001 ~ 0095210 | JAZZ | ALL |
| | FNO,C50-0200001 ~ | MAGNA50 | ALL |
| | FNO,AA01-1000001 ~ 1699999 | GIOR CUB | ALL |
| LITTLE CUB | FNO,C50-4300001 ~ | SOLO | AC17 ALL |
| | FNO,AA01-1000001 ~ 3999999 | | |
| CHALY50 | FNO,CF50-3400001 ~ | XR50R/CRF50F | AE03 ALL |

※ Does not fit with MONKEY R/RT, MOTORA, CHALY and SUPER CUB which stock camshaft's cam lobe is wide.

NOTICE

Does not include L-shaped wrench in the following carburetor.

| NO. | NO. |
|-------------|-------------|
| 110-0038114 | 110-0029215 |
| 110-0029114 | 110-0038115 |
| 110-0040114 | 110-0019115 |
| 110-1040114 | 110-1040115 |

L-shaped wrench is removed from the following number.

| PAGE | NO. | PAGE | NO. |
|--|-------------------------|-------|-------------------------|
| OIL COOLER KIT ↓ | | | |
| P.258 | 330-1037000 330-1065000 | P.332 | 110-0011001 110-0012001 |
| P.259 | 330-1018000 330-2014000 | | 410-0012000 110-0018001 |
| | | | 410-0018000 |
| CARBURETOR KIT, MANI FOLD SET ↓ | | | |
| P.323 | 110-1085026 410-1085026 | P.335 | 110-0055004 410-0055004 |
| | | P.336 | 110-0019004 110-0024004 |
| P.324 | 110-1013006 410-1013006 | | 110-0037004 410-0019004 |
| | 110-1015006 110-1088006 | P.337 | 110-0038013 410-0038013 |
| P.325 | 410-1015006 110-1085006 | | 110-0029013 410-0029013 |
| | | P.338 | 110-1040013 410-1040013 |
| P.325 | 410-1085006 110-1085016 | P.340 | 110-1013003 410-1083003 |
| | 410-1085016 | | |
| P.326 | 110-1086006 410-1086106 | P.345 | 410-0038014 |
| P.328 | 110-2014006 410-2014006 | | |
| P.330 | 110-0055001 410-0055001 | P.346 | 410-0029014 410-0040014 |
| | | | 410-1040014 |
| | 110-0019001 110-0023001 | P.348 | 410-0029115 410-0038015 |
| P.331 | 110-0024001 410-0019000 | P.349 | 410-0019015 410-1040015 |
| | 110-0014001 410-0014000 | | |

| NAME | NO. |
|---|-------------|
| ANCHOR BASE PLATE | 879-0000010 |
| GEMMA SPEEDOMETER COVER GARNISH (CARBON) | 661-2792100 |
| GEMMA SPEEDOMETER COVER GARNISH (SILVER CARBON) | 661-2792110 |
| MONKEY/GORILLA HIGH CAMSHAFT SPL | 300-1083100 |

※ WE ARE WAITING FOR YOUR ORDER!
※ IF YOU HAVE ANY QUESTION, DO NOT HESITATE TO ASK US!