Newly designed LED TAIL LAMP SET! All MADE IN JAPAN!!

UNIVERSAL
LED TAIL LAMP

REMARKS	● Fully new designed from the scratch. ● MADE IN JAPAN ● ELECTRIC POWER SAVING PROPERTY that you do not have to worry about bulb going out. ● HIGH EFFICIENCY LED (MADE IN JAPAN) is adopted in the newly designed circuit. ● HIGH LEVEL of VISIBILITY for newly designed lens cut. ● 12V SUPER LUMINOSITY LED (MADE IN JAPAN) is adopted. ● TOUGH, RUST-PROOF, DRIP-PROOF & VIBRATION-PROOF
APPLICATION	UNIVERSAL (12V)



TYPE	SUPER SLIM/CLEAR LENS
CODE	801-0900100

TYPE	SUPER SLIM/RED LENS
CODE	801-0900110

Comes with BRACKET & REFLECTOR!!

UNIVERSAL
LED TAIL LAMP & REFLECTOR

REMARKS	● A SET of newly designed LED TAIL LAMP, NUMBER PLATE BRACKET & REFLECTOR ● MADE IN JAPAN ● 2 types of innovative design bracket for license plate's size. ● ALUMINUM NUMBER PLATE BRACKET included ● REFLECTOR included
APPLICATION	UNIVERSAL (12V)





LARGE SIZE LICENSE PLATE

TYPE	SUPER SLIM/CLEAR LENS
CODE	801-0511100
TYPE	SUPER SLIM/RED LENS
CODE	801-0511110



SMALL SIZE LICENSE PLATE

TYPE	SUPER SLIM/CLEAR LENS
CODE	801-0511200
TYPE	SUPER SLIM/RED LENS
CODE	801-0511210

DRESS-UP HAPPILY??

MONKEY / GORILLA
LED TAIL LAMP KIT

REMARKS	● A SET of newly designed LED TAIL LAMP, NUMBER PLATE BRACKET & REFLECTOR for MONKEY / GORILLA ● MADE IN JAPAN ● 2 types of innovative design bracket for KITACO TL SEAT & for stock carrier. ● ALUMINUM NUMBER PLATE BRACKET included ● EXCLUSIVE BRACKETS included ● REFLECTOR included ※ Exclusive brackets are only for stock condition. If it interferes with tire, modification might be required for changing wheel sizes, rear shocks, swing arm length and so on).
APPLICATION	MONKEY / GORILLA (Fno.Z50J-2000001 ～ /Fno.AB27-1000001 ～ 1899999) ※ Not useable for FI MONKEY / GORILLA

MONKEY with KITACO TL SEAT

TYPE	SUPER SLIM/CLEAR LENS	TYPE	SUPER SLIM/RED LENS
CODE	801-1017900	CODE	801-1017910

MONKEY/GORILLA with STOCK CARRIER & GORILLA with TL SEAT

TYPE	SUPER SLIM/CLEAR LENS	TYPE	SUPER SLIM/RED LENS
CODE	801-1083900	CODE	801-1083910

A must for FI CONTROL!!

UNIVERSAL

RISM DIGITAL O^2 MONITOR

REMARKS

- It is a DIGITAL METER which displays throttle opening and air-fuel ratio in real time that is so important for FI model injection adjustment.
  Next-generation picture display "ORGANIC EL" is adapted for best visibility.
- Available for wide range of sensor-mounted motorcycles by using stock throttle / O^2 sensor.
- Display : OLED (Organic Light Emitting Diode)
- Measurement : 63W x 21D x 14H (mm)
- DRIP-PROOF
- 3 kinds of display switchable (THROTTLE OPENING & AIR-FUEL RATIO, THROTTLE DISPLAY or AIR-FUEL RATIO display) only by mode switch.



APPLICATION: UNIVERSAL (※ Not useable for motorcycle without batteries)

RISM DIGITAL O^2 MONITOR	
TYPE	
CODE	752-6000300

Banjo bolt fitting released!!

UNIVERSAL

LCD DIGITAL OIL THERMOMETER type 3 (BANJO BOLT FITTING)

REMARKS

- Displays oil temperature on LCD meter!
  Best for setting and overheat prevention!
  Mountable for motorcycles without oil cooler, by exchanging banjo bolts.
  Installable on Kitaco oil gallery or oil cooler condenser directly.
  Meter is secured with hook and loop fastener
- Measurement temperature : -20 ~ 200 ℃
- Peak Hold function (max temperature memory)
- Voltage : DC9V ~ DC12V (9V006P BATTERY 10 hours of continuous use)
- Sensor : R 1/8 TAPER SCREW for gas pipe
- JUNCTION CABLE : 1,100 mm
- Body : 63W x 32D x 14H (mm)
- DRIP-PROOF
- LED backlight built-in

REPLACEMENT PARTS	CODE
FITTING BANJO BOLT	752-0500490

APPLICATION: UNIVERSAL (M10 x P1.25 BANJO BOLT)

LCD DIGITAL OIL THERMOMETER type 3	
TYPE	BANJO BOLT FITTING type
CODE	752-6000210

ORIGINAL CABLE ORDER WANTED!!

Required information

- **GENUINE NUMBER** (or PICTURE of your cable, to check the application)
- **LENGTH** (STD LENGTH or +10 cm and etc.)
- **QUANTITY**
- **COLOR of outer tube** (BLACK, RED or GRAY and etc.)

※ The more quantity we make at a time, the cheaper the cables become.



K・CON
PUSH RIVET

REMARKS

- ● RESIN RIVET which can attach and fasten panels
- ● Reusable
- ○ type B (6mm) can also be used as Honda (6mm)

Operation :
Push pin to set / push further to remove



※Refer to the mesurement in the table.



UNIT : mm (B-D : UNLOCKED / LOCKED)



PUSH RIVET							
TYPE	PANEL THICKNESS	A	B	C	D	QTY	CODE
YAMAHA type B 6mm	3 ～ 5mm	12	5.9/7.5	1.5	13/19	3	0900-005-00011
YAMAHA type C 7mm	2.15 ～ 5mm	17	7/9	2	8.5/14.5	3	0900-005-00012

K・CON
PUSH TURN RIVET

REMARKS

- ● RESIN RIVET which can attach and fasten panels
- ● Reusable

Operation :
Push pin to fasten / Turn pin 90°counter clockwise to remove



※Refer to the mesurement in the table.



UNIT : mm (B-D : UNLOCKED / LOCKED)

PUSH TURN RIVET							
TYPE	PANEL THICKNESS	A	B	C	D	QTY	CODE
YAMAHA type 7 mm	2 ～ 7mm	20	6.8/9.3	3	11.3/12.7	3	0900-005-02010
HONDA type 6 mm	3.5 ～ 5mm	14	6/7.3	2.5	11.8/15.5	3	0900-005-02020

K・CON
NIFLATCH

REMARKS

- ● RESIN RIVET which can attach and fasten panels
- ● Reusable

Operation :
Push pin to set / pull pin to remove



※Refer to the mesurement in the table.



UNIT : mm (B-D : UNLOCKED / LOCKED)

NIFLATCH									
TYPE	PANEL THICKNESS	A	B	C	D	E	F	QTY	CODE
HONDA type A 8mm	2.5mm	9.4	7.9/8.7	2	9.8/11	6.5	10.8	3	0900-005-03010
HONDA type B 8mm	2.5mm	7.6	7.9/8.7	2	9.8/11	2.8	10.8	3	0900-005-03020

K・CON
CLIP NUT (HONDA / M5 / TAPPING)

REMARKS

- ● Material : STEEL
- ● Surface treatment : PARKERIZING
- ■ Recommended screws :
  - ○ WINKER & BODY SCREW
    - ・M5 x 12/14/16 (GREEN CHROMATE)
      0900-056-09000 ～ 2 2 pcs
    - ・M5 x 12/14/16 (SILVER CHROME PLATED)
      0900-056-09100 ～ 2 2 pcs
  - ○ ALUMINUM TAPPING SCREW
    - ・M5 x 16 (ALUMITE / 10 colors)
      0900-056-08001 ～ 010 8 pcs



UNIT : mm



CLIP NUT			
TYPE	PANEL THICKNESS	QTY	CODE
HONDA / M5 / TAPPING	2.5mm	3	0900-059-00015

For comfortable touring!

ADDRESS V125
GPR CARBON DOWN MUFFLER type M1

REMARKS

- Newly designed CARBON SILENCER reminds GP racer look!
- Brings powerful torque at high rpm range that the stock torque falls down.
- Sound : 85 db
- Silencer : CARBON (110 mm)
- Exhaust Pipe : STAINLESS
- CATALYZER BUILT-IN

※ MUFFLER GASKET is required to install
○ XY-02 963-0000002 (2 in a set)



APPLICATION ・ADDRESS V125S (CF4MA) ・ADDRESS V125/-G (CF4EA)

ADDRESS V125
GPR CARBON DOWN MUFFLER

TYPE	M1
CODE	548-2416380

More comfortable tandem riding!

ADDRESS V125S
TANDEM BACK REST

REMARKS

- A Must for tandem touring. More comfortable with safe running
- Pad : DIMPLE MESH
- Bracket : STEEL / BLACK CHROME FINISH
- Pad size : H90 x W310 x L100 (mm)
- Pad position changeable back and forth (15mm)

※ Useable together with STOCK REAR CARRIER

APPLICATION ・ADDRESS V125S (CF4MA)

ADDRESS V125S
TANDEM BACK REST

TYPE	
CODE	652-2416100

What a sporty look!

ADDRESS V125S
10 INCH CAST WHEEL (5 SPOKE / FRONT)

REMARKS

- SPORTY 5 SPOKE ALUMINUM CAST WHEEL
- MADE FROM ALUMINUM
- ALUMINUM MACHINED AXLE COLLAR included
- Rim size : 2.15 x 10

※ Caliper cutting work is required when Kitaco big disc rotor (for stock caliper) is installed together.

NOW ON SALE!!
10 INCH CAST WHEEL (5 SPOKE / REAR)
○ ALUMINUM
○ Rim size : 2.15 x 10
○ APPLICATION : ADDRESS V125/-G/-S (CF4MA/CF4EA/CF46A)



(SILVER) 509-2407800

(BLACK) 509-2407810

2010 - 2011 K-BOOK P.444

APPLICATION ・ADDRESS V125S (CF4MA)

TYPE	SILVER
CODE	509-2416700

TYPE	BLACK
CODE	509-2416710

Easy dress-up, just to put-on!

PCX125
CRANKCASE COVER GARNISH

REMARKS

- Easy dress-up on crankcase cover Just to put-on with both sided tape and tighten together with stock crankcase cover with stock bolts.
- ABS RESIN
- CHROME FINISH

APPLICATION ・PCX125 (JF28)



PCX125
CRANKCASE COVER GARNISH

TYPE	
CODE	335-1426100

Luxurious looking chrome cover!!

PCX125
WINKER BODY GARNISH (REAR)

REMARKS

- Brings luxurious looking, only to attach with both sided-tape.
- Sold in pairs
- ABS RESIN
- CHROME FINISH

APPLICATION ・PCX125 (JF28)

PCX125
WINKER BODY GARNISH

TYPE	REAR
CODE	336-1426010

Sharpens up your start dash and acceleration!

REINFORCED CLUTCH SPRING SET

REMARKS

- 30% REINFORCED CLUTCH SPRING
- About 500 rpm higher clutch meet timing makes it possible to get a sharp start dash.
- Works great when low torque such as when changing mufflers.
- For stock clutch shoe
- 3 pcs in a set
- ○ Individual coloring



APPLICATION

CYGNUS X 307-0411130 (Coloring : WHITE)
・CYGNUS X (5UA) ・CYGNUS X (FI)(28S1 ～ 5)

AXIS TREET 307-0413130 (Coloring : BLUE)
・AXIS TREET (41D1)

LEAD 110 307-1425130 (Coloring : PINK)
・LEAD 110 /-EX (JF19)

PCX125 307-1426130 (Coloring : RED)
・PCX125 (JF28)

ADDRESS V125 307-2416130 (Coloring : YELLOW)
・ADDRESS V125S (CF4MA) ・ADDRESS V125/-G (CF4EA)
※ Not useable for CF46A

TYPE	CYGNUS X
CODE	307-0411130
TYPE	AXIS TREET
CODE	307-0413130
TYPE	LEAD 110
CODE	307-1425130
TYPE	PCX 125
CODE	307-1426130
TYPE	ADDRESS V125
CODE	307-2416130

Relieves all stress against heat! High durability!

WPC CLUTCH CENTER SPRING

REMARKS

- Reinforced clutch spring will bring the change of pulley speeding characteristics in torque band, bring the high-ratio pulley back quickly to low ratio at the places such as abrupt acceleration & sloping road.

※ WPC CLUTCH CENTER SPRING is an item that needs specific setting like weight rollers.
The best spring strength is different from a variety of environmental conditions such as driver's weight, machine's frequency of use, favorite running performance and so on.
Changing only center springs could result in lower of maximum speed for these reasons.

APPLICATION

JOG/-DX/-ZR (4st) 307-0089340
・JOG/-DX/-ZR(4st)(3P31 ～ 35) ・Vino/-Molfe(4st)(13P・5ST・37B) ・VOX(3B3)
● LENGTH : 122mm, O.D. : 52mm, SPRING RATE : **about 10%** greater than stock

CYGNUS X 307-0411340
・CYGNUS X (5UA) ・CYGNUS X (FI)(28S1 ～ 5)
● LENGTH : 115mm, O.D. : 62.3mm, SPRING RATE : **about 14%** greater than stock

AXIS TREET 307-0413340
・AXIS TREET (41D1)
● LENGTH : 115mm, O.D. : 61mm, SPRING RATE : **about 11%** greater than stock

LEAD 110 307-1425340
・LEAD 110 /-EX (JF19)
● LENGTH : 115mm, O.D. : 58mm, SPRING RATE : **about 14%** greater than stock

PCX125 307-1426340
・PCX125 (JF28)
● LENGTH : 155mm, O.D. : 57.5mm, SPRING RATE : **about 11%** greater than stock

ADDRESS V125 307-2416340
・ADDRESS V125S (CF4MA) ・ADDRESS V125/-G (CF46A/CF4EA)
● LENGTH : 107mm, O.D. : 56.8mm, SPRING RATE : **about 11%** greater than stock

TYPE	JOG/-DX/-ZR (4st)
CODE	307-0089340
TYPE	CYGNUS X
CODE	307-0411340
TYPE	AXIS TREET
CODE	307-0413340
TYPE	LEAD 110
CODE	307-1425340
TYPE	PCX 125
CODE	307-1426340
TYPE	ADDRESS V125
CODE	307-2416340

HEAT-RESISTANT AND HIGH DURABILITY - SPECIAL SURFACE TREATMENT - WPC !

Nitriding & WPC treatment improves heat-and-wear resistant performance dramatically.

SWOSC is adapted for wire rod that is heat and wear resistant.
Also, oil tempered, nitriding and WPC are treated to deal with load variation against high temperature.

■CROSS-SECTION PICUTRE



WPC (MICRO DIMPLE SURFACE LAYER)
SPECIAL NITRIDING TREATMENT (HARDENED LAYER)
SWOSC-V (SILICONE・CHROME STEEL)
OIL TEMPERED ROD with high tensile strength & toughness

Much-loved DLC FRONT FORK SET type X, additionally released!!

30mm DLC FRONT FORK SET type X

REMARKS

- Industry's first FULL ADJUSTABLE FRONT FORK with next generation DLC coating!!
- Ultra low-friction, high-intensity forks give noticeable advantages of steering performance.

○ DLC INNER TUBE (REPLACEMENT/UNIT)
500-0000490
(Useable with KITACO 30 mm FRONT FORK 3-piece type)



APPLICATION KITACO 30 mm FRONT FORK KIT type X

30mm DLC FRONT FORK SET type X

TYPE	DLC/GOLD	TYPE	DLC/BLACK
CODE	500-0002410	CODE	500-0002420

Change to high-spec bottom case!!

NSF100

30mm FRONT FORK BOTTOM CASE SET type X

REMARKS

- 4P CALIPER (BREMBO 40mm PITCH / KITACO forged caliper) can be installed directly, only to change front bottom case.
- SOLD IN PAIRS
- 2-PIECE TYPE
- CALIPER INSTALLING PITCH : 40 mm
- REBOUND ADJUSTMENT : SINGLE-STEP

※ 220 mm DISC ROTOR 500-1418890 is required, when installing 4P CALIPER (BREMBO / KITACO FORGED)
※ CALIPER BRACKET 500-1123882 is required, when installing stock CALIPER / DISC ROTOR
※ STOCK FENDER not useable

OPTION PARTS	CODE	REFERENCE
4P BRAKE CALIPER	500-0100400	INSTALLING BOLT (M10 x 35 P1.25) sold separately
AERO DOWN FENDER (WHITE)	680-1418210	REQUIRED, as STOCK FENDER can not be used.
AERO DOWN FENDER (CARBON)	680-1418260	
FRONT FORK INNER KIT	499-1418100	SOLD IN PAIRS
FRONT FORK INNER SPRING	500-1418990	SOFT TYPE / 2 pcs in a set

APPLICATION
・NSF100 ・NSR50 ※ (FNo.AC10-1700001 ～) ・NSR80 ※ (FNo.HC06-1600001 ～)
・NSR MINI ※
※ Installing KITACO FRONT FORK INNER KIT (499-1418100) is required.

NSF100
30mm FRONT FORK BOTTOM CASE SET type X

TYPE	BLACK	TYPE	GOLD
CODE	500-1418950	CODE	500-1418960

Glitter of black diamond!!

NSF100

DLC INNER TUBE SET

REMARKS

- High-intensity & tribology characteristics DLC is coated on NSF100 STOCK INNER TUBE that gives noticeable advantages of ultra-low friction & steering performance, especially when cornering or braking.
- SOLD IN PAIRS

○ 500-1418421 DLC INNER TUBE (sold each/UNIT)

APPLICATION ・NSF100 ・NSR50 (FNO.AC10-1700001 ～) ・NSR80 (FNO.HC06-1600001 ～) ・NSR MINI

TYPE	DLC
CODE	500-1418420

Caliper support for BREMBO 2P caliper!!

CALIPER SUPPORT

REMARKS

- CALIPER SUPPORT for BREMBO 2P CALIPER on KITACO 30mm FRONT FORK type X
- ALUMINUM MACHINED/SILVER ALMITE FINISH

○ USEABLE CALIPER
・BREMBO 2P SMALL PISTON (32mm) CALIPER
・BREMBO 2P LARGE PISTON (34mm) CALIPER
※ Below items are required to install.
1 pc x 220mm DISC ROTOR (500-1418890)
2 pc of M10 x 35 (P1.25)
2 pc of M8 x 12 (P1.25)

APPLICATION KITACO 30mm FRONT FORK KIT type X



TYPE	BREMBO 2P CALIPER
CODE	500-1123883

K-CON Pro
MS TIE-WRAP (WEATHER RESISTANT)

REMARKS
- Resistant to ultraviolet radiation by adding BLACK CARBON.
- Temperature range : − 40 ～ 85 ℃
- Weather resistant type





※REFER TO MEASUREMENT TABLE

Measuring unit : mm (millimeter)

TYPE	A	B	C	D	E	F	MIN./MAX. I.D	QTY	CODE
152 × 3.5	152	3.5	6.1	4.4	5.9	1.2	φ 1.0/ φ 36	5	0901-700-01200
202 × 4.6	202	4.6	7.6	5.9	7.3	1.2	φ 1.5/ φ 50	5	0901-700-01201
251 × 4.8	251	4.8	8.8	5.0	9.0	1.5	φ 1.5/ φ 65	5	0901-700-01202

K-CON Pro
OUTSIDE SERRATION TIE-WRAP

REMARKS
- Fits to cables with specially-shaped head.
- Does not hurt cable surface with outside serration construction
- Temperature range : − 40 ～ 105 ℃
- Heat resistant type




※REFER TO MEASUREMENT TABLE

Measuring unit : mm (millimeter)

TYPE	A	B	C	D	E	F	MIN./MAX. I.D	QTY	CODE
145 × 3.4	145	3.4	6.1	5.7	4.5	1.2	φ 1.6/ φ 35	5	0901-700-01300
200 × 4.6	200	4.6	7.9	6.75	5.9	1.3	φ 2.5/ φ 50	5	0901-700-01301
245 × 4.6	245	4.6	7.9	6.75	5.9	1.3	φ 1.6/ φ 66	5	0901-700-01302

K-CON Pro
FIR TREE MOUNT TIE-WRAP

REMARKS
- Comes with fir tree mounts that provide a secure grip in a mounting hole and protect against dirt and other impurities.
- Temperature range : − 40 ～ 105 ℃
- Heat resistant type
- ○ Replacement tie-wrap : MS TIE-WRAP 152 × 3.5 0901-700-01200
  202 × 4.6 0901-700-01201




※REFER TO MEASUREMENT TABLE

Measuring unit : mm (millimeter)

TYPE	A	B	C	D	MAX. I.D	PANEL THICKNESS	QTY	CODE
152 × 3.5 (M6)	152	3.5	13.2	6.9	φ 31	0.7 ～ 3.0	2	0901-700-01400
152 × 3.5 (M8)	152	3.5	13.8	7.5	φ 31	0.75 ～ 3.0	2	0901-700-01401
202 × 4.6 (M6)	202	4.6	13.2	6.9	φ 45	0.7 ～ 3.0	2	0901-700-01402
202 × 4.6 (M8)	202	4.6	13.8	7.5	φ 45	0.75 ～ 3.0	2	0901-700-01403

K-CON Pro
STUD BOLT TIE-WRAP (D TYPE)

REMARKS
- Able to tighten, using left-over part of bolt (requires more than 8 mm)
- Temperature range : − 40 ～ 115 ℃
- Heat and weather resistant type
- ※ Be careful of mounting direction





Measuring unit : mm (millimeter)

TYPE	MIN./MAX. I.D	SCREWS	QTY	CODE
175 × 5.7 (M6)	φ 3.0/ φ 30	M6	2	0901-700-01500
175 × 5.7 (M8)	φ 3.0/ φ 30	M8	2	0901-700-01501
175 × 5.7 (M10)	φ 3.0/ φ 30	M10	2	0901-700-01502

K-CON Pro
STUD BOLT TIE-WRAP

REMARKS
- Easy to tie wires, by installing bolt on head and fix with nut.
- Recommends to use lock nut or screw lock agent at the same time, to prevent loosening
- Release type (reusable)
- Temperature range : − 40 ～ 110 ℃
- Heat and weather resistant type





Measuring unit : mm (millimeter)

TYPE	MIN./MAX. I.D	SCREWS	QTY	CODE
180 × 6.0 (M6)	φ 5.0/ φ 35	M6	2	0901-700-01600
180 × 6.0 (M8)	φ 5.0/ φ 35	M8	2	0901-700-01601
180 × 6.0 (M10)	φ 5.0/ φ 35	M10	2	0901-700-01602

K-CON Pro
DOUBLE HEAD TIE-WRAP

REMARKS
- Ties 2 paralleled wires in bundles
- Weather resistant type



※REFER TO MEASUREMENT TABLE

Measuring unit : mm (millimeter)

TYPE	LENGTH	MIN./MAX. I.D	TEMPERATURE	QTY	CODE
210 × 4.7	210	φ 20 × 2 組	− 40 ～ 85℃	2	0901-700-01700
395 × 4.7	395	φ 50 × 2 組	− 40 ～ 105℃	2	0901-700-01701

K-CON Pro
OMEGA CLIP TIE-WRAP

REMARKS
- Tie and secure 2 bundles of cables at a time
- With securing the cable position, you can move the cable up and down (max. 5mm O.D.)
- Temperature range : − 40 ～ 110 ℃
- Heat and weather resistant type
- ○ Replacement tie-wrap : MS TIE-WRAP 152 × 3.5 0901-700-01200



Measurring unit : mm (milimeter)

TYPE	QTY	CODE
152 × 3.5	2	0901-700-01800

K-CON Pro
HOSE CLAMP TIE-WRAP

REMARKS
- A TIE-WRAP which becomes similar to true circle when using
- Best for bandle something like hoses.
- Temperature range : − 40 ～ 105 ℃
- Heat resistant type





Measuring unit : mm (milimeter)

TYPE	MIN./MAX. I.D	QTY	CODE
205 × 4.7	φ 1.5/ φ 44	2	0901-700-02000

K-CON Pro
HOSE CLIP SNAPPER

REMARKS
- PLASTIC RESIN HOSE CLIP SNAPPER
- ALKALI, OIL, and SALT-RESISTANT
- Reusable



Easy to remove and install by sliding the mating face to direction of arrow.



※ REFER TO MEASUREMENT TABLE

A : MIN./MAX.

Measuring unit : mm (millimeter)

TYPE	A	B	C	D	E	QTY	CODE
6.0 ～ 6.5mm	φ 6.0/ φ 6.5	3.8	11.6	8.2	1.0	2	0901-700-02100
8.0 ～ 9.0mm	φ 8.0/ φ 9.0	3.7	15.1	11.5	1.4	2	0901-700-02101
9.5 ～ 10.0mm	φ 9.5/ φ 10.0	5.9	17.2	12.1	1.7	2	0901-700-02102
11.0 ～ 12.0mm	φ 11.0/ φ 12.0	5.9	18.8	13.2	1.6	2	0901-700-02103
12.0 ～ 13.5mm	φ 12.0/ φ 13.5	6.0	21.3	14.3	1.7	2	0901-700-02104
12.0 ～ 14.5mm	φ 12.0/ φ 14.5	5.9	28.0	17.7	1.7	2	0901-700-02105
13.5 ～ 15.5mm	φ 13.5/ φ 15.5	6.0	24.4	15.8	1.8	2	0901-700-02106
15.0 ～ 17.0mm	φ 15.0/ φ 17.0	6.0	26.3	17.2	1.7	1	0901-700-02107
16.5 ～ 18.5mm	φ 16.5/ φ 18.5	6.0	27.1	17.3	1.8	1	0901-700-02108
18.5 ～ 21.0mm	φ 18.5/ φ 21.0	5.9	30.0	19.1	1.7	1	0901-700-02109
20.0 ～ 22.0mm	φ 20.0/ φ 22.0	5.9	30.8	20.1	1.6	1	0901-700-02110
21.0 ～ 23.5mm	φ 21.0/ φ 23.5	6.1	33.9	21.6	1.8	1	0901-700-02111
23.0 ～ 26.0mm	φ 23.0/ φ 26.0	6.0	36.0	24.3	1.7	1	0901-700-02112
24.5 ～ 28.0mm	φ 24.5/ φ 28.0	5.9	36.9	22.9	1.8	1	0901-700-02113

K-CON
SILENCER BAND (STAINLESS / BLACK)

REMARKS
- A set of SILENCER BAND & RUBBER required when changing mufflers.
- Made from 1.2 mm thick STAINLESS
- M8 x 25 FLANGE STAINLESS CAP BOLT included
- M8 x STAINLESS WASHER, M8 LOCK NUT included
- ※ Be careful not to cut fingers by edge of silencer band
- ※ Make sure that the bolt is tightened enough before running.



※REFER TO MEASUREMENT TABLE

Measuring unit : mm (millimeter)

TYPE	A	B	C	QTY	CODE
φ 80	78	25	10	1	0900-995-11080
φ 85	83	25	10	1	0900-995-11085
φ 90	88	25	10	1	0900-995-11090
φ 100	98	25	10	1	0900-995-11100
φ 110	108	25	10	1	0900-995-11110
φ 120	118	25	10	1	0900-995-11120
φ 130	128	25	10	1	0900-995-11130
φ 140	138	25	10	1	0900-995-11140

- Secure the band, not to make free play between silencer and silencer band.
  If the silencer is bigger, place Kitaco spacer for adjustment.



Change head light images?

MONKEY / GORILLA / APE

HEAD LIGHT COWLING

REMARKS

- MINI AERO COWLING only to tighten with screws to HEAD LIGHT & STAY
- Cool looking together with stock style as well as customized machine.
- ABS RESIN
- Comes with COWLING STAY
- WIDTH between right and left stay : 160 mm

APPLICATION

- MONKEY (CARBURETOR / FI) (FNo.Z50J-1300017 ～ /AB27-1000001 ～)
- GORILLA (FNo.Z50J-2500001 ～ /AB27-1000001 ～) ・APE50 (AC16/18)
- APE100 (HC07/13) ・For KITACO MULTI REFLECTOR HEAD LIGHT ASSY



TYPE	WHITE
CODE	604-1123000



TYPE	BLACK
CODE	604-1123010



TYPE	CHROME
CODE	604-1123020

For more comfortable ride!

MONKEY

TL SEAT type 3 (TUCKROLL TYPE)

REMARKS

- TUCKROLL-TYPE TL SEAT with colorful piping design is released!
- STOCK REAR CARRIER useable



APPLICATION

- MONKEY (FNO.Z50J-1300017 ～ /FNO.AB27-1000001 ～ 1399999)

※ Not useable for MONKEY (FI)

TYPE	PIPING : BLACK
CODE	610-1083400

TYPE	PIPING : RED
CODE	610-1083410

TYPE	PIPING : YELLOW
CODE	610-1083420

Recycling your stock seat!

MONKEY / GORILLA

MAINTENANCE CHAIR BRACKET SET

REMARKS

- Recycling STOCK SEAT as a convenient maintenance chair!
- STEEL / BLACK PAINT FINISH
- CASTER MOUNTING HOLE I.D. : 12MM (4 places)
- Withstand load : 60 kgs

※ Stock seat is not included.
※ Buy CASTERS on the market because they do not come in a set.

APPLICATION

- STOCK SEAT of MONKEY / GORILLA (CARBURETOR / FI) (FNO.Z50J-1300017 ～)

TYPE	
CODE	610-1137900

MORE DURABILITY AND RELIABILITY with DLC COATING!

MONKEY / GORILLA

DLC PISTON PIN (STRAIGHT) 13 × 36

REMARKS

- Next-generation DLC COATING on PISTON PIN is adopted!
- Ultra low friction, high durability & fit perfectly to aluminum materials.
- Size : 13 × 36 (I.D. 8mm)



APPLICATION

- KITACO MONKEY TYPE LIGHT BIG BORE KITS 85/88cc, STD BIG BORE KITS, ULTRA BIG BORE KITS (～ 108cc), ULTRA-SE BIG BORE KITS (～ 108cc) etc.

TYPE	
CODE	353-3001336

Get more stiffness!

MONKEY/GORILLA
DOWN FENDER BRACKET WITH FORK STABILIZER

REMARK	● Can use for Kitaco Φ 30 front fork with Monkey/Gorilla stock fender and kitaco short fender. ● Not only cool and stylish design but also support the front fork. ● Machined aluminum/ Silver anodized finish ● Consist of high accuracy 5-piece aluminum ● For 173mm and 199mm pitch available.
APPLICATION	Exclusive use for Kitaco Φ 30 front fork kit type X (NEW model) ※ Unusable for Kitaco Φ 30 front fork kit 3 pieces type (OLD model)



MONKEY/GORILLA
DOWN FENDER BRACKET WITH FORK STABILIZER

TYPE	173mm	TYPE	199mm
CODE	580-1123300	CODE	580-1123310

Do you still use stock bolts?

VIVID BOLT SET
for crankcase and cover

REMARK	● For crankcase and cover for 12V engine Monkey type. ● Made from stainless
APPLICATION	■ **For R/L CRANKCASE COVER(060-1123200)** ■ **For CRANKCASE(060-1123220)** ・Monkey/Gorilla (FNO.Z50J-2000001 ～ /FNO.AB27-1000001 ～ 1899999) ・Monkey baja (all model) ・CD50 (FNO.CD50-2000001 ～) ・Benly50S (FNO.CD50-2200005 ～) ・Benly CL50 (FNO.CD50-4000001 ～) ■ **For KITACO ULTRA CLUTCH COVER & L. CRANKCASE COVER(060-1123210)** ● Exclusive use for following model with Kitaco Ultra drive kit, Ultra clutch kit ・Monkey/Gorilla (FNO.Z50J-2000001 ～ /FNO.AB27-1000001 ～ 1899999) ・Monkey baja (all model) ・XR50R/CRF50F (AE03)

TYPE	For R/L CRANKCASE COVER
CODE	060-1123200

TYPE	For KITACO ULTRA CLUTCH COVER & L. CRANKCASE COVER
CODE	060-1123210

TYPE	For CRANKCASE
CODE	060-1123220

○ Recommended to use with specialty washer for advancement of bolt fixing
○ Recommended to apply the aluminum grease for anti seize of bolt

OPTION PART (SOLD SEPARATELY)	CODE
Specialty washer 6 × 10 × T0.5 (× 10)	0900-090-00001
Aluminum grease (5g)	0900-969-00140

Kitaco began to handle the hot rear shock!

MONKEY/GORILLA
OKD REAR SHOCK ABSORBER

REMARK	● Made by OKD Thailand company ● 2 kinds of body available! ● Body: Steel/Chrome and Aluminum/Silver anodized ● Wide pitch spring/Chrome ● Preload adjustment ・Steel type /5 level ・Aluminum type /single step ● 2pcs in a set ● Has oil damper ⚠ **This product is made in Thailand.** Therefore it's not same quality and life with Japanese products. It might be possible to have some surface irregularity of chrome and small blemish, but it's in allowable range of our inspection. It has no performance problem.
APPLICATION	・Monkey (all model)/Gorilla/Monkey baja etc.

TYPE	STEEL/280mm
CODE	520-8002800
TYPE	STEEL/330mm
CODE	520-8003300
TYPE	STEEL/350mm
CODE	520-8003500



TYPE	ALUMINUM/280mm
CODE	520-8012800
TYPE	ALUMINUM/330mm
CODE	520-8013300
TYPE	ALUMINUM/350mm
CODE	520-8013500

Silencer spring appeared with swivel hook!

K-CON

Silencer spring(stainless/swivel hook type)

remark	● Swivel hook reduce the strain on the spring ● Made from stainless (resistant to corrosion) ※ It's possible to break and dropout by using in over the length of recommended range

wire diameter:Φ1.6



Silencer spring(stainless/swivel hook type)

type	free length	recommended fitting length	quantity	CODE
9 × 55mm	55 ± 1.0mm	57 ~ 60mm	1	0900-542-99000
9 × 65mm	65 ± 1.0mm	68 ~ 71mm	1	0900-542-99001
9 × 75mm	75 ± 1.0mm	78 ~ 82mm	1	0900-542-99002
9 × 85mm	85 ± 1.0mm	89 ~ 94mm	1	0900-542-99003
9 × 95mm	95 ± 1.0mm	99 ~ 105mm	1	0900-542-99004

Don't you often lose it?

K-CON Pro

Terminal bolt &nut set

remark	● Terminal bolt and nut usuable for GS-YUASA battery. ※ recommended to apply carbon grease(0900-969-00160) on battery terminal in advance for prevention the corrode.







Terminal bolt &nut set

type	picture	usualbe battery		contents	quantity	CODE
No.101	①	□ 12N7D-3B □ YB7L-B	□ YB12A-A □ YB9-B	BOLT × 2 NUT × 2	1SET	0901-002-00001
No.104	②	□ GT12B-4 □ GT9B-4 □ YB16L-B	□ GT14B-4 □ YB16-B	BOLT × 2 NUT × 2	1SET	0901-002-00002
No.105	①	□ 12N5.5-3B	□ YB6-B	BOLT × 2 NUT × 2	1SET	0901-002-00003
No.110	②	□ YB10L-A □ YB12C-A	□ YB12A-B2	BOLT × 2 NUT × 2	1SET	0901-002-00004
No.111	②	□ GT6B-3 □ YB9L-A2	□ GT7B-4	BOLT × 2 NUT × 2	1SET	0901-002-00005
No.112	①	□ 6YB8L-B		BOLT × 2 NUT × 2	1SET	0901-002-00006
A405FT	②	□ YT4L-BS □ YTX5-BS □ YTZ7S	□ YT7B-BS □ YTX7L-BS	BOLT × 2 NUT × 2	1SET	0901-002-00007
A406FN1	①	□ YB18L		BOLT × 2 NUT × 2	1SET	0901-002-00008
A406FT	②	□ YTX7A-BS □ YTX12-BS	□ YTX9-BS □ YTX14-BS	BOLT × 2 NUT × 2	1SET	0901-002-00009
A406FW	③	□ YTX20L-BS	□ YTX14-BS	BOLT × 2 NUT × 2 SPACER × 2	1SET	0901-002-00010
A406SU	①	□ YT12A-BS □ YTZ12S	□ YTZ10S □ YTZ14S	BOLT × 2 NUT × 2	1SET	0901-002-00011
A406FM1	①	□ YB10L-A2 □ YB14L-A2	□ YB12B-B2	BOLT × 2 NUT × 2	1SET	0901-002-00012

Strongest DRIVE UNIT ever!

CYGNUS X /AXIS TREET / BW'S 125
POWER DRIVE KIT type X

REMARKS

- ● KITACO POWER DRIVE KIT type X for CYGNUS is newly released!
- ● DRIVE KIT arouses latent ability at a maximum, such as maximum speed & acceleration performance!
- ● Comes with SUPER ROLLER SET (9.0g x 6 pcs)
- ■ IMPROVEMENT TO FORMER PULLEY
  Type X series is a next-generation pulley with same performance with more durability.
- ○ PULLEY : MATERIAL CHANGE
  → DURABILITY IMPROVED!
- ○ BUSH : MATERIAL CHANGE (from steel to copper)
  → THERMAL CONDUCTIVITY IMPROVED!



※Together with STOCK MUFFLER + STOCK AIR CLEANER

■ POWER DRIVE KIT SETTING PARTS
○ SUPER ROLLER SET (20mm x 12mm)

SUPER ROLLER SET (6pcs)	CODE	PRICE
5.0 ~ 8.5g (0.5g incr.)	462-0106050 ~ 0106085	¥1,800
9.0 ~ 13.0g (1.0g incr.)	462-0106090 ~ 0106130	¥1,800

■ POWER DRIVE KIT REPLACEMENT PARTS



CODE	488-0411000	CODE	488-0411700

APPLICATION ・CYGNUS X (FI)(28S1~5) ・CYGNUS (5UA) ・AXIS TREET (41D1) ・BW'S(5S9)

CYGNUS X /AXIS TREET / BW'S 125
POWER DRIVE KIT type X

TYPE	type X
CODE	489-0411000

LONG-AWAITED RENEWAL!!

ADDRESS V125
POWER DRIVE KIT type X

REMARKS

- ● KITACO POWER DRIVE KIT type X for V125 is newly released!
- ● DRIVE KIT arouses latent ability at a maximum, such as maximum speed & acceleration performance!
- ● Comes with SUPER ROLLER SET (13.0g x 6 pcs)
- ■ IMPROVEMENT TO FORMER PULLEY
  Type X series is a next-generation pulley with same performance with more durability.
- ○ PULLEY : MATERIAL CHANGE
  → DURABILITY IMPROVED!
- ○ BUSH : MATERIAL CHANGE (from steel to copper)
  → THERMAL CONDUCTIVITY IMPROVED!



■ POWER DRIVE KIT SETTING PARTS
○ SUPER ROLLER SET (20mm x 15mm)

SUPER ROLLER SET (6pcs)	CODE	PRICE
10.0 ~ 17.0g (1.0g incr.)	462-2206100 ~ 2206170	¥1,800

■ POWER DRIVE KIT REPLACEMENT PARTS



CODE	488-2411000	CODE	488-2411700

APPLICATION ・V125S/BASIC (CF4MA) ・V125/-G(CF46A) ・V125/-G(CF4EA)

ADDRESS V125
POWER DRIVE KIT type X

TYPE	type X
CODE	489-2411000

Dress-up easily!!

CYGNUS X (FI)
TAIL LENS SET

REMARKS

- ● REAR WINKER & TAIL LENS are all-in-one.
- ● 12V-21/5W RED BULB INCLUDED

CYGNUS X (FI)
TAIL LENS SET

TYPE	CLEAR
CODE	809-0411000

APPLICATION ・CYGNUS X (FI) (28S1 ~ 5)

For replacement and maintenance!

CYGNUS X
AIR ELEMENT

REMARKS

- ● REPLACEMENT AIR ELEMENT with reasonable price
- ● DRY TYPE
- ● APPLICABLE YAMAHA GENUINE NUMBER
  ・5TY-E4451-00
  ・5TY-E4451-10

APPLICATION ・CYGNUS X (FI) (28S1 ~ 5)
・CYGNUS X (5UA)



CYGNUS X
AIR ELEMENT

TYPE	
CODE	341-0411000

I have seen nothing like this before! New mirror appeared!

Ghost mirror

REMARKS	● Left and right side in a set ● Aluminum die casting ● Weight: about 300g ● Adapter included 8mm: normal thread type x2 reverse thread type x1 10mm: normal thread type x2 reverse thread type x1 ● Angle of mirror is adjustable (Pillow ball type)
APPLICATION	universal

TYPE	Black	TYPE	Chrome
CODE	675-1000000	CODE	675-1000010

It's used in many ways! Universal marker lamp!

Marker lamp set

REMARKS	● Highlighted lamp has chrome body! can fit on many place by double face tape or included screw(M3x25) ※ Usable for only flat surface, can't use for rounded surface ※ Can't use over 5W bulb, it's possible to melt the lends by heating ※ Double face tape is not included ● 2pcs in a set ● Orange lens type: 12V5W ferrule bulb included Clear lens type: 12V5W ferrule bulb (orange) included ● Body: ABS resin/Chrome finish
APPLICATION	universal

TYPE	Orange lens type	TYPE	Clear lens type
CODE	802-0900100	CODE	802-0900110

Make good utility & looks come ture!

Knuckle cover

REMARKS	● For 10mm mirror hole ● Left and right side in a set ● Made from PP resin ● Mirror adapter 10mm included (normal thread type x2 /reverse thread type x1) ● 2 colors white and black available
APPLICATION	universal ○ Kitaco tested on LEAD110, ADDRESSV125 and AXIS TREET *unusable fo CYGNUS-X



TYPE	White	TYPE	Black
CODE	562-0900100	CODE	562-0900110

Great endurance strength!

Drive and Driven sprocket
for D-TRACKER125/KLX125

REMARKS	● Made from chromium molybdenum steel ● Size-428 □ Stock tooth of gear
APPLICATION	・D-TRACKER 125 (LX125D-A00078 ～) ・KLX125 (LX125C-A00055 ～)

	Front	Rear
D-TRACKER 125	14T	44T
KLX125	14T	47T

※ Recommend to check the sprocket each 1000km driving.
(daily maintenance extend the parts life)

	Drive sprocket (Front) for D-TRACKER125/KLX125		Driven sprocket (Rear) for D-TRACKER125/KLX125
TYPE	14T	TYPE	44T
CODE	530-4025014	CODE	535-4025044
TYPE	15T	TYPE	47T
CODE	530-4025015	CODE	535-4025047

"KITACO" IS NOT ONLY
A SHARP DRESSER
BUT TOPS IN THE WORLD
OF MOTORCYCLE

KITACO

KITACO NEW PRODUCTS!!

2010 Vol.33

All kitaco items condensed in this!

2010-2011
kitaco all catalog "K-BOOK"

KITACO ALL CATALOG BOOK 2010~2011



	CODE
2010-2011 kitaco all catalog "K-BOOK"	00-2010000

3-8-13, NAGATA, HIGASHI-OSAKA, OSAKA, JAPAN, 577-0015 http://www/kitaco.co.jp

PULLEYS for SUZUKI TYPE RENEWAL!

ADDRESS / SEPIA / ADDRESS V100

HIGH SPEED PULLEY KIT type X

REMARKS	● KITACO HIGH SPEED PULLEY type X for SUZUKI MINI SCOOTER is newly released! ● HIGH SPEED PULLEY arouses latent ability at a maximum, such as maximum speed & accelaration performance! ■ IMPROVEMENT TO FORMER PULLEY ○ PULLEY : MATERIAL CHANGE → DURABILITY IMPROVED! ○ BUSH : MATERIAL CHANGE (from steel to copper) → THERMAL CONDUCTIVITY IMPROVED! ※ Uses KITACO WEIGHT ROLLER SET that is the same size of your rollers as stock roller size differs from model.
APPLICATION	・ADDRESS V100 (CE11A) ・ADDRESS V100/-S (CE13A) ・HI UP (Fno. CA1DA-124210～) ・ADDRESS TUNE (AD50)(Fno.CA1CA-152645～) ・ADDRESS/-EX (AD50)(Fno.CA1CB-203272～) ・ADDRESS-WAY (CA1CC) ・ADDRESS V (CA1FA) ・ADDRESS V/-TUNE (CA1FB) ・SEPIA-ZZ (AF50)(CA1EB) ・SEPIA-ZZ (AF50)(CA1EC) ・SEPIA (AJ50)(CA1HA) ・SEPIA-RS (AJ50)(CA1HB) ・SEPIA-ZZ (AJ50)(CA1HC)

ADDRESS / SEPIA / ADDRESS V100
HIGH SPEED PULLEY KIT type X

TYPE	type X
CODE	488-2000000

MORE SPEED with PULLEY FACE!

ADDRESS / SEPIA

POWER DRIVE KIT type X

REMARKS	● A DRIVE SET includes HIGH SPEED PULLEY KIT type X & EXCLUSIVE DRIVE FACE. ● By installing BIGGER, LIGHTWEIGHT DRIVE FACE at the same time will improve maximum speed without little sacriface of low speed. ● See the cost performance. ※ Uses KITACO WEIGHT ROLLER SET that is the same size of your rollers as stock roller size differs from model.
APPLICATION	・HI UP (FNO. CA1DA-124210～) ・ADDRESS TUNE (AD50)(FNO. CA1CA-152645～) ・ADDRESS / -EX (AD50)(FNO. CA1CB-203272～) ・ADDRESS -WAY (CA1CC) ・ADDRESS V (CA1FA) ・ADDRESS V / -TUNE (CA1FB) ・SEPIA-ZZ (AF50) (CA1EB) ・SEPIA-ZZ (AF50)(CA1EC) ・SEPIA (AJ50)(CA1HA) ・SEPIA-RS(AJ50)(CA1HB) ・SEPIA-ZZ (AJ50)(CA1HC)



ADDRESS / SEPIA
POWER DRIVE KIT type X

TYPE	type X
CODE	489-2031000

I don't cry with the screechy brake!!

K-CON

BRAKE PAD GREASE

REMARKS	● Reduces brake-screeching and has heat resistance property ● Prevents uneven braking, by applying to shims behind brake disc pads. ● Contents : COPPER POWDER MOLYBDENUM DISULFIDE MINERAL OIL NITRIDING BORACIC ACID ADDITIVE AGENT ※ Do not apply it on DISC ROTOR.

K-CON
BRAKE PAD GREASE

TYPE	5 gram
CODE	0900-969-00190

K-CON CHEMICAL ITEMS RELEASED!!

K-CON Pro

MIRROR FINISH (500g)

REMARKS	● To polish aluminum, stainless, magnesium, copper and all kinds of metals beautifully, by adopting #10000 equivalent aluminum oxide particulate in main components. Possible to polish hard resin products like acrylic, chrome plated, glass and painted surfaces.  ※ NOT POSSIBLE TO POLISH ABS・PE PRODUCTS ● Abrasive for mirror finish ● Large volume 500g available ● Material : Oxide aluminum・natural wax・surface acting agent vegetal oil・petroleum solvent

K-CON Pro
MIRROR FINISH

TYPE	500 gram
CODE	0901-969-00100

So convenient rear carrier!!

PCX125
REAR CARRIER

REMARKS

- Must for mounting rear box. Loading capacity and convenience greatly increase!
- Made from 9 mm STAINLESS
- Measurements : L170 x W178 (mm)
- Maximum loading capacity : 5.0 kg

※ Making hole mods on grab rail cover is required.
※ KITACO TANDEM BACK REST not useable.

APPLICATION · PCX125 (JF28)



PCX125
REAR CARRIER

TYPE	
CODE	539-1426000

For more comfortable ride!

PCX125
TANDEM BACK REST

REMARKS

- Dress-up + utinilty with BACK REST + TANDEM BAR!
- STAINLESS
- GRAB BAR : 25.4 mm
- PAD SIZE : (H)90 x (W)310 x (L)110
- PAD position changeable back and forth (15mm)

※ Making hole mods on grab rail cover is required.
※ KITACO REAR CARRIER not useable.

APPLICATION · PCX125 (JF28)

PCX125
TANDEM BACK REST

TYPE	
CODE	652-1426000

For more stylish looking!

PCX125
FENDER LESS KIT

REMARKS

- STEEL / BLACK CHROME FINISH
- Stock tail lamp useable
- ROUND MINI WINKER INCLUDED (CHROME BODY / CLEAR LENS)

OPTION PART (SOLD SEPARATELY)		CODE
REFLECTOR KIT	SILVER	801-0800100
	BLACK	801-0800110

APPLICATION · PCX125 (JF28)

PCX125
FENDER LESS KIT

TYPE	
CODE	691-1426000

Most reliable and trustful ORIGINAL REAR SHOCK!

PCX125
REAR SHOCK ABSORBER

REMARKS

- Body : BLACK
  Spring : BLUE METALLIC
- Length : 310 mm (same as stock length)
- OIL CHARGED DAMPER
- Preload adjustment : SINGLE-STEP
- Sold in pairs

APPLICATION · PCX125 (JF28)

PCX125
REAR SHOCK ABSORBER

TYPE	
CODE	520-1426000

Simple, but impressive presence!

PCX125
GPR DOWN MUFFLER type M-1

REMARKS

- M-1 MUFFLER THAT HAS 110 mm O.D. ULTRA-FAT SILENCER
- Sound : 88dB / 4250rpm
- Silencer : 110 mm O.D. ALUMINUM with BLACK ALUMITE FINISH
- Exhaust pipe : STAINLESS (MULTI-PLEATED type)
- Bracket : STAINLESS
- Catalyzer included

※ EXHAUST MUFFLER GASKET (XH-2 963-1000002, sold separately) is required.



※With stock condition except M-1 muffler
※Tested at Kitaco facility. Actual power may differ.

APPLICATION · PCX125 (JF28)

PCX125
GPR DOWN MUFFLER

TYPE	M-1
CODE	548-1426310

Graceful looking you have never seen!

PCX125
GPR STAINLESS DOWN MUFFLER type D-1

REMARKS

- QUIET & STYLISH MUFFLER THAT HAS NEWLY DESIGNED TAPER SILENCER!
- Sound : 84dB / 4250rpm
- Material : STAINLESS with BUFF-FINISH
- Bracket : STAINLESS
- Catalyzer included
- 2-PIECE construction

※ EXHAUST MUFFLER GASKET (XH-2 963-1000002, sold separately) is required.



※With stock condition except D-1 muffler
※Tested at Kitaco facility. Actual power may differ.

APPLICATION · PCX125 (JF28)

PCX125
GPR STAINLESS DOWN MUFFLER

TYPE	D-1
CODE	548-1426380

Dress-up with luxury mood!

PCX125
STEP BOARD

REMARKS

- Perfect-bolt-on STEP BOARD
- Uses the stock installing holes

■ **type A**
○ ALUMINUM STRIPE with ALUMITE FINISH
○ STINLESS SCREWS INCLUDED

■ **type B**
○ STAINLESS with BURRING FINISH
○ STINLESS SCREWS INCLUDED

APPLICATION · PCX125 (JF28)

TYPE	type A / SILVER	TYPE	type A / BLACK	TYPE	type B
CODE	538-1426000	CODE	538-1426010	CODE	538-1426300

Control wind!

PCX125
AERO SCREEN

REMARKS	● Pleated bubble design adopted ● For comfortable touring & street riding by transferring air to upside coming from front. ● Made from ABS RESIN ● BLACK (NON-TRANSPARENT FINISH)
APPLICATION	・PCX125 (JF28)

PCX125
AERO SCREEN

TYPE	
CODE	670-1426400

Wanna see more stylish handle?

HANDLE UPPER HOLDER

REMARKS	● PISTON SHAPED HANDLE UPPER HOLDER! ● Just exchange with STOCK UPPER HOLDER ● ALUMINUM MACHINED with ALUMITE FINISH ● M8 CAP BOLT included ● O.D. 40 mm ● Sold in pairs
APPLICATION	・PCX125 (JF28) ・APE50 (CARBURETOR / FI) (Fno.AC16-1300001 ～) ・APE50-D (FI/AC18) ・APE100/-D (HC07/HC13) ・XR50/100 MOTARD (AD14/HD13) ・MONKEY BAJA (ALL) ・CRM50/80 (AD13/HD12)

HANDLE UPPER HOLDER

TYPE	SILVER	TYPE	BLACK
CODE	561-1138300	CODE	561-1138310

One-point accent on your seat!

PCX125
SEAT PAD COVER

REMARKS	● EASY-INSTALL, just to cover stock seat pad. ● MESH / ALCANTARA type available
APPLICATION	・PCX125 (JF28)

TYPE	MESH / BLACK
CODE	613-1426800

TYPE	MESH / RED
CODE	613-1426810

TYPE	ALCANTARA / BLACK
CODE	613-1426900

TYPE	ALCANTARA / RED
CODE	613-1426910

First in the market! Fork Extend kit with adjusting function!

LOAD ADJUSTER SET (45 mm)

REMARKS	● 45 mm LOAD ADJUSTER for 30mm O.D. FRONT FORK ● Front fork initial adjustment function built-in you desperate when changing wheels to bigger ones. ● NO-SCALE REQUIRED with 5 mm increments scratch lines on adjuster ● DURALUMIN MACHINED ● Body : SILVER ALUMITE ● Adjuster : ALUMITE FINISH ● Preload Adjustment Range : 9 mm ● Sold in pairs ※ O RING is not included.
APPLICATION	・NSF100 ・NSR50 (Fno. AC10-1700001 ～) ・NSR80 (Fno. HC06-1600001 ～) ・NSR MINI (ALL) ・KITACO 30 O.D. FRONT FORK ※

※INSTALLING LOAD ADJUSTER to KITACO 30 mm FRONT FORK
There are 2 types (old and new) of KITACO 3-PIECE type front fork top bolt

LOAD ADJUSTER SET	
TYPE	45 mm / RED
CODE	502-0030100
TYPE	45 mm / BLACK
CODE	502-0030110
TYPE	45 mm / GOLD
CODE	502-0030120

LONG-AWAITED INTAKE MANIFOLD for CHALY 50 / 70!!

CHALY 50 / 70 MANIFOLD SET

REMARKS	● EXCLUSIVELY for CHALY 50 / 70 (with KITACO ULTRA-SE BIG BORE KIT) ● For VM26 / PWK28 CARBURETOR Bolt-on without any frame modification ● ALUMINUM SAND CASTING ● For 26mm INTAKE PORT ● Comes with exclusive RUBBER HOLDER ※ CENTER COVER not useable ※ CARBURETOR and THROTTLE CABLE required. (sold separately)
APPLICATION	・CHALY 50 / 70



CHALY 50 / 70 MANIFOLD SET	
TYPE	For PWK28
CODE	410-1020028
TYPE	For VM26
CODE	410-1020003

Dress-up easily!!

SUPER CUB 110 CLEAR WINKER LENS SET

REMARKS	● Sold in pairs ● 12V-10W AMBER WEDGE BULBS included ● FRONT / REAR in common ※ Only rear lens is useable for C110 PRO
APPLICATION	・SUPER CUB 110/PRO (FI) JA07

SUPER CUB 110 CLEAR WINKER LENS SET	
TYPE	FRONT / REAR
CODE	807-1424000

Dress-up easily??

SUPER CUB 110 CLEAR TAIL LENS SET

REMARKS	● 12V-18/5W RED WEDGE BULB included ● Comes with REFLECTOR
APPLICATION	・SUPER CUB 110/PRO (FI) JA07



SUPER CUB 110 CLEAR TAIL LENS SET	
TYPE	
CODE	809-1424000

Stably transfers great power!!

MONKEY / GORILLA CLUTCH DISC KIT (3 DISC)

REMARKS	● OPTION CLUTCH DISC KIT to change 3 disc from KITACO 2 DISC DRIVE UNIT. ● Stably transfers great power with increase of spring rate. ※ Do not use with motor more than 10 PS or revs more than 12,000 rpm, to avoid clutch slippage. Use KITACO ULTRA CLUTCH for bigger power motors. ※ Stock clutch outer not useable
APPLICATION	・MONKEY / GORILLA (KITACO 2 DISC DRIVE UNIT / MANUAL CLUTCH KIT)



MONKEY / GORILLA CLUTCH DISC KIT (3 DISC)	
TYPE	3 DISC
CODE	307-1123660

Strongest LOCK SERIES with reasonable price!!

ROBOT BAR LOCK (MDZ/HDF)

REMARKS

- STANDARD LOCK from KITACO, who has the strongest locks in the market.
- EASY-TO-USE with special rivets for smooth installation.
- SPECIAL ALLOY STEEL is adopted.
- Reliable ABLOY KEYLOCK EXEC is adopted, which can withstand lock-picking, drilling, hitting and pulling out cylinder remarkably.
  - ○ Provides 362.79 million combinations.
- Comes with EXCLUSIVE COVER (installed when shipped)

※ ROBOT BAR LOCK without cover

TYPE	MDZ
CODE	880-0815000
SPEC	TOTAL SECURITY LEVEL : 25 LENGTH : 1300 mm WEIGHT : 3 kgs ARM SIZE : 19 × 9 mm

TYPE	HDF-9
CODE	880-0814090
SPEC	TOTAL SECURITY LEVEL : 30 LENGTH : 1500 mm WEIGHT : 4.5 kgs ARM SIZE : 25 × 9 mm

TYPE	HDF-12
CODE	880-0814120
SPEC	TOTAL SECURITY LEVEL : 35 LENGTH : 1700 mm WEIGHT : 6.5 kgs ARM SIZE : 25 × 12 mm

TYPE	HDF-16
CODE	880-0814160
SPEC	TOTAL SECURITY LEVEL : 45 LENGTH : 2000 mm WEIGHT : 10.5 kgs ARM SIZE : 25 × 16 mm

New lineup to SP models!

ROBOT ARM LOCK (HD-8SP)

REMARKS

- EASY-TO-USE & INSTALL by adopting special rivets for smooth installation
- SPECIAL ALLOY TOOL STEEL is adopted.
- Reliable ABLOY KEYLOCK EXEC is adapted, which can withstand lock-picking, drilling, hitting and pulling out cylinder remarkably.
  - ○ Provides 362.79 million combinations.
- Comes with EXCLUSIVE COVER (installed when shipped)

TYPE	HD-8SP
CODE	880-0803081
SPEC	TOTAL SECURITY LEVEL : 65 LENGTH : 1900 mm WEIGHT : 10.5 kgs ARM SIZE : 22 × 22mm

- Protect your precious motorcycles from theft rings by using multiple magnificent lock keys!
  Kitaco recommends **2 locks for 1 motorcycle**.
- Kitaco quantifies TOTAL SECURITY LEVEL with Kitaco original standard for your consideration.

※ **It is the reference only to see the difference of each locks.**
※ Prices and specification on the ads are subject to change without prior notice, either written or oral.

650 mm & 1050 mm are newly released!!

UNIVERSAL
MULTI THROTTLE CABLE

REMARKS

- A wide variety of use, for adjustable CABLE END LENGTH (about 30mm)
- Useable for PC20, PE22, PE24, F24, VM26, PWK28 carburetors and so on
- For Kitaco HIGH THROTTLE SET (Only for RESIN THROTTLE PIPE)





UNIVERSAL MULTI THROTTLE CABLE

OUTER LENGTH	COLOR	CODE
650mm	BLACK	905-0550650
1050mm	BLACK	905-0550050
1050mm	STANLESS MESH	905-0551050

New STAINLESS CABLE released!!

MONKEY / GORILLA • APE50/100
STAINLESS BRAKE CABLE (for STOCK LEVER & HOLDER)

REMARKS

★ SMOOTH ・・・
SPECIAL TREATMENT on the surface of inner cable to make it smooth.
By having TEFLON TUBE built-in, friction is greatly cut down.
★ HARD TO STRETCH OUT・・・
HIGH-DENSITY BRAIDED (1 x 19 wires) FINISH
HIGH TENSILE treatment to avoid stretching out
★ RUST-PROOF ・・・
Made from STAINLESS (RUST-PROOF)

APPLICATION

MONKEY / GORILLA
- MONKEY / GORILLA Fno. Z50J-1600008 ~ Fno. AB27-1000001 ~ 1899999
- MONKEY (FI) ※ Fno. AB27-1900001 ~

※ Only +100 mm cable is useable for MONKEY (FI) (It will be 30mm longer for FI model)

APE50/100
- APE50 FNo.AC16-1000001 ~ 1599999
- APE50 (FI) Fno. AC16-1600001 ~
- APE100 HC07 (ALL)

※ Not useable for APE50D (AC18/FI), APE100D (HC13)

MONKEY / GORILLA STAINLESS BRAKE CABLE (for STOCK LEVER & HOLDER)

	COLOR	CODE
STD	BLACK	906-1083201
+100 mm	BLACK	906-1083211
STD	STAINLESS MESH	906-1083300
↓ on sale ↓		
+100 mm	STAINLESS MESH	906-1083310

APE50/100 STAINLESS BRAKE CABLE (for STOCK LEVER & HOLDER)

	COLOR	CODE
STD	BLACK	906-1122001
+150 mm	BLACK	906-1122151
STD	STAINLESS MESH	906-1122300
↓ on sale ↓		
+150 mm	STAINLESS MESH	906-1122315

For dress-up and replacement!!

MONKEY / GORILLA
SPEEDOMETER CABLE

REMARKS

- Replacement cable
- Same length as stock cable (530mm)

APPLICATION

- MONKEY / GORILLA Fno. Z50J-1600008 ~ Fno. AB27-1000001 ~ 1899999
- MONKEY (FI) AB27-1900001 ~

MONKEY / GORILLA SPEEDOMETER CABLE

	COLOR	CODE
STD	BLACK	908-1016000
STD	STAINLESS MESH	908-1016300

New STAINLESS CABLE released!!

MONKEY / GORILLA
STAINLESS THROTTLE CABLE (for STOCK THROTTLE HOLDER)

REMARKS

★ SMOOTH ・・・
SPECIAL TREATMENT on the surface of inner cable to make it smooth.
By having TEFLON TUBE built-in, friction is greatly cut down.
★ HARD TO STRETCH OUT・・・
HIGH-DENSITY BRAIDED (7 x 7 = 49 wires) FINISH
HIGH TENSILE treatment to avoid stretching out
★ RUST-PROOF ・・・
Made from STAINLESS (RUST-PROOF)

APPLICATION

- MONKEY / GORILLA Fno. Z50J-1600008 ~ Fno. AB27-1000001 ~ 1899999

※ Not useable for MONKEY (FI)

MONKEY / GORILLA STAINLESS THROTTLE CABLE (for STOCK THROTTLE HOLDER)

	COLOR	CODE
STD	BLACK	905-1083000
+100 mm	BLACK	905-1083010
STD	STAINLESS MESH	905-1083300
↓ on sale ↓		
+100 mm	STAINLESS MESH	905-1083310

New STAINLESS CABLE released!!

MONKEY / GORILLA • APE50/100
STAINLESS CLUTCH CABLE (for STOCK LEVER & HOLDER)

REMARKS

★ SMOOTH ・・・
SPECIAL TREATMENT on the surface of inner cable to make it smooth.
By having TEFLON TUBE built-in, friction is greatly cut down.
★ HARD TO STRETCH OUT・・・
HIGH-DENSITY BRAIDED (7 x 7 = 49 wires) FINISH
HIGH TENSILE treatment to avoid stretching out
★ RUST-PROOF ・・・
Made from STAINLESS (RUST-PROOF)

APPLICATION

MONKEY / GORILLA
- MONKEY / GORILLA Fno. Z50J-1600008 ~ Fno. AB27-1000001 ~ 1899999

※ Not useable for MONKEY (FI)

APE50/100
- APE50 FNo.AC16-1000001 ~ 1599999
- APE50/-D (FI) AC16/AC18 (ALL)
- APE100/-D HC07/HC13 (ALL)

MONKEY / GORILLA STAINLESS CLUTCH CABLE (for STOCK LEVER & HOLDER)

	COLOR	CODE
STD	BLACK	909-1083001
+100 mm	BLACK	909-1083101
STD	STAINLESS MESH	909-1083002
↓ on sale ↓		
+100 mm	STAINLESS MESH	909-1083102

APE50/100 STAINLESS CLUTCH CABLE (for STOCK LEVER & HOLDER)

	COLOR	CODE
STD	BLACK	909-1122001
+150 mm	BLACK	909-1122151
STD	STAINLESS MESH	909-1122002
↓ on sale ↓		
+150 mm	STAINLESS MESH	909-1122152

More durability with tentioner cap!

MONKEY / GORILLA

SPL CAM CHAIN TENSIONER ARM SET

REMARKS

● A set of SPL TENSIONER ARM and SPL TENSIONER CAP

■ SPL CAM CHAIN TENSIONER ARM
- ○ Lightweight TENSIONER ARM reduces damages of tensioner cap with low pressure surface.
- ○ Material : SUPER DURALUMIN with MACHINING FINISH + WPC treatment (base material) + HARD ALUMITE (with SILICON)
- ○ HONDA CORRESPONDING NUMBER #14500-035-020
- ○ Weight : 26.6g (stock weight : about 36.6g)
- ○ Roller axle : STEEL is adopted for more stiffness and durability.

■ SPL CAM CHAIN TENSIONER CAP
- ○ Made from SPECIAL RESIN containing carbon that has wear-resistant and rub-resistant properties.

REPLACEMENT	CODE
SPL TENSIONER CAP	303-1083703

MONKEY / GORILLA
SPL CAM CHAIN TENSIONER ARM SET

TYPE	
CODE	303-1083710

Reinforced woodruff key!

MONKEY / GORILLA / APE

SPL WOODRUFF KEY (4mm)

REMARKS

● HONDA CORRESPONDING NUMBER :
90741-003-010
90701-HB6-010 and so on.
● HIGH-INTENSITY CARBON STEEL MACHINED
● CHROME FINISH
● 4 mm thick

MONKEY / GORILLA / APE **SPL WOODRUFF KEY**

TYPE	4mm
CODE	309-1123090

Seriously for race? TAPER CARBON MUFFLER released!

MONKEY / GORILLA

GPR CARBON DOWN MUFFLER R-1

REMARKS

● Newly designed, CFRP TAPER SILENCER stylish muffler with GREAT POWER!!
● For race use (suitable for 50 ~ 124 cc DOHC)
● Silencer : 85 mm TAPER CARBON
● Exhaust pipe : STAINLESS (3 pleated construction)
● Bracket : DURALUMIN MACHINED with ALUMITE FINISH
※ MUFFLER GASKET REQUIRED (sold separately)
XH-01 (2 a set) 963-1000001
◎ OPTION PARTS
MUFFLER END CAP 40 mm
540-1083801
※ MODIFICATION REQUIRED



APPLICATION

・MONKEY / GORILLA (Fno. ~ AB27-1899999), ※ Not useable for FI model.

MONKEY / GORILLA
GPR CARBON DOWN MUFFLER

TYPE	R-1
CODE	548-1123330

Long-awaited BIG CARBURETOR KIT for ORIGINAL LOOK LOVERS!

MONKEY / GORILLA

KEIHIN PC20 CARBURETOR KIT

REMARKS

● Using KITACO STD/NEW STD BIG BORE KIT at the same time is recommended.
● For LEFT SIDE MOUNT
● For intake port more than 22 mm
● SUPER THROTTLE PIPE included
● STOCK HANDLE & STOCK THROTTLE CABLE useable
● STOCK AIR CLEANER not useable

SETTING PARTS	INSTALLED	CODE
PILOT JET #38	# 35	451-1013038
MAIN JET #75 ~ 118 (#0 / #2 / #5 / #8 increments)	# 85	450-3020750 ~ 450-3021180

RECOMMENDED AIR CLEANER	CODE
POWER FILTER 35 MM (STRAIGHT)	515-0000350
POWER FILTER 35 MM (STRAIGHT CARBON)	515-0100350
SUPER POWER CLEARNER 35 MM	515-6000350

APPLICATION

・MONKEY / GORILLA
(Fno. Z50J-1600008 ~ 1805927 / Fno. Z50J-2000001 ~ / Fno. AB27-1000001 ~ 1899999)
・MONKEY BAJA (ALL) ・DAX50 (12V AB26) ※
※ KITACO FUEL COCK TYPE 1 (575-0500000) is required for DAX

MONKEY / GORILLA
KEIHIN PC20 CARBURETOR KIT

TYPE	STD/NEW STD BIG BORE KIT
CODE	110-1016006

K-CON
CONNECTOR SET

REMARKS	
	● A set of major maker's WINKER / TAIL LAMP CONNECTOR & TERMNAL. ● Appricable cable : AV0.3 or AVS0.3 ～ 0.5 ● Allowable ampacity : 5A (when using AVS0.5 CABLE)



CONNECTOR SET (WINKER / HONDA 1 TYPE)

TYPE	PIN / COLOR	CODE
MALE / R	2P / LB	0900-755-02052
FEMALE / R	2P / LB	0900-755-02053
MALE / L	2P / O	0900-755-02054
FEMALE / L	2P / O	0900-755-02055



CONNECTOR SET (WINKER / HONDA 2 TYPE)

TYPE	PIN / COLOR	CODE
MALE / R	2P / LB	0900-755-02056
FEMALE / R	2P / LB	0900-755-02057
MALE / L	2P / O	0900-755-02058
FEMALE / L	2P / O	0900-755-02059



CONNECTOR SET (WINKER / HONDA W TYPE)

TYPE	PIN / COLOR	CODE
MALE / R	3P / LB	0900-755-02060
FEMALE / R	3P / LB	0900-755-02061
MALE / L	3P / O	0900-755-02062
FEMALE / L	3P / O	0900-755-02063

CONNECTOR SET (WINKER / YAMAHA W TYPE)

TYPE	PIN / COLOR	CODE
MALE / R	3P / BK	0900-755-02070
FEMALE / R	3P / BK	0900-755-02071
MALE / L	3P / GY	0900-755-02072
FEMALE / L	3P / GY	0900-755-02073



CONNECTOR SET (WINKER / SUZUKI TYPE)

TYPE	PIN / COLOR	CODE
MALE	2P / BK	0900-755-02064
FEMALE	2P / BK	0900-755-02065



CONNECTOR SET (WINKER / Kawasaki TYPE)

TYPE	PIN / COLOR	CODE
MALE	2P / BK	0900-755-02066
FEMALE	2P / BK	0900-755-02067



CONNECTOR SET (WINKER / Kawasaki W TYPE)

TYPE	PIN / COLOR	CODE
MALE	3P / BK	0900-755-02068
FEMALE	3P / BK	0900-755-02069



CONNECTOR SET (TAIL LAMP / HONDA TYPE)

TYPE	PIN / COLOR	CODE
MALE	3P / W	0900-755-02074
FEMALE	3P / W	0900-755-02075

K-CON
WINKER TERMINAL SET

REMARKS	
	● Replacement TERMINAL SET ● Material : MALE (BRASS), FEMALE (COPPER ALLOY) ● Surface treatment : TINNING ● Appricable cable : AV0.3 or AVS0.3 ～ 0.5 ● Allowable ampacity : 5A (when using AVS0.5 CABLE)



WINKER SET

TYPE	QTY	CODE
HONDA・Kawasaki / MALE	5	0900-755-01090
HONDA・Kawasaki / FEMALE	5	0900-755-01091
SUZUKI / MALE	5	0900-755-01092
SUZUKI / FEMALE	5	0900-755-01093
YAMAHA / MALE	5	0900-755-01094
YAMAHA / FEMALE	5	0900-755-01095

APPLICABLE CABLE
GENUINE COLOR TYPE HARNESS (AVS 0.5)

● Allowable power : 110W / 12V ● Temperature limit : 80 ℃ ● Wire diameter (O.D.) : 2.0 ～ 2.1 mm ● Length : 2m

	R	0900-755-00201		BL	0900-755-00206		LG	0900-755-00211		R/BK	0900-755-00216
	BK	0900-755-00202		W	0900-755-00207		BK/W	0900-755-00212		R/Y	0900-755-00217
	G	0900-755-00203		Y	0900-755-00208		W/BK	0900-755-00213		BK/BR	0900-755-00218
	LB	0900-755-00204		G/Y	0900-755-00209		GR	0900-755-00214		G/BK	0900-755-00219
	O	0900-755-00205		BR	0900-755-00210		BK/Y	0900-755-00215		R/G	0900-755-00220

HARMESS COLOR for reference

	WINKER L	WINKER R	TAIL LAMP etc.	EARTH
HONDA	ORANGE	LIGHT BLUE	GREEN / YELLOW	GREEN
YAMAHA	DARK BROWN	DARK GREEN	YELLOW	BLACK
SUZUKI	BLACK	LIGHT GREEN	WHITE / BLACK	BLACK / WHITE
Kawasaki	GREEN	GRAY	BLUE	BLACK / YELLOW

FOR MOTORCYCLES
K-CON Pro
キタコ・コンビニパーツ

コンセプト / CONCEPT

In 2005, "K-CON" has been released, which is the brand that has a variety of
universal small convenient items.
Thanks to the requests from end users & shops, there are more than 900 items in lineups.

AND ・・・

In 2010, new series, "K-CON Pro" is released, which has more proffessional and high quality items.

"JUST FIT" & "HIGH QUALITY" with reasonable price. It is main concept.

More stable coating!

K-CON Pro
PAC PRIMER / CLEANER

REMARKS

- Convenient PRIMER & CLEANER when attaching something like double faced tape to base material.
- Makes appropriate surface, that is best to attach over.
- The PRIMER has higher adhesion properties with time.
- Single-use type with 3 ml in the nonwoven cloth

■ PAC PRIMER (ADHESION PROMOTER)
○ N-200
For VINYL CHLORIDE・URETHANE・STAINLESS・NYLON・ PBT・ACRYLATE RESIN・CERAMIC COATED GLASS・ABS and so on.
○ K-500
For PP・EPDM RUBBER・AES・ABS and so on
■ PAC CLEANER (ADHESION CLEANER)
○ No.300
Cleans the surface of plastics and coating places.
Removes improper components like wax and oil layer.

PRIMER IMAGE



※The adhesive property becomes at maximum in 24 hours.

PAC PRIMER	
TYPE	N-200
CODE	0901-968-00000

PAC PRIMER	
TYPE	K-500
CODE	0901-968-00100

PAC CLEANER	
TYPE	No.300
CODE	0901-968-00200

Convenient when remove and install cowling!

K-CON Pro
QUICK FASTENER

REMARKS

- Convenient fastener when removing and installing cowling and so on.
- SLOT & RING TYPE studs are available.
- Attachable board : 1.5 ～ 2.0 mm (both upper and lower board)

※ KITACO ONE TOUCH FASTER does not have compatibility.



※LOWER HOLE POSITION : 10 ～ 11 mm
(from board end to hole center)

●CONTENTS
・STUD × 1 (CARBON STEEL / CHROME)
・CLIP × 1 (SPRING STEEL / TRIVALENT CHROMATE TREATMENT)
・NYLON WASHER × 1
●HOLE SIZE
UPPER BOARD : 7.0～8.0 mm
LOWER BOARD : 9.0～10.0 mm



QUICK FASTENER	
TYPE	SLOT TYPE / 7 mm
CODE	0901-672-00000

QUICK FASTENER	
TYPE	RING TYPE / 7 mm
CODE	0901-672-00010

Before you slip…!

K-CON Pro
NONSLIP SHEET

REMARKS

- Nonslip sheet for motorcycle's step and workbench
- Universal sheet to cut as you want
- B5 / B6 size available
- Water-proof sheet



NONSLIP SHEET			
TYPE	B6	TYPE	B5
CODE	0901-960-90010	CODE	0901-960-90020

The strongest FI controller!!

SUPER CUB 110
i-map (FI CONTROLLER)

REMARKS

- New i-map for SUPER CUB 110
- FI controller for variety of tuning types
- Has rev limiter control function built-in
- Original map rewritable (user setting manual)

	MAP	description	REV LIMIT
i-map setting	1	For 110 cc / STOCK MUFFLER	11,000rpm
	2	For 110 cc / KITACO JMCA certified muffler	11,000rpm
	3	For 110 cc / Mufflers, not with JMCA certification	11,000rpm
	4	USER SETTING CHANNEL (Rewritable)	

○ PC that supports Windows & PC INTERFACE CABLE KIT are required.
PC INTERFACE CABLE KIT 763-0500900
○ Required "Fuel Manager" (map editing software), which can be downloaded from Kitaco website by free.

APPLICATION · SUPER CUB 110 (FI), ※ Not useable for SUPER CUB 110 PRO



SUPER CUB 110
i-map (FI CONTROLLER)

TYPE	
NO.	763-1424000

Be cool!!

SUPER CUB110
STAINLESS SPORTY MUFFLER (UP/DOWN)

REMARKS

※ MUFFLER GASKET IS REQUIRED (SOLD SEPARATELY)
XH-06 (2 a set) 963-1000006

■ STAINLESS SPORTY UP MUFFLER

Power between middle and high speed improves, that does not drop quickly after the peak.
○ Sound : 85db/3,750rpm
○ Comes with HEAT GUARD (exhaust pipe area)
○ Stock silencer heat guard useable
○ ALL STAINLESS STEEL with BUFF FINISH
○ 1-PIECE construction



■ STAINLESS SPORTY DOWN MUFFLER

Power at high rpm improves without risk of power down at low rpm, that does not drop quickly after the peak.
○ Sound : 89db/3,750rpm
○ ALL STAINLESS STEEL with BUFF FINISH
○ 1-PIECE construction



APPLICATION · SUPER CUB 110 (FI), ※ Not useable for SUPER CUB 110 PRO

TYPE	UP MUFFLER
NO.	544-1424300

TYPE	DOWN MUFFLER
NO.	544-1424330

Powerful braking!!

SUPER CUB110 (FI)
SH-92N BRAKE SHOE

REMARKS

- Keeps good braking work with special lining, which is tough during heat.
- Non-asbestos material
- Lining : 25 mm thick

※ Exchange new brake shoe to new one when lining thickness is 1 mm, as brake shoe is consumable.

APPLICATION
· LEAD110EX (REAR) · PCX (REAR)
· SUPER CUB 110 (FRONT) and so on

SUPER CUB 110 SH-92N BRAKE SHOE

TYPE	25mm
NO.	770-1092010

Heavy-duty sprockets!!

SUPER CUB110 (FI)
DRIVEN SPROCKET (REAR / 31 ~ 34T)

REMARKS

- Chromium molybdenum high tensile steel is adopted
- 420 size
- 31 ~ 34T available

※ Insect the rear sprockets at every 1,000 km for wear.
If it is worn, replace the sprocket with new one.
Applying oil periodically will make the sprockets lives significantly.

APPLICATION · SUPER CUB 110 / PRO (FI/JA07)

SUPER CUB 110 DRIVEN SPROCKET (REAR)

TYPE	31T	32T	33T	34T
NO.	535-1424031	535-1424032	535-1424033	535-1424034

Big bore kit for AXIS TREET!

AXIS TREET
138cc LIGHT BIG BORE KIT

REMARKS

- More reliable & more evolved LIGHT BIG BORE KIT for AXIS TREET with 137.41cc (138cc) displacement
- Makes much bigger torque and accelerates like 250cc-equivalent motor
- For race use
- Aluminum cylinder with steel liner is adopted, to get cost performance.
- Piston head is designed for efficient combustion of mixed gas at a moment.
- Camshaft soft nitriding is adopted to fit smoothly.
- Bore x Stroke : 54 x 60 mm (Stock : 51.5 x 60mm)
- Displacement : 137.41 cc Compression ratio : 10.5 : 1 (Stock 9.5 : 1)

※ i-map (FI CONTROLLER 763-0413000) is required to install 138cc LIGHT BIG BORE KIT.

☐ Reference data : MAX SPEED : MORE THAN 115 km/h (depending on conditions)

RECOMMENDED PARTS	ITEM NUMBER
GPR DOWN MUFFLER type M-1	548-0413390
SUPER POWER FILTER KIT (with REAR FENDER)	515-0413350 (BLUE) 515-0413351 (RED) 515-0413353 (CHROME) 515-0413355 (PURPLE)
SUPER DRIVE FACE type 3	490-0407500
ELF MOTO-4 PROTEC	968-2000021



138cc LIGHT BIG BORE KIT
+ GPR DOWN MUFFLER type M-1
+ WEIGHT ROLLER 6.0g x 6
+ i-map (FI CONTROLLER)
+ SUPER DRIVE FACE type 3
+ SUPER POWER FILTER

• POWER DRIVE KIT / DRIVE BELT / HIGH GEAR KIT for AXIS TREET are under development!

APPLICATION • AXIS TREET (41D1)

AXIS TREET
138cc LIGHT BIG BORE KIT

TYPE	138cc
NO.	212-0413000

Get more intake efficiency!

AXIS TREET
SUPER POWER FILTER

REMARKS

- Recommended items to install together with KITACO 138cc LIGHT BIG BORE KIT
- Nipple for 8mm hose is included.

※ Not for stock displacement models

APPLICATION • AXIS TREET (41D1)

AXIS TREET
SUPER POWER FILTER

TYPE	BLUE
NO.	515-0413350
TYPE	RED
NO.	515-0413351
TYPE	CHROME
NO.	515-0413353
TYPE	PURPLE
NO.	515-0413355

KITACO ORIGINAL REAR SHOCK!

AXIS TREET
REAR SHOCK ABSORBER

REMARKS

- Body : BLACK
- Spring : BLUE METALLIC
- Length : 315 mm (Stock : 315 mm)
- Preload : SINGLE-STEP
- OIL CHARGED DAMPER

APPLICATION • AXIS TREET (41D1)

AXIS TREET
REAR SHOCK ABSORBER

TYPE	
NO.	520-2203161

KITACO ORIGINAL REAR SHOCK!

JOG/-ZR (FI)
REAR SHOCK ABSORBER

REMARKS

- Body : BLACK
- Spring : BLUE METALLIC
- Length : 250 mm (Stock : 240 mm)
- Preload : SINGLE-STEP
- OIL CHARGED DAMPER

APPLICATION • JOG/-ZR (FI) (3P31 ～ 5)

JOG/-ZR (FI)
REAR SHOCK ABSORBER

TYPE	
NO.	520-2202520

Reduces the damages and impact of falling!

CYGNUS X ・ADDRESS V125/-G

AXLE PROTECTOR

REMARKS

- Protects axleshaft and brake related hardware when falling
- Reduces the impact to the minimum by sliding the motorcycle body
- Best for dress-up and practical use

■ **CYGNUS X**

- PROTECTOR : DURACON 45 × 33 mm
- SHAFT : STEEL M12 × 278 mm
  (from nut seating face to another end)

■ **ADDRESS V125**

- PROTECTOR : DURACON 40 × 28 mm
- SHAFT : STEEL M10 × 232 mm
  (from nut seating face to another end)

MODEL	REPLACEMENT PARTS	NUMBER
CYGNUS X	PROTECTOR (WHITE/1)	532-0500100
	PROTECTOR (BLACK/1)	532-0500110
	AXLESHAFT	532-9012294
ADDRESS V125	PROTECTOR (WHITE/1)	532-0500000
	PROTECTOR (BLACK/1)	532-0500010
	AXLESHAFT	532-9010245

APPLICATION

CYGNUS X (WHITE : 532-0411000 / BLACK : 532-0411010)
・CYGNUS X (5UA/28S)

ADDRESS V125 (WHITE : 532-2411000 / BLACK : 532-2411010)
・ADDRESS V125/-G (CF46A/CF4EA)

CYGNUS X AXLE PROTECTOR		ADDRESS V125/-G AXLE PROTECTOR	
TYPE	WHITE	TYPE	WHITE
NO.	532-0411000	NO.	532-2411000
TYPE	BLACK	TYPE	BLACK
NO.	532-0411010	NO.	532-2411010

For replacement & maintenance!

CYGNUS X ・ADDRESS V125/-G

CASE COVER FILTER

REMARKS

- Replacement elements inside the case cover to cool down drive-line parts.
- Clogged filter causes a lot of troubles.
- Keep the temperature inside under control, by changing filters often not to cause unexpected troubles.

APPLICATION

CYGNUS X (342-0411000)
・CYGNUS X (5UA/28S)

ADDRESS V125 (342-2407000)
・ADDRESS V125/-G (CF46A/CF4EA)



CYGNUS X CASE COVER FILTER		ADDRESS V125/-G CASE COVER FILTER	
TYPE		TYPE	
NO.	342-0411000	NO.	342-2407000

Big diameter and lightweight pulley renewal!

HONDA SCOOTER

HIGH SPEED PULLEY KIT type X

REMARKS

- KITACO HIGH SPEED PULLEYS for HONDA SCOOTERS, that have been having a good reputation, are released!
- HIGH SPEED PULLEY arouses latent ability at a maximum, such as maximum speed & acceleration performance.

■ IMPROVEMENT TO FORMER PULLEY

○ PULLEY : MATERIAL CHANGE → DURABILITY IMPROVED!
○ SLIDER : SHAPE CHANGE & MATERIAL is changed to carbonized 46 nylon
→ WEAR-RESISTANCE IMPROVED!
○ BUSH : MATERIAL CHANGE (from steel to copper)
→ THERMAL CONDUCTIVITY & WEAR-RESISTANCE IMPROVED!

OPTION PARTS	NUMBER
SUPER ROLLER SET (16 mm × 13.0) 3 pcs / set 4.5g～10.0g (0.5g increment) 10.0～13.0g (1.0g increments)	462-1003045 ～130
SUPER ROLLER SET (16 mm × 13.0) 6 pcs / set 4.5g～10.0g (0.5g increment) 10.0～13.0g (1.0g increments)	462-1006045 ～130

APPLICATION

DIO (488-1000000)
・DIO/-SP/-SR (AF18/AF25) ・SUPER DIO (AF27-1000001 ～ 1202664)
・SUPER DIO-SR (AF28-1000001 ～ 1103272) ・G' (ALL) ・DJ-1/-R/-RR (ALL)
・LEAD50 (AF20) ・TACT FULL MARK (AF16) ・JOKER50 (ALL)
・TACT/-STANDUP (AF24 / ENGINE No. AF24E-1000065 ～ 1209583)

LIVE DIO (488-1000010)
・LIVE DIO/-J/-CHESTA/-SR/-ST/-ZX (ALL) ・SUPER DIO-ZX (ALL)
・SUPER DIO-SR (Fno.AF28-1200001 ～) ・SUPER DIO (Fno.AF27-1300001 ～)
・DIO Fit (ALL) ・DIO-XR BAJA (ALL) ・GEORNO (ALL) ・TACT (AF51)
・TACT/-STAND UP /-S (AF30/31)
・TACT/-STAND UP (AF24 / ENGINE No. AF24E-1209584 ～) ・JULIO (ALL)



Picture is DIO TYPE

HONDA SCOOTER HIGH SPEED PULLEY KIT type X			
TYPE	DIO TYPE	TYPE	LIVE DIO TYPE
NO.	488-1000000	NO.	488-1000010

Calculate with LCD METER!

UNIVERSAL
LCD DIGITAL FUEL METER

REMARKS	● At a glance of the fuel level with LCD DIGITAL METER! ● Selectable from 2 types. ○ 510 Ω such as Honda DIO type ○ 100 Ω such as YAMAHA JOG ・ ADDRESS V100/SEPIA (AJ50) ● For models with DC12V BATTERY. Also, works with 9V battery (006P) ● With LED BACK LIGHT ● Oil warning light built-in (for 2 stroke models) ● Body : Drip-proof ● Measurement : (W) 63 x (H) 32 x (D) 14 mm ● Easy Installation with hook-and-loop fastener ※ Not useable for the models without fuel meter at the stock condition

UNIVERSAL
LCD DIGITAL FUEL METER

TYPE	
NO.	752-6000000

Displays your machine condition in real time!

UNIVERSAL
LCD DIGITAL WATER / OIL TEMPERATURE METER type 3

REMARKS	● A must to see machine condition in real time ● For models with DC12V BATTERY. Also, works with 9V battery (006P) ● Easy Installation with hook-and loop fastener ● Storing maximum temperature function built-in ● With LED BACK LIGHT ● Measuring range : -20℃～ 200℃ ● Measurement : (W) 63 x (H) 32 x (D) 14 mm ● Body : Drip-proof ● Sensor : PT 1/8 TAPERED ■ **WATER TEMPERATURE METER** ○ EXTRACT SET (sold separately) is required. ・DIGITAL THERMOMETER JOINT 14mm (752-0560014) 16mm (752-0560016) 18mm (752-0560018) ■ **OIL TEMPERATURE METER** ○ JOINT TYPE 6/8mm HOSE FITTING KIT INCLUDED

UNIVERSAL
LCD DIGITAL WATER TEMPERATURE METER type 3

TYPE	
NO.	752-6000100

UNIVERSAL
LCD DIGITAL OIL TEMPERATURE METER type 3

TYPE	
NO.	752-6000200

Installing LCD DIGITAL METER in good order!

MONKEY / GORILLA / APE
LCD DIGITAL WATER / OIL TEMPERATURE BRACKET

REMARKS	● MOUNTING BRACKET for KITACO LCD DIGITAL WATER / OIL TEMPERATURE METER ● For stock head light ● STEEL with BLACK CHROME FINISH ● Useable to mount INDICATOR LAMP
APPLICATION	・MONKEY (Fno.Z50J-1300017 ～ / AB27-1000001 ～) ・GORILLA (Fno.Z50J-2500001 ～ / AB27-1000001 ～) ・APE50 (AC16/18) ・APE100 (HC07/13) ※ MONKEY with stock handle bar is not useable. (because bracket touches stock handle bar)

MONKEY / GORILLA / APE
LCD DIGITAL WATER / OIL TEMPERATURE BRACKET

TYPE	
NO.	672-1137000

Renewal!!

UNIVERSAL
MINI AERO VISOR type 2

REMARKS	● UNIVERSAL MINI SCREEN for MONKEY / GORILLA / APE stock head light and stock head light bracket ● ACRYLIC / SMOKE ● Height : 165 mm Width : 210 mm Mounting bracket to bracket : about 160 mm ● SCREEN BRACKET included

UNIVERSAL
MINI AERO VISOR type 2

TYPE	SMOKE
NO.	603-0500100

Stick with cool looking!

JOG/-ZR (FI)

120 km/h SPEEDOMETER

REMARKS

- Get a new style! A must for tuning-up!
- Displays 120km/h
- Exchange with stock meter
- Window plate included (silver)

※ Speed warning light ・oil exchange indicator are not built-in.

APPLICATION ・JOG/-ZR (3P31 ～ 35)

JOG/-ZR (FI)

120 km/h SPEEDOMETER

TYPE	
NO.	752-0089000

New style with SHORT UNDER COWLING with reasonable price!

JOG/-ZR (FI)

SHORT UNDER COWLING

REMARKS

- FRP GEL-COATED FINISH
- WHITE & BLACK are avaialble.
- TAPPING SCREWS included.

APPLICATION ・JOG/-ZR (3P31 ～ 35)

JOG/-ZR (FI)

SHORT UNDER COWLING

TYPE	WHITE	TYPE	BLACK
NO.	630-0089000	NO.	630-0089010

Dress-up with these luxury pearl covers!

PRISM SEAT COVER

REMARKS

- EXCLUSIVE for each seat shape! Just cover the seat up and tie the seat strings.
- Seating face : PVC LEATHER / ENAMEL
- Side : PVC LEATHER / SNAKE patterned



JOG/-ZR (FI)

PRISM SEAT COVER

APPLICATION	・JOG/-ZR (3P31 ～ 35)
TYPE	PEARL WHITE / PIPING : SILVER
NO.	613-0089300
TYPE	PEARL BLACK / PIPING : GOLD
NO.	613-0089310

CYGNUS X (FI)

PRISM SEAT COVER

APPLICATION	・CYGNUS X (28S)
TYPE	PEARL WHITE / PIPING : SILVER
NO.	613-0411300
TYPE	PEARL BLACK / PIPING : GOLD
NO.	613-0411310

ADDRESS V125/-G

PRISM SEAT COVER

APPLICATION	・ADDRESS V125/-G (CF46A/CF4EA)
TYPE	PEARL WHITE / PIPING : SILVER
NO.	613-2407300
TYPE	PEARL BLACK / PIPING : GOLD
NO.	613-2407310

Get more muffler performance!

D-TRACKER 125 / KLX 125
GPR STAINLESS UP MUFFLER D-1

REMARKS

- JMCA qualified
- Sound : 84 db
- Silencer : 85 mm STAINLESS (Original tapered design)
- Exhaust pipe : STAINLESS
- CATALYZER built-in
- Stock heat guard useable

※ Requires exhaust muffler gasket XK-05 (sold in pairs) 963-4000005

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
GPR STAINLESS UP MUFFLER D-1

TYPE	D-1
NO.	548-4025380

First step for dress-up!

D-TRACKER 125 / KLX 125
CLEAR WINKER LENS

REMARKS

- FRONT / REAR in common
- Sold in pairs
- 12V 10W AMBER BULB included

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
CLEAR WINKER LENS

TYPE	
NO.	807-4025000

Easy dress up!

D-TRACKER 125 / KLX 125
ENGINE HANGER

REMARKS

- DURALUMIN MACHINED
- Sold in pairs

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
ENGINE HANGER

TYPE	
NO.	550-4025100

Carry and go!

D-TRACKER 125 / KLX 125
REAR CARRIER

REMARKS

- STAINLESS / CHEMICAL POLISH FINISH
- Grab bar : 19mm
  Carrier : 9.0mm
- Measurements :
  width : 245mm
  length : 290mm
- Loading capacity : 8.0 kgs
- KITACO FENDER LESS KIT useable

※ Cutting work of a part of side cowling is required.
※ Tandem riding is not possible, when REAR CARRIER installed.

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
REAR CARRIER

TYPE	
NO.	539-4025000

A must for dress-up!

D-TRACKER 125 / KLX 125
FENDER LESS KIT

REMARKS

- STEEL BLACK CHROME FINISH
- LED TAIL LAMP SET INCLUDED (EURO TYPE / with PLATE)
- T STYLE REFLECTOR INCLUDED

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
FENDER LESS KIT

TYPE	
NO.	691-4025000

Direct touch & high durability!

D-TRACKER 125 / KLX 125
SUPER TEFLON STAINLESS MESH BRAKE HOSE

REMARKS

- Super teflon is adopted, which has lightweight, low penetration, low friction and solvent resistant properties, as well as strong against aging degradation.
- Surface of teflon inner tube is coated with braided stainless steel, which does not tend to expand. Also, it is coated with vinyl chloride protect tube to protect from scratch and to get direct brake touch.
- 3-piece type, that includes center hose and fitting (stainless steel) separately
- Hose ends are movable, to adjust angle when installing work.
- STAINLESS BANJO BOLT / SEALING WASHER included

	FITTING A	FITTING B	CENTER HOSE	LENGTH
FRONT	STR 30° /SIDE 0°	STR 45° /SIDE 0°	1190mm	1235mm
REAR	STR 15° /SIDE 0°	STR 0° /SIDE 30°	500mm	550mm

○The length means the length between fitting center to other center

APPLICATION · D-TRACKER 125 (LX125D-A00078 ～) · KLX 125 (LX125C-A00055 ～)

D-TRACKER 125 / KLX125
SUPER TEFLON STAINLESS MESH BRAKE HOSE

TYPE	FRONT	TYPE	REAR
NO.	773-4025100	NO.	773-4025200

HAND PROTECTOR for DRESS UP & PRACTICAL USE!

UNIVERSAL
KNUCKLE COVER

REMARKS

- Universal / 22.2 mm handle bar
- 7 colors available
- POLYPROPYLENE
- PROTECTOR :
  (W) 215 mm (H) 100 mm

TYPE	WHITE
NO.	562-0900000

TYPE	BLACK	TYPE	RED	TYPE	BLUE
NO.	562-0900010	NO.	562-0900020	NO.	562-0900030

TYPE	YELLOW	TYPE	ORANGE	TYPE	GREEN
NO.	562-0900040	NO.	562-0900050	NO.	562-0900060

For a variety of things, places and uses!

K-CON
PUSH LOCK FASTENER (25 x 50 mm)

REMARKS

- Detachable hook-and-loop fastener
- Material : HOOK (Polypropylene) GROUND FABRIC (Nylon)
  ADHESIVE (Acrylic)

	STAINLESS	ABS RESIN	CONDITIONS
LIMIT TEMPERATURE	100℃	80℃	1 kg × 2 hours

- Easy-to-move by sliding before attaching place is decided



- Strongly-immobilized by pushing (withstand load : 250g/cm2)
- High retentive strength when high temperature

TYPE	25 × 50 mm
CODE	0900-755-09010

K-CON CHEMICAL ITEMS RELEASED!

K-CON
CARBON GREASE / MIRROR FINISH

REMARKS

■ **CARBON GREASE**
Conductive fine powder is the best for electrical stabilization for connecters, battery terminals, bullet terminals and so on.
- Conductive grease
- 5g single-use type
- Material : Purified mineral oil ・ Graphite additive ・ Particulate carbon (40 nm or less)
- Temperature range : -40℃～ 200℃

■ **MIRROR FINISH**
To polish aluminum, stainless, magnesium, copper and all kinds of metals beautifully, by adopting #10000 equivalent aluminum oxide particulate in main components. Possible to polish hard resin products like acrylic, chrome plated, glass and painted surfaces.
※ NOT POSSIBLE TO POLISH ABS・PE PRODUCTS
- Abrasive for mirror finish
- 5 g / 30 g available
- Material : Oxide aluminum ・ natural wax ・ surface acting agent ・ vegetal oil ・ petroleum solvent

CARBON GREASE

TYPE	5g
NO.	0900-969-00160

MIRROR FINISH

TYPE	5g	TYPE	30g
NO.	0900-969-00170	NO.	0900-969-00180

Short fenders for big head Monkeys!

MONKEY / GORILLA

FRONT FENDER (SHORT TYPE)

REMARKS

- Short type fender that looks like STOCK LOOK.
- Bolt-on without modification to KITACO DOHC HEAD + STOCK FRONT FORK.
- Front : 40mm shorter than stock
  Rear : 55mm shorter than stock
- CHROME, BLACK and WHITE are available.
- ABS RESIN

APPLICATION

- MONKEY / GORILLA (Fno. Z50J-1000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY (FI) (Fno. AB27-1900001 ～)

MONKEY / GORILLA
FRONT FENDER (SHORT TYPE)

TYPE	CHROME
CODE	680-1123910
TYPE	BLACK
CODE	680-1123920
TYPE	WHITE
CODE	680-1123930

Compact! Straight!

For mini models

MINI ROBOT HANDLE BAR (STRAIGHT)

REMARKS

- For 4 mini models like MONKEY, GORILLA & APE!
- 22.2 mm / STEEL
- 100 mm & 200 mm tall are available.
- CHROME / BLACK types released

※ Rerouting stock cables or change to longer ones might be required, depending on models.



TYPE	100 / CHROME	TYPE	100 / BLACK
CODE	619-2000100	CODE	619-2000110

TYPE	200 / CHROME	TYPE	200 / BLACK
CODE	619-2000200	CODE	619-2000210

Great power! Totally different!

JOG/-ZR (FI)

63cc LIGHT BIG BORE KIT

REMARKS

- More reliable & more evolved BIG BORE KIT for JOG (FI)! Accelerates like 100cc-equivalent motor.
- Hard chrome plating aluminum liner on cylinder is adopted. Best design of WATER JACKET & GALLERY, to prove high durability and radiation performance.
- Piston head is designed for efficient combustion of mixed gas at a moment.
- Camshaft nitriding is adopted to fit smoothly.

※ Spring seat cut modification is required when camshaft lobe touches to spring seat due to production errors of stock head.

- Bore : 43 mm Stroke : 43.5 mm
  Compression ratio : 11.7 : 1

OPTION PARTS	ITEM NUMBER
GPR M-1 MUFFLER	548-0089310
POWER DRIVE KIT 3	480-0089400
HIGH GEAR KIT	305-0089210
SUPER POWER FILTER KIT (with REAR FENDER STAY)	515-0089350 (BLUE) 515-0089351 (RED) 515-0089353 (CHROME) 515-0089335 (PURPLE)
i-map Ver 2.0	763-0089010



APPLICATION
- JOG / -ZR (3P31 ～ 35)

JOG/-ZR (FI)
63cc LIGHT BIG BORE KIT

TYPE	
CODE	212-0089000

Waking-up REAR SPOILER!

JOG ZR (FI) • REMOTE CONTROL JOG

REAR SPOILER OFFSET STAY

REMARKS

- STEEL / BLACK CHROME FINISH

※ Do not apply a lot of pressure, like lifting up the motorcycle with assist grip, using ropes for carriage and so on, because REAR SPOILER OFFSET STAY is not tough enough to bear.

JOG ZR (FI)

REMOTE CONTROL JOG

APPLICATION

JOG ZR (FI) (650-0089990)
- JOG ZR (FI)(3P33)

REMOTE CONTROL JOG (650-0078990)
- JOG ZR EVOLUTION (5PT1/5PT2/5SW1/5SW2/5SW3/5SW5/5SW7)

JOG ZR (FI) • REMOTE CONTROL JOG
REAR SPOILER OFFSET STAY

TYPE	JOG ZR (FI)	TYPE	REMOTE CONTROL JOG
CODE	650-0089990	CODE	650-0078990

A must for dress-up!

JOG / -ZR (FI)

FENDER LESS PLATE

REMARKS

- Cool looking FENDER LESS PLATE
- ALUMINUM BLACK ALUMITE FINISH
- For stock reflector

APPLICATION
- JOG / -ZR (3P31 ～ 35)

JOG / -ZR (FI)
FENDER LESS PLATE

TYPE	JOG /-ZR (FI)
CODE	691-0089001

Easy dress-up

JOG / -ZR (FI)

RADIATOR SCREEN

REMARKS

- STAINLESS ETCHING FINISH
- STAINLESS TAPPING SCREWS INCLUDED

APPLICATION
- JOG / -ZR (FI)(3P31 ～ 35)
- VINO (5ST / 13P)
- VINO Molfe (37B1)

JOG / -ZR (FI)
RADIATOR SCREEN

TYPE	JOG /-ZR (FI)
CODE	660-0089100

New speedometer cables for popular TODAY, CYGNUS X & ADDRESS V125!

SPEEDOMETER CABLES

REMARKS	● SPEEDOMETER CABLE FOR STOCK REPLACEMENT
APPLICATION	TODAY (CARBURETOR)(908-1128000) ・TODAY (AF61) TODAY (FI)(908-1141000) ・TODAY (AF67) CYGNUS X (CARBURETOR)(908-0407000) ・CYGNUS X (5UA) CYGNUS X (FI)(908-0411000) ・CYGNUS X (28S) ADDRESS V125/-G (908-2407000) ・ADDRESS V125/-G (CF46A/CF4EA)

SPEEDOMETER CABLES	
TYPE	TODAY (CARBURETOR)
CODE	908-1128000
TYPE	TODAY (FI)
CODE	908-1141000
TYPE	CYGNUS X (CARBURETOR)
CODE	908-0407000
TYPE	CYGNUS X (FI)
CODE	908-0411000
TYPE	ADDRESS V125/-G
CODE	908-2407000

Dress up the fender! To Racing style!

ADDRESS V125/-G
REAR INNER FENDER (FRP/CARBON)

REMARKS	● Cool looking rear inner fender! ○ FRP FENDER ・Made from FRP / GEL-COATED BLACK ○ CARBON FENDER ・Made from twilled CARBON ※ Cutting / drilling work on stock rear fender is required. Installing KITACO FENDER LESS KIT 691-2407000 at the same time is recommended. ※ Required length of muffler installing bolts is different, depending on aftermarket mufflers. (Installing bolts that come with the REAR INNER FENDER can be used with STOCK / KITACO EXEX MUFFLER)
APPLICATION	K5 ~ K7 (FRP : 681-2409010, CARBON : 681-2409700) ・ADDRESS V125/-G (CF46A) K9 (FRP : 681-2411010, CARBON : 681-2411700) ・ADDRESS V125/-G (CF4EA)

ADDRESS V125/-G
REAR INNER FENDER (FRP)

TYPE	K5 ~ 7	TYPE	K9
CODE	681-2409010	CODE	681-2411010

ADDRESS V125/-G
REAR INNER FENDER (CARBON)

TYPE	K5 ~ 7	TYPE	K9
CODE	681-2409700	CODE	681-2411700

IN STORE NOW!!

■ **ADDRESS V125/-G FENDER LESS KIT 691-2407000**

○ FENDER LESS KIT that makes stylish looking
○ BLACK ALUMITE ALUMINUM ○ Flat button cap bolts included
※ Cutting / drilling work on stock rear fender is required.
○ APPLICATION : ADDRESS V125/-G (CF46A/CF4EA)

The strongest FI controller!!

LEAD 110
i-map (FI CONTROLLER)

REMARKS

● New i-map for LEAD 110
● FI controller for variety of tuning types
● Has rev limiter control function built-in
● Original map rewritable (user setting manual)

— COMING SOON !! —
POWER DRIVE KIT for LEAD110

	MAP	description	REV LIMIT
i-map setting	1	For STOCK MUFFLER (as well as for POWER DRIVE KIT)	10,000rpm
	2	For JMCA certified muffler (as well as for POWER DRIVE KIT)	10,000rpm
	3	For JMCA certified muffler (as well as for POWER DRIVE KIT) ※ Injection quantity is a little larger than MAP 2	10,000rpm
	4	USER SETTING CHANNEL (Rewritable)	

○ PC that supports Windows & PC INTERFACE CABLE KIT are required.
PC INTERFACE CABLE KIT 763-0500900
○ Required "Fuel Manager" (map editing software), which can be downloaded from Kitaco website by free.

APPLICATION ・LEAD 110 (FI) (JF19), ※ Not useable on LEAD110EX



LEAD 110
i-map (FI CONTROLLER)

TYPE	
CODE	763-1425000

DLC coated PULLEY BOSS!! Limited release of 100 pcs! First comes, first serves!

JOG/-ZR

DLC PULLEY BOSS

REMARKS

- DLC coated PULLEY BOSS that has rub-resistant, anti-adherent, wear-resistant, anti-aggressive properties and surface hardness gain!
- CHROME MOLYBDENUM STEEL with DLC COATING FINISH
- THE SAME SIZE AS STOCK
- KITACO POWER DRIVE KIT / HIGH SPEED PULLEY useable

What is special treatment, DLC (Diamond-Like Carbon)?

It is carbon coating that displays some of the unique properties of diamond.
DLC is treated on camshafts, rocker arm shafts, pistons of the machine engines for Fomula 1 and MOTO-GP.
Most of resistance during high revolution is eliminated, compared with other coating materials.

APPLICATION

・JOG/-ZR (3P31 ～ 5)　・VOX (3B31/4/5/D/E)　・VINO (FI)(13P2/3/4/A/C/D)
・VINO Molfe (37B1)

JOG/-ZR
DLC PULLEY BOSS

TYPE	
CODE	463-0089300

Reasonable and easy to dress up!

FAN COVER type X

REMARKS

- MACHINED DURALUMIN
- SILVER ALUMITE FINISH
- Comes with 3 qty of STAINLESS TAPPING SCREWS

APPLICATION

CYGNUS X (517-0407100)
・CYGNUS X (5UA・28S)　・BW'S 125 (5S9)

AXIS TREET (517-0413100)
・AXIS TREET (41D1)

FAN COVER type X

TYPE	CYGNUS X
CODE	517-0407100
TYPE	AXIS TREET
CODE	517-0413100

Powerful Braking Force!

CYGNUS X (28S)

280 mm BIG DISC ROTOR (STAINLESS)

REMARKS

- For STOCK BRAKE CALIPER
- STAINLESS
- Comes with ALUMINUM CALIPER SUPPORT
- DISC O.D. 280 mm (STOCK : 245 mm)

APPLICATION

・CYGNUS X (FI)(28S1/2/4/5)



CYGNUS X (28S)
280 mm BIG DISC ROTOR (STAINLESS)

TYPE	
CODE	500-0411880

BREMBO 4P CALIPER / KITACO FORGED CALIPER useable, when installing option CALIPER SUPPORT together.

■ **CALIPER SUPPORT (for 4P CALIPER)**
500-0411883
○ ALUMINUM MACHINED
○ CALIPER INSTALLING PITCH : 40mm

■ **BRAKE CALIPER**
500-0100400
○ ALUMINUM FORGED / BRONZE ALUMITE FINISH

(OP)
CALIPER SUPPORT (for 4P CALIPER)

(OP)
KITACO 4P BRAKE CALIPER

K-CON

ALUMINUM TAPPING SCREWS (CROSS RECESSED / TRUSS HEAD / TYPE A)

REMARKS

- Type-A aluminum screws with sharp point
- Frequently-used M4 / M5 TAPPING SCREWS with 10 colors are released.
- Material : DURALUMIN with almite finish
- Could be used with K-CON CLIP NUT below.
  0900-059-00004 CLIP NUT for M4 → HONDA TYPE
  0900-059-00005 CLIP NUT for M5 → YAMAHA TYPE

※ Installing might be difficult depending on material quality of installing place.
Use with drilled, punched or nested holes, if necessary.
Do not fasten in excess of appropriate torque, or causes damages.





ALUMINUM TAPPING SCREWS (CROSS RECESSED / TRUSS HEAD / TYPE A)

TYPE	COLOR	QTY	NO.
M4 × 12	BLACK	8	0900-046-08001
M4 × 12	SILVER	8	0900-046-08002
M4 × 12	PURPLE	8	0900-046-08003
M4 × 12	GOLD	8	0900-046-08004
M4 × 12	CLEAR GOLD	8	0900-046-08005
M4 × 12	GREEN	8	0900-046-08006
M4 × 12	BLUE	8	0900-046-08007
M4 × 12	GRAY	8	0900-046-08008
M4 × 12	RED	8	0900-046-08009
M4 × 12	ORANGE	8	0900-046-08010




ALUMINUM TAPPING SCREWS (CROSS RECESSED / TRUSS HEAD / TYPE A)

TYPE	COLOR	QTY	NO.
M5 × 16	BLACK	8	0900-056-08001
M5 × 16	SILVER	8	0900-056-08002
M5 × 16	PURPLE	8	0900-056-08003
M5 × 16	GOLD	8	0900-056-08004
M5 × 16	CLEAR GOLD	8	0900-056-08005
M5 × 16	GREEN	8	0900-056-08006
M5 × 16	BLUE	8	0900-056-08007
M5 × 16	GRAY	8	0900-056-08008
M5 × 16	RED	8	0900-056-08009
M5 × 16	ORANGE	8	0900-056-08010

K-CON

HEAT-SHRINKABLE TUBING (COLORFUL TYPE)

REMARKS

- Use for cleaning up after soldering and terminal insulation.
- Easy-to-recognize 5-colors available
- 5-COLOR SET includes every color (red, yellow, green, blue and white).
- Mesurement : 3 mm x 70 mm (shrinkage I.D. : 1.6 mm / 0.5 mm thick)
- Shrinks with the heat more than 120℃ to fit wire diameter to connect and protect.
- Protects wires for its heat-resistant & electrical insulation property
- UL ・ CSA standard
- Temperature range : - 55 ～ 135 ℃ , Rating in volt : 600V

※ Confirm the size of tube before shrinkage and after, before using.



HEAT-SHRINKABLE TUBING (COLOR TYPE)

TYPE	QTY	NO.
RED	5	0900-755-04004
YELLOW	5	0900-755-04005
GREEN	5	0900-755-04006
BLUE	5	0900-755-04007
WHITE	5	0900-755-04008
5 COLORS	5	0900-755-04010

Nothing else wins! The strongest FI controller!

AXIS TREET
i-map (FI CONTROLLER)

REMARKS

- New i-map for AXIS TREET!
- FI controller for variety of tuning types
- Has rev limitter control function built-in
- Original map rewritable (user setting map)
- ○ PC and PC INTERFACE CABLE KIT required to update user setting map.

  • **PC INTERFACE CABLE KIT 763-0500900**

- ○ Map editing software "Fuel Manager" is required for editing original map that is free to download from KITACO website.

i-map channel setting

MAP	DISP.	MUFFLER	AIR CLEANER	REV LIMIT
1	125cc	STOCK	STOCK	10,000rpm
2	125cc	M-1	STOCK	10,000rpm
3	138cc	STOCK	STOCK	10,000rpm
4	138cc	M-1	STOCK	10,000rpm
5	138cc	M-1	POWER FILTER	9,000rpm
6	USER SETTING CHANNEL (Rewritable)			

OPTION PARTS	NUMBER
GPR M-1 MUFFLER	548-0413390
SUPER POWER FILTER (45°)	515-0413350 ～ 355
WEIGHT ROLLER 20mm x 2 (5.0g ～ 13.0g / 6pc)	462-0106050 ～ 130

適合 • AXIS TREET (41D)



AXIS TREET
i-map (FI CONTROLLER)

TYPE	
CODE	763-0413000

110 mm Extra-Fat silencer!

AXIS TREET
GPR DOWN MUFFLER RACING type M-1

REMARKS

- Extra fat 110 mm silencer adopted ! Amazing power with muffler exchange & roller setting!
- For race use
- Exhaust pipe : STAINLESS
- Silencer : 110 mm ALUMINUM BLACK ALMITE FINISH

※ MUFFLER GASKET REQUIRED (sold separately) XY-17 (2 a set) 963-0000017





※Tested at Kitaco facility. Actual power may differ.

OPTION PARTS	NUMBER	REMARKS
MUFFLER END CAP	540-1083801	Sound : 88db (Tested at KITACO)

APPLICATION • AXIS TREET (41D)

AXIS TREET
GPR DOWN MUFFLER RACING type M-1

TYPE	
CODE	548-0413390

Must item for tandem riders!

AXIS TREET
TANDEM BACKREST

REMARKS

- Pad size : HEIGHT 90mm
  WIDTH 310mm
  LENGTH 100mm
- Seat position changeable back and forth (15mm)
- Bracket : STEEL BLACK CHROME



type	
CODE	652-0413100

APPLICATION • AXIS TREET (41D)

Custom king! FENDER LESS KIT released!

AXIS TREET
FENDER LESS KIT

REMARKS

- Bolt-on without extra mods
- STEEL BLACK CHROME
- STOCK REFLECTOR useable



type	
CODE	691-0413000

APPLICATION • AXIS TREET (41D)

Powerful Braking Force!

AXIS TREET
210 mm BIG DISC ROTOR (STAINLESS)

REMARKS

- For Brembo 4 piston caliper / KITACO FORGED CALIPER

※ STOCK CALIPER unuseable

- Caliper installing pitch : 40 mm
- Outside Diameter : 210 mm (Stock : 180 mm)
- STAINLESS

(OP)
KITACO FORGED CALIPER

CODE	500-0100400

APPLICATION • AXIS TREET (41D)



AXIS TREET
210 mm BIG DISC ROTOR (STAINLESS)

TYPE	For BREMBO / KITACO FORGED CALIPER
CODE	500-0413880

K-CON

HEXAGON SOCKET SETSCREW / HOLLOW SETSCREW (FLAT POINT)

REMARKS
- For fixing rotation axis or replacement for any parts
- Material : STEEL

※ Do not tighten in excess of approriate torque. Apply grease if necessary, to prevent rusting.

(M3/P0.5)
- Includes L type wrench : 1.5 mm for M3



(M4/P0.7)
- Includes L type wrench : 2.0 mm for M4



HEXAGON SOCKET SETSCREW (FLAT POINT) (M3/P0.5)

TYPE	LENGTH	QTY	NO.
M3 × 3/P0.5	3mm	3	0900-004-03003
M3 × 4/P0.5	4mm	3	0900-004-03004
M3 × 5/P0.5	5mm	3	0900-004-03005
M3 × 6/P0.5	6mm	3	0900-004-03006
M3 × 8/P0.5	8mm	3	0900-004-03008

HEXAGON SOCKET SETSCREW (FLAT POINT) (M4/P0.7)

TYPE	LENGTH	QTY	NO.
M4 × 4/P0.7	4mm	3	0900-004-04004
M4 × 5/P0.7	5mm	3	0900-004-04005
M4 × 6/P0.7	6mm	3	0900-004-04006
M4 × 8/P0.7	8mm	3	0900-004-04008
M4 × 10/P0.7	10mm	3	0900-004-04010

(M5/P0.8)
- Includes L type wrench : 2.5 mm for M5



(M6/P1.0)
- Includes L type wrench : 3.0 mm for M6



HEXAGON SOCKET SETSCREW (FLAT POINT) (M5/P0.8)

TYPE	LENGTH	QTY	NO.
M5 × 5/P0.8	5mm	3	0900-004-05005
M5 × 6/P0.8	6mm	3	0900-004-05006
M5 × 8/P0.8	8mm	3	0900-004-05008
M5 × 10/P0.8	10mm	3	0900-004-05010
M5 × 12/P0.8	12mm	3	0900-004-05012

HEXAGON SOCKET SETSCREW (FLAT POINT) (M6/P1.0)

TYPE	LENGTH	QTY	NO.
M6 × 6/P1.0	6mm	3	0900-004-06006
M6 × 8/P1.0	8mm	3	0900-004-06008
M6 × 10/P1.0	10mm	3	0900-004-06010
M6 × 12/P1.0	12mm	3	0900-004-06012
M6 × 15/P1.0	15mm	3	0900-004-06015

K-CON

HEXAGON POST

REMARKS
- For relocation of lightweight parts.
- Material : STEEL
- Surface treatment : CHROMATE
- Fastening torque : 0.6 ～ 1.0 kgf・m (5.9 ～ 9.8N・m)

※ The fastening torque is standard limit of screw diameter.
Maximum torque differs in shape, material and surface treatment. Use in the standard torque to prevent damages.
※ Might not be able to use in the standard torque, when reuse (causes bend or break).
Purchase new ones if it happens.
※ Do not use on the places that requires heavy loads.

(M6/P1.0)



HEXAGON POST (CHROMATE) (M6/P1.0)

TYPE	LENGTH	QTY	NO.
M6 × 30/P1.0	30mm	1	0900-011-06030
M6 × 35/P1.0	35mm	1	0900-011-06035
M6 × 40/P1.0	40mm	1	0900-011-06040
M6 × 45/P1.0	45mm	1	0900-011-06045
M6 × 50/P1.0	50mm	1	0900-011-06050

Perfect cost performance!

MONKEY / GORILLA

85cc LIGHT BIG BORE KIT

REMARKS

- More reliable & more evolved LIGHT BIG BORE KIT
- Feels unbelievable power of 85cc displacement
- Greatly heat-released aluminum cylinder (compared to stock cylinder)
- Efficient combustion and high output is for high-intensity steel sleeve and flat head piston.
- Calculates **more than 6.0 PS** (tested at KITACO), just exchange of this kit
- Calculates **more than 7.0 PS** (tested at KITACO), with SPL HIGH CAMSHAFT (300-1083100) PC20 BIG CARBURETOR and HIGH END MUFFLER installed together.
- Displacement : 85 cc Bore : 51 mm
- Stroke : 41.4 mm (the same as stock)

※ Using PC20 carburetor is recommended, because stock carburetor might not be big enough for high output.
※ Oil cooler kit is recommended in a continuous run in summer.
- KITACO specified engine oil (elf MOTO4 PROTEC : 968-2000021) required



APPLICATION

- MONKEY / GORILLA (FNO. Z50J-1600008 ～ 1805927 / FNO. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・DAX (12V/AB26 ALL) ・JAZZ (ALL) ・MAGNA50 (AC13 ALL) ・MOTRA (ALL)
- CHALY 50 (Excludes AT models) ・MONKEY R / RT (ALL) ・XR50R / CRF50F (AE03 ALL)
- CD50 / BENLY 50S / BENLY CL50 (FNO. CD50-1500001 ～) ・SOLO (AC17 ALL)
- SUPER CUB50 / PRESS CUB (FNO. C50-8000001 ～ 9501323 / C50-9600001 ～ 0095210 / C50-0200001 ～ /AA01-1000001 ～)
- LITTLE CUB (FNO. C50-4300001 ～ / AA01-1000001 ～ 3999999) ・GIORCUB (AF53 ALL)



MONKEY / GORILLA
85 cc NEW LIGHT BIG BORE KIT

TYPE	ALUMINUM CYLINDER
NO.	214-1133400

Newly designed aluminum forged piston (WPC + MoS2 shot) !

MONKEY / GORILLA

124cc ULTRA-SE BIG BORE KIT (WPC VERSION)

REMARKS

- The strongest SOHC ULTRA-SE BIG BORE KIT with newly designed ALUMINUM FORGED PISTON!
- Surface treated (WPC + MoS2 shot) piston improves endurance drastically.
- Fits in cylinder more smoothly
- Calculates 20.0 PS (tested at KITACO) with option parts installed together
- VALVE : STEEL or TITANUM
- Hard chrome plating aluminum cylinder adopted
- Displacement : 124 cc Bore : 54 mm
- Stroke : 54.0 mm
- Valves installed

※ Reinforced clutch, change of reduction ratio, oil cooler and so on are required when installing the kit.
※ Crankcase mods required
※ Exclusive tools as well as general tools are required.



APPLICATION

- MONKEY / GORILLA (FNO. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・XR50R / CRF50F (AE03 ALL)

MONKEY / GORILLA
124 cc ULTRA-SE BIG BORE KIT (WPC VERSION)

TYPE	STEEL VALVE
NO.	212-1123790
TYPE	TITANUM VALVE
NO.	212-1123890

OPTION PARTS (EXAMPLE)

▼ OIL COOLER & PUMP			
SUPER OIL COOLER KIT (3 LAYER)	330-1133200	OIL COOLER KIT (MONKEY BAJA)	330-1065000
OIL COOLER KIT (MONKEY/GORILLA)	330-1037000	ULTRA OIL PUMP KIT	331-1083400
▼ CLUTCH / TRANSMISSION (MONKEY / GORILLA)			
ULTRA CLUTCH KIT type X (STOCK 4 SPEED)	317-1083010	5 SPEED CLOSE RATIO TRANSMISSION type 3 (with kick starter gear)	305-1123300
ULTRA CLUTCH KIT type X (5-SPEED CLOSE RATIO TRANSMISSION 2/3)	317-1123710	5 SPEED CLOSE RATIO TRANSMISSION type 3 (WPC)	306-1123100
▼ CARBURETOR (MONKEY / GORILLA)			
BIG CARBURETOR KIT (VM26/LEFT SIDE)	110-1013013	BIG CARBURETOR KIT (TDMR 32) (RESIN THROTTLE)	110-1123700
BIG CARBURETOR KIT (PWK28)	110-1083228	BIG CARBURETOR KIT (TDMR 32) (ALUMINUM THROTTLE)	110-1123710
▼ MUFFLER (MONKEY / GORILLA)		▼ CDI / ELECTRIC	
HIGH END DOWN MUFFLER	540-1123110	POWER REV CDI UNIT 2 (MONKEY)	766-1123300
DRAG RACE DOWN MUFFLER (MONKEY)	540-1123777	REV CONTROL UNIT	764-1123100
DELTA CONE MUFFLER (MONKEY/RACE)	545-1123710	POWER REV -RW CDI	766-1123700

MORE ENDURANCE…!

MONKEY / GORILLA

124cc ULTRA-SE PISTON KIT (WPC VERSION)

REMARKS

- ALUMINUM FORGED PISTON for the strongest ULTRA-SE BIG BORE KIT!
- Surface treated piston (WPC + MoS2 shot) improves endurance drastically!
- Fits in the cylinder much more smoothly
- Bore : 54 mm
- Head gasket : STAINLESS

※ For KITACO 54mm LONG STROKE CRANKSHAFT

MONKEY / GORILLA
124 cc ULTRA-SE PISTON KIT (WPC VERSION)

TYPE	WPC VERSION
NO.	350-1123790

Best for tuning beginners !

MONKEY / GORILLA / MONKEY BAJA

88cc BRAND NEW STANDARD BIG BORE KIT

REMARKS

- More reliable & more evolved STD CYLINDER HEAD
- Port shape, valve angle & combustion chamber have been best changed, to feel unbelievable power for words.
- Feels more power with additional port mods and option parts.
- **Calculates more than 9.5 PS !!** (※ KITACO MEASUREMENTS)
- Displacement : 88 cc
- Bore : 52 mm
- Stroke : 41.4 mm (the same as stock)
- Valves installed

※ Reinforced clutch, change of reduction ratio, oil cooler and so on, are required when installing the kit.
※ Exclusive tools as well as general tools are required.

TESTED MOTORCYCLE : 12V MONKEY (CARBURETOR)

STD BIG BORE KIT 88 cc
+SPL CAMSHAFT
+VM26 BIG CARBURETOR KIT
+HIGH END DOWN MUFFLER

STD BIG BORE KIT 88 cc
+SPL CAMSHAFT
+PC20 BIG CARBURETOR KIT
+HIGH END DOWN MUFFLER

STD BIG BORE KIT 88 cc
+STOCK CAMSHAFT
+PC20 BIG CARBURETOR KIT
+HIGH END DOWN MUFFLER

STOCK



APPLICATION

- MONKEY / GORILLA (FNO. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・DAX (12V/AB26) JAZZ (ALL)
- MAGNA50 (AC13 ALL) ・CHALY 50 (FNO.CF50-3400001 ～)
- CD50 / BENLY 50S / BENLY CL50 (FNO. CD50-1500001 ～)
- SUPER CUB50 / PRESS CUB (FNO. C50-9000001 ～ 9501323 / C50-9600001 ～ 0095210 / C50-0200001 ～ / AA01-1000001 ～ 1699999)
- LITTLE CUB (FNO. C50-4300001 ～ / AA01-1000001 ～ 3999999)
- GIORCUB (AF53 ALL) ・SOLO (AC17 ALL)
- XR50R / CRF50F (AE03 ALL) ・XR70R / CRF70F (DE02 ALL)

※ Picture is ALUMINUM CHROME CYLINDER + SPL CAMSHAFT

MONKEY / GORILLA / MONKEY BAJA

88 cc NEW STD BIG BORE KIT

TYPE	ALUMINUM CYLINDER	TYPE	ALUMINUM CYLINDER + SPL CAMSHAFT
NO.	214-1133101	NO.	214-1133102
TYPE	ALUMINUM CHROME CYLINDER	TYPE	ALUMINUM CHROME CYLINDER + SPL CAM
NO.	215-1133101	NO.	215-1133102

Want more power & torque? See the power of long crankshaft !

MONKEY / GORILLA / MONKEY BAJA

108 cc BRAND NEW STANDARD BIG BORE KIT

REMARKS

- Long crankshaft included in addition to 88 cc STD big bore kit
- **Calculates more than 12.0 PS !!** (※ KITACO MEASUREMENTS)
- Displacement : 108 cc
- Bore : 52 mm
- Stroke : 51 mm (long stroke crankshaft)
- Valves installed

※ Reinforced clutch, change of reduction ratio, oil cooler and so on, are required when installing the kit.
※ Exclusive tools as well as general tools are required.

TESTED MOTORCYCLE : 12V MONKEY (CARBURETOR)

STD BIG BORE KIT 108 cc
+SPL CAMSHAFT
+VM26 BIG CARBURETOR KIT
+HIGH END DOWN MUFFLER

STOCK

STD BIG BORE KIT 88 cc
+SPL CAMSHAFT
+VM26 BIG CARBURETOR KIT
+HIGH END DOWN MUFFLER



APPLICATION

- MONKEY / GORILLA (FNO. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・DAX (12V/AB26) JAZZ (ALL)
- MAGNA50 (AC13 ALL) ・CHALY 50 (FNO.CF50-3400001 ～)
- CD50 / BENLY 50S / BENLY CL50 (FNO. CD50-1500001 ～)
- SUPER CUB50 / PRESS CUB (FNO. C50-9000001 ～ 9501323 / C50-9600001 ～ 0095210 / C50-0200001 ～ / AA01-1000001 ～ 1699999)
- LITTLE CUB (FNO. C50-4300001 ～ / AA01-1000001 ～ 3999999)
- GIORCUB (AF53 ALL) ・SOLO (AC17 ALL)
- XR50R / CRF50F (AE03 ALL) ・XR70R / CRF70F (DE02 ALL)

※ Picture is ALUMINUM CHROME CYLINDER + SPL CAMSHAFT

MONKEY / GORILLA / MONKEY BAJA

108 cc NEW STD BIG BORE KIT

TYPE	ALUMINUM CYLINDER	TYPE	ALUMINUM CYLINDER + SPL CAMSHAFT
NO.	214-1133121	NO.	214-1133122
TYPE	ALUMINUM CHROME CYLINDER	TYPE	ALUMINUM CHROME CYLINDER + SPL CAM
NO.	215-1133121	NO.	215-1133122

OPTION PARTS (EXAMPLE)

CYLINDER HEAD INNER PARTS	SINGLE VALVE SPRING SET (SE) (REINFORCED)	303-1123300
	SPL WAIST VALVE SET	302-1013310
	SPL VALVE SPRING RETAINER (TITANUM)	303-1013550
	SPL VALVE SPRING RETAINER (ALUMINUM)	303-1013560
	HIGH CAMSHAFT (SPL/MONKEY)	300-1083100
	ROCKER ARM NUT (TITANUM/MONKEY)	303-1013711
OIL COOLER & PUMP	SUPER OIL COOLER KIT (CRF50)	330-1133200
	OIL COOLER KIT (MONKEY/GORILLA)	330-1037000
	SUPER OIL PUMP KIT	331-1083300
	ULTRA OIL PUMP KIT	331-1083400
CLUTCH	2 DISK DRIVE UNIT	307-1016500
	ULTRA CLUTCH KIT-X (STOCK 4 SPEED)	317-1083010
	ULTRA CLUTCH KIT-X (5-SPEED CLOSE RATIO TRANSMISSION 2/3)	317-1123710

CARBURETOR	MONKEY / GORILLA	BIG CARBURETOR KIT (PC20)	110-1015006
		BIG CARBURETOR KIT (VM26/RIGHT SIDE)	110-1013003
		BIG CARBURETOR KIT (VM26/LEFT SIDE)	110-1013013
MUFFLER	MONKEY / GORILLA	HIGH END DOWN MUFFLER	540-1123110
		DELTA CONE MUFFLER (MONKEY/RACE)	545-1123710
CDI / ELECTRICITY	MONKEY / GORILLA	POWER REV CDI UNIT 2 (MONKEY)	766-1123300
		REV CONTROL UNIT ※ MAP 4 RECOMMENDED	764-1123100
		POWER REV -RW CDI ※ MAP 4 RECOMMENDED	766-1123700
OTHER	ELF 4ST ENGINE OIL (XT3818/1L)		968-2000010
	ELF 4ST ENGINE OIL (5W40/1L)		968-2000021

THE STRONGEST FRONT FORK KIT for HIGH POWER MOTOR!!

MONKEY / GORILLA / MONKEY BAJA

30mm FRONT FORK KIT type X

REMARKS

- A SET of 30 mm FRONT FORK SET type X, TOP BRIDGE, STEERING STEM & AXLESHAFT
- High performance and high rigidity, for full-torque motor
- A variety of damping adjustments, that are floating valves, orifice adjusted rebound and adjustable needle valves
- Includes preload adjustable function (range : 9 mm)
- Direct installation with opposed 4 piston calipers (Brembo 4-piston casting caliper or KITACO 4 PISTON FORGED CALIPER 500-0100400)
- Mounting pitch : 40 mm
- Fork spring installed is 0.45kg/mm. HRC NSF100 stock spring (0.5kg/mm) & hard spring (0.55kg/mm) are useable.
- Fork oil : ELF (#15)
- Length : 565 mm
- Fork pitch : 173 mm
- For DISC BRAKE (caliper pitch : 40 mm)
- Off-set : 40 mm / 50 mm
- STOCK FENDER useable
- HANDLE LOCK useable

PRELOAD RANGE : 9 mm

DAMPING ADJUSTMENT : SINGLE STEP

APPLICATION

・MONKEY / GORILLA / MONKEY BAJA (Fno.Z50J-1300017 ～ / AB27-1899999)
・MONKEY (FI) (Fno.AB27-1900001 ～)
※ STOCK HEAD LIGHT is NOT useable when on MONKEY BAJA
○ WAVE DISC ROTOR is NOT useable.



MONKEY / GORILLA

30mm FRONT FORK KIT type X

TYPE	OFF-SET 40mm / GOLD BOTTOM	TYPE	OFF-SET 40mm / BLACK BOTTOM
NO.	500-1137100	NO.	500-1137120
TYPE	OFF-SET 55mm / GOLD BOTTOM	TYPE	OFF-SET 55mm / BLACK BOTTOM
NO.	500-1137200	NO.	500-1137220

WIDE WHEEL USEABLE DISC HUB type X !

MONKEY / GORILLA / MONKEY BAJA

30mm WIDE PITCH FRONT FORK KIT type X

REMARKS

- A SET of 30 mm FRONT FORK SET type X, TOP BRIDGE, STEERING STEM & AXLESHAFT
- High performance and high rigidity, for full-torque motor
- A variety of damping adjustments, that are floating valves, orifice adjusted rebound and adjustable needle valves
- Includes preload adjustable function (range : 9 mm)
- Direct installation with opposed 4 piston calipers (Brembo 4-piston casting caliper or KITACO 4 PISTON FORGED CALIPER 500-0100400)
- Mounting pitch : 40 mm
- Fork spring installed is 0.45kg/mm. HRC NSF100 stock spring (0.5kg/mm) & hard spring (0.55kg/mm) are useable.
- Fork oil : ELF (#15)
- Length : 565 mm
- Fork pitch : 199 mm
- For DISC BRAKE (caliper pitch : 40 mm)
- Off-set : 40 mm
- Disc hub : ALUMINUM MACHINED ANODIZED FINISH
- 130 SIZE TIRE useable
- STOCK FENDER useable
- HANDLE LOCK useable

PRELOAD RANGE : 9 mm

DAMPING ADJUSTMENT : SINGLE STEP

APPLICATION

・MONKEY / GORILLA / MONKEY BAJA (Fno.Z50J-1300017 ～ / AB27-1899999)
・MONKEY (FI) (Fno.AB27-1900001 ～)
※ STOCK HEAD LIGHT is NOT useable when on MONKEY BAJA
○ WAVE DISC ROTOR is NOT useable.

MONKEY / GORILLA

30mm WIDE PITCH FRONT FORK KIT type X

TYPE	GOLD BOTTOM / SILVER HUB	TYPE	BLACK BOTTOM / SILVER HUB
NO.	500-1137300	NO.	500-1137320

TYPE	GOLD BOTTOM / BLACK HUB	TYPE	BLACK BOTTOM / BLACK HUB
NO.	500-1137310	NO.	500-1137330

FIRST EVER FULL ADJUSTABLE FRONT FORK!

MONKEY / GORILLA

30mm FRONT FORK SET type X

REMARKS

- High performance and high rigidity, for full-torque motor
- A variety of damping adjustments, that are floating valves, orifice adjusted rebound and adjustable needle valves
- Includes preload adjustable function (range : 9 mm)
- Direct installation with opposed 4 piston calipers
  (Brembo 4-piston casting caliper or KITACO forged caliper 500-0100400)
- Mounting pitch : 40 mm
- COLOR is SILVER/GOLD & SILVER/BLACK
- Fork spring installed is 0.45kg/mm.
  HRC NSF100 stock spring (0.5kg/mm) & hard spring (0.55kg/mm) are useable.
- Fork oil : ELF (#15).
- Length : 565 mm

※ Option parts are required (sold separately) to install.

PRELOAD RANGE : 9 mm

DAMPING ADJUSTMENT : SINGLE-STEP

APPLICATION

・MONKEY / GORILLA / MONKEY BAJA (Fno.Z50J-1300017 ～ / AB27-1899999)
・MONKEY (FI) (Fno.AB27-1900001 ～)
※ STOCK HEAD LIGHT is NOT useable when on MONKEY BAJA

TYPE	GOLD BOTTOM
NO.	500-0001410

TYPE	BLACK BOTTOM
NO.	500-0001420

OPTION PARTS

Picture is for 40 mm off-set/173 mm pitch

TOP BRIDGE & STEM SET
(40 mm off-set/173 mm pitch) 565-1123300
(55 mm off-set/173 mm pitch) 565-1083212
(40 mm off-set/199 mm pitch) 565-1123320

Picture is for 40 mm off-set/173 mm pitch

TOP BRIDGE
(40 mm off-set/173 mm pitch) 560-1123300
(55 mm off-set/173 mm pitch) 560-1083212
(40 mm off-set/199 mm pitch) 560-1123320

Picture is for 40 mm off-set/173 mm pitch

STEM
(40 mm off-set/173 mm pitch) 501-1123300
(55 mm off-set/173 mm pitch) 501-1083212
(40 mm off-set/199 mm pitch) 501-1123320

BRAKE CALIPER (opposed 4 piston) 500-0100400
- ALUMINUM FORGED
- BRONZE ANODIZED FINISH

BIG DISC ROTOR 220 mm (for opposed 4 piston caliper) 500-1418890
- STAINLESS

BRAKE CALIPER (2-piston) 500-0100100

CALIPER BRACKET (for 2-piston caliper) 500-1123882

FRONT HUB for 173 mm pitch wheel WITHOUT OFFSET
(SILVER) 508-1083220
(BLACK) 508-1083230
※ WAVE DISC ROTOR is NOT useable.
※ KITACO WHEEL for the hub is discontinued.

FRONT HUB for 173 mm pitch OFFSET wheel
(SILVER) 508-1083320
(BLACK) 508-1083330
※ WAVE DISC ROTOR is NOT useable.

KITACO WHEEL
- 2.50-10 ALUMINUM WHEEL
- 2.50-10 ALUMINUM CAST WHEEL

FRONT HUB for 199 mm pitch without offset wheel
(SILVER) 508-1123120
(BLACK) 508-1123130
※ WAVE DISC ROTOR is NOT useable.

KITACO WHEEL
- 2.50-10 ALUMINUM WHEEL
- 3.25-10 ALUMINUM WHEEL
- 2.50-10 ALUMINUM CAST WHEEL

BIG DISC ROTOR 220 mm (for 2-piston caliper) 500-1418880
- STAINLESS

FLOATING DISC ROTOR 220 mm (for 2-piston caliper) 500-1041700
- DISC PLATE : CAST IRON

DISC ROTOR 220 mm (for 2-piston caliper) 500-1041710
- DISC PLATE : CAST IRON

RENEWAL with REASONABLE PRICE!

MONKEY / GORILLA

ULTRA CLUTCH KIT type X

REMARKS

- ● Aluminum die-cast clutch cover, which has OIL ELEMENT built-in.
- ● 4-disc clutch unit, moved to mainshaft side.
- ● High-geard primary reduction ratio (3.666) (STOCK : 4.312)
- ● Clutch kit, designed for motors with high revolution and high output
- ● Clutch cable is **BLACK**
- ● Duralmin clutch plate adopted
- ※ Engine disassembly operation is required.
- ● GASKET SET - A (which is different, depending on displacement) is required (sold separately)
- ※ CLUTCH CABLE RECEIVER & CLUTCH CABLE in the kit are for KITACO L LEVER & HOLDER (sold separately)
  CLUTCH CABLE RECEIVER is required for stock clutch cable or clutch cable for stock lever & holder.
  CLUTCH CABLE RECEIVER (for STOCK CABLE) 307-1123007

APPLICATION

For 12V MONKEY etc., / STOCK 4 SPEED TRANSMISSION (317-1083010)
- MONKEY, GORILLA, MONKEY BAJA (Fno. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
  ○ For KITACO L LEVER & HOLDER SET

For 5 SPEED CLOSE TRANSMISSION TYPE 2 / 3 (317-1123710)
- MONKEY, GORILLA, MONKEY BAJA (Fno. Z50J-1000001 ～ / AB27-1000001 ～ 1899999)
  ○ For KITACO L LEVER & HOLDER SET
  ※ GEAR SPINDLE SET (sold separately) is required for MONKEY centrifugal clutch.

For MONKEY (FI) / STOCK 4 SPEED TRANSMISSION (317-1137010)
- MONKEY (FI) (Fno. AB27-1900001 ～) ○ For STOCK LEVER & HOLDER

For MONKEY (FI) / KITACO 5 SPEED CLOSE TRANSMISSION (317-1137710)
- MONKEY (FI) (Fno. AB27-1900001 ～) ○ For STOCK LEVER & HOLDER



※ Picture is for 5 SPEED CLOSE TRANSMISSION 2 / 3.

ULTRA CLUTCH KIT type X

TYPE	For 12V MONKEY etc. / STOCK 4 SPEED TRANSMISSION	TYPE	For 5 SPEED CLOSE TRANSMISSION TYPE 2 / 3
NO.	317-1083010	NO.	317-1123710
TYPE	MONKEY (FI) / STOCK 4 SPEED TRANSMISSION	TYPE	MONKEY (FI) / KITACO 5 SPEED CLOSE TRANSMISSION
NO.	317-1137010	NO.	317-1137710

RENEWAL with HIGH PERFORMANCE & QUALITY!

MONKEY / GORILLA

5 SPEED CLOSE TRANSMISSION ASSY type 3

REMARKS

- ● More reasonable with same reduction ratio and contents, by reassessing material, production process & cost.
- ● Uses with STOCK CLUTCH, KITACO 2 DISC DRIVE UNIT & KITACO ULTRA CLUTCH KIT.
- ● 5-STEP RETURN TYPE (1 ← N → 2 → 3 → 4 → 5)
- ● For race use only
- ● Shiftdrum : STEEL
  Gear : MACHINED NICKEL CHROME MOLYBDENUM
  MAINSHAFT / COUNTERSHAFT / SHIFTFORK : FORGED
- ● KICK STARTER GEAR INCLUDED
- ※ GASKET is sold separately.

OPTION PARTS	ITEM NUMBER
KICK STARTER SPINDLE SET (6V)	305-1123399

	RATIO	MAIN	COUNTER
1st	2.917	12	35
2nd	1.765	17	30
3rd	1.350	20	27
4th	1.136	22	25
5th	1.000	24	24

APPLICATION

MONKEY (carburetor model) (305-1123300)
- MONKEY / GORILLA, (Fno. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・ MONKEY R/RT (AB22-1011926 ～)
- CHALY (Fno.CF50-3200001 ～) ・ DAX 50 (6V ST50)(FNo. ST50-6100022 ～ 6346265)
- DAX 50 (12V AB26)(ALL) ・ DAX 70 (Fno. ST70-6100023 ～)
- ● KICK STARTER SPINDLE SET IS REQUIRED for models below.
- MONKEY / GORILLA (Fno.Z50J-1000001 ～ 1805927)
- MONKEY R/RT (AB22-1000017 ～ 1011925) ・ CD50 (Fno.CD50-1000001 ～ 1330600)
- CHALY (Fno.CF50-1000002 ～ 3199999) ・ DAX 50 (6V ST50)(FNo. ST50-1000001 ～ 6027910)
- DAX 70 (Fno. ST70-1000001 ～ 6015109)

MONKEY (FI)(305-1137300)
- MONKEY (FI)(Fno.AB27-1900001 ～)



※ Picture is for carburetor model

5 SPEED TRANSMISSION ASSY type 3

TYPE	CARBURETOR	TYPE	FI
NO.	305-1123300	NO.	305-1137300

A SET OF ULTRA CLUTCH KIT & 5 SPEED TRANSMISSION ASSY type 3!

MONKEY / GORILLA

ULTRA DRIVE KIT

REMARKS

- ● A DRIVE UNIT SET of ULTRA CLUTCH KIT & 5 SPEED TRANSMISSION ASSY type 3

APPLICATION

MONKEY (carburetor model) (318-1123300)
Kit includes :
ULTRA CLUTCH KIT (317-1123710) & 5 SPEED TRANSMISSION ASSY (305-1123300)
- MONKEY / GORILLA, (Fno. Z50J-2000001 ～ / AB27-1000001 ～ 1899999)
- MONKEY BAJA (ALL) ・ MONKEY R/RT (AB22-1011926 ～)
- CHALY (Fno.CF50-3200001 ～) ・ DAX 50 (6V ST50)(FNo. ST50-6100022 ～ 6346265)
- DAX 50 (12V AB26)(ALL) ・ DAX 70 (Fno. ST70-6100023 ～)
- ● KICK STARTER SPINDLE SET IS REQUIRED for models below.
- MONKEY / GORILLA (Fno.Z50J-1000001 ～ 1805927)
- MONKEY R/RT (AB22-1000017 ～ 1011925) ・ CD50 (Fno.CD50-1000001 ～ 1330600)
- CHALY (Fno.CF50-1000002 ～ 3199999) ・ DAX 50 (6V ST50)(FNo. ST50-1000001 ～ 6027910)
- DAX 70 (Fno. ST70-1000001 ～ 6015109)
- ○ For KITACO L LEVER & HOLDER SET
- ※ GEAR SPINDLE SET (sold separately) is required for MONKEY centrifugal clutch.

MONKEY (FI)(318-1137300)
Kit includes :
ULTRA CLUTCH KIT (317-1137710) & 5 SPEED TRANSMISSION ASSY (305-1137300)
- MONKEY (FI)(Fno.AB27-1900001 ～) ○ For STOCK LEVER & HOLDER

※ Picture is for carburetor model

ULTRA DRIVE KIT

TYPE	CARBURETOR	TYPE	FI
NO.	318-1123300	NO.	318-1137300

Powerful Braking Force!

JOG/ZR (FI)

190 mm BIG DISC ROTOR (STAINLESS)

REMARKS

- STAINLESS
- EXCLUSIVE ALUMINUM CALIPER SUPPORT INCLUDED. (for STOCK CALIPER)
- O.D. 190 mm (STOCK : 155 mm)

OPTION PARTS	ITEM NUMBER
SUPER TEFLON STAINLESS MESH BRAKE HOSE	773-0089100
NON FADE BRAKE PAD (PY-8N)	770-0083110

APPLICATION: JOG (3P32/3P35) / JOG ZR (3P33)

JOG/-ZR (FI)
190 mm BIG DISC ROTOR (STAINLESS)

TYPE	for STOCK CALIPER
NO.	500-0089880

Upgrade Fi controller for LIGHT BIG BORE KIT JOG/-ZR (FI) !

JOG/-ZR (FI)

i-map (FI controller) ver.2.0

REMARKS

- FI controller for variety of tuning types
- Upgrade model for 63cc LIGHT BIG BORE KIT

		MAP	DISP.	MUFFLER	AIR CLEANER	REV LIMIT	REMARK
i-map	STD INJECTOR	1	49cc	M1/STOCK	STOCK	10,500rpm	
		2	63cc	M1	STOCK	10,500rpm	not for VOX
		3	63cc	M1	POWER FILTER	11,000rpm	not for VOX
	BIG VOLUME INJECTOR (YAMAHA ORIGINAL)	4	63cc	STOCK	STOCK	10,000rpm	not for VOX
		5	63cc	M1	STOCK	10,500rpm	not for VOX
		6	63cc	M1	POWER FILTER	11,000rpm	not for VOX
		7	ORIGINAL MAP (REWRITABLE)				

○ GPR MUFFLER M1 TYPE (548-0089310) is only for JOG/-ZR (FI)
○ Do not adjust (increase) injection quantity with map 2/3, as it is close to adjustable limit of STD injector.
Recommended to exchange to bigger injector (YAMAHA STOCK : 4P9-13930-00)
○ PC that supports Windows & PC INTERFACE CABLE KIT are required.
• **PC INTERFACE CABLE KIT 763-0500900**
○ Required Fuel Manager (map editing software), which can be downloaded from Kitaco website by free.
○ Current i-map (763-0089000) JOG/-ZR (Fi) is discontinued.

APPLICATION: JOG/-ZR (3P1 ～ 35) VOX (3B34/5/D/E)



JOG/-ZR (FI)
i-map (FI controller)

TYPE	Ver.2.0
NO.	763-0089010

More efficient intake air!

JOG/ZR (FI)

SUPER POWER FILTER KIT

REMARKS

- For STOCK & KITACO BIG BORE KIT
- Comes with nipples for 8 mm hose.
- REAR FENDER BRACKET INCLUDED. (Recommended i-map & KITACO MUFFLER if installed with stock model.)

OPTION PARTS	ITEM NUMBER
GPR M-1 MUFFLER	548-0089310
i-map Ver.2.0 (for BIG BORE KIT)	763-0089010
POWER DRIVE KIT - 3	480-0089400

APPLICATION: JOG (3P32/3P35) / JOG ZR (3P33)

JOG/-ZR (FI)
SUPER POWER FILTER KIT

TYPE	BLUE	TYPE	CHROME
NO.	515-0089350	NO.	515-0089353
TYPE	RED	TYPE	PURPLE
NO.	515-0089351	NO.	515-0089355

H section forged connecting rod ! It's for high-powered 88cc kit.

MONKEY / GORILLA

REINFORCED CRANKSHAFT ASSY (41.4mm stroke)

REMARKS

- Exclusive use for RACING.
- Exclusive use for 88cc DOHC/ULTRA-SE big bore kit. (Balanced)
- Chosen H section forged connecting rod.
  Stiffness improved without increasing the weight.
  Chosen securiform knife edge for crank wave which can reduce friction when high-revolution.
- Big end pin : 23.1mm (STOCK) → 25.1mm (KITACO)
- Lightweight : Reduced 100g
- CRANKSHAFT BEARING :
  #6304 (STOCK) → #6205(KITACO)
- Stroke 41.4mm (Same as stock)
- Including oil pump spindle and collar
  (Doesn't use stock spindle)

APPLICATION: MONKEY / GORILLA (Z50J-2000001 ~ / AB27-1000001 ~ 1899999)
MONKEY BAJA , MONKEY-R / RT , DAX50 (AB26)

MONKEY / GORILLA

REINFORCED CRANKSHAFT ASSY

TYPE	41.4mm stroke
NO.	309-1123300

SPECIAL COATING "DLC"(Diamond-like carbon) !

MONKEY / GORILLA

HIGH COMPRESSION PISTON KIT WITH DLC COATING

REMARKS

- Exclusive use for 124cc DOHC KIT.
- Compression ratio (13 : 1)
  Exclusive use for the drag race.
- DLC coating (Diamond-like carbon) which is low friction and excellent wear resistance.

DISCRIPTION	No.	QTY
PISTON (With DLC coating) (54mm/2ring)	351-1123999	1
PISTON RING (With DLC coating) (54mm/2ring)	352-1083690	1SET
PISTON PIN (With DLC coating) (13x40mm)	353-3001340	1
PISTON PIN CLIP (13mm)	354-0000130	2
CYLINDER HEAD GASKET	961-1083124	1
CYLINDER GASKET	962-1083600	1

APPLICATION: DOHC 124cc KIT FOR MONKEY

MONKEY / GORILLA

HIGH COMPRESSION PISTON KIT WITH DLC COATING

TYPE	DLC coating (Diamond-like carbon)
NO.	355-1123900

SPECIAL COATING "DLC"(Diamond-like carbon) !

MONKEY / GORILLA

ROCKER ARM SHAFT WITH DLC COATING

TYPE	DLC coating (Diamond-like carbon)
NO.	303-1083990

REMARKS

- Adapt to HONDA genuine part no. 14451-035-000
- Made from the chrome molybdenum steel.
- DLC coating (Diamond-like carbon) which is low friction and excellent wear resistance.
- 2pcs a set

For high power engine ! Special cam chain tensioner arm !

MONKEY / GORILLA

CAM CHAIN TENSIONER ARM

TYPE	CNC machined super duralumin
NO.	303-1083700

REMARK

- Adapt to HONDA genuine part no. 14500-035-020
- Weight : 26.6g (Stock : 36.6g)
- ARM : CNC machined super duralumin + WPC + hard anodized finish (incl. silicon)
- Pivot for roller : Made from steel which has stiffness and durability.

Wide slipper surface and lightweight than stock therefore, reducing damage to the cap of push rod.

DLC (Diamond-Like Carbon)

DLC is very thin special coating which is high-strength, low-friction, high-wear resistance and solid lubrication.
This is the ultimate coating for the next generation.

APE/XR MOTARD/NSF100

MINIMOTO CLOSE-RATIO TRANSMISSION ASSY/CONVERSION KIT

REMARKS

- Exclusive use for racing
- 6 step return type
  (1 ← N → 2 → 3 → 4 → 5 → 6)
- Kick starter gear included

※ Gasket is sold separately.

	REDUCTION RATIO	MAIN	COUNTER
1ST	2.187	16	35
2ND	1.777	18	32
3RD	1.450	20	29
4TH	1.272	22	28
5TH	1.173	23	27
6TH	1.130	23	26



- CONVERSION KIT which convert from super close-ratio transmission (305-1122100) is also released.

OPTION PARTS (sold separately)	TYPE	NO.
MOLYBDENUM DIOXIDE GREASE	BLACK/20g	969-0500300

APPLICATION

- APE50/100 (AC16/HC07 ALL) ・APE50-D (AC18 ALL)
- APE100-D (HC13 ALL)
- XR MOTARD 50/100 (AD14/HD13 ALL) ・NSF100

APE/XR MOTARD/NSF100

MINIMOTO CLOSE-RATIO TRANSMISSION ASSY

TYPE	
NO.	305-1418100

APE/XR MOTARD/NSF100 with super close-ratio transmission

MINIMOTO CLOSE-RATIO TRANSMISSION CONVERSION KIT

TYPE	
NO.	305-1418190

KSR110/KLX110

160cc ULTRA-SE BIG BORE KIT

REMARKS

- Exclusive use for racing
- Piston : 60mm forged aluminum (WPC + MoS2 shot)
- Hard aluminum plating
- Displacement : 160cc
  Bore : 60mm
  Stroke : 56mm

※ Crank case boring may be required depending on individual specificity of the engine.



APPLICATION

- KSR110 ・KLX110

KSR110/KLX110

160cc ULTRA-SE BIG BORE KIT

TYPE	
NO.	215-4021900

Lightweight & high stiffness swing arm !

NSF100
ALUMINUM SWING ARM type RS (STOCK LENGTH)

REMARKS

- Main pipe : TRIPLE SQUARED SUPER DURALUMIN
- POLISHED
- Axle holder made by machined
- Stock length
- Axle shaft included/Pressed needle bearing

※ Does not fit with stock chain case.

OPTION PARTS (Sold separately)	TYPE	NO.
STAND PLATE SET for RS	SILVER	519-1123800
	BLUE	519-1123810
	RED	519-1123820
SWING ARM BUTTON for RS	SILVER	519-1123900
REAR FENDER (Chain case integrated) ※ For stock & aluminum swing arm	FRP BLACK GEL COAT	681-1418210
	CARBON	681-1418260

APPLICATION NSF100



NSF100
ALUMINUM SWING ARM type RS

TYPE	STOCK LENGTH
NO.	519-1418100

Improves braking force & endurance !

ADDRESS V125/-G
REAR BRAKE CABLE (HARD TOUCH TYPE)

REMARKS

- Thicker inner wire than stock
- Outer tube : Black
- Outer length : 1765mm

ABOUT OUTER LENGTH
Outer length is measured from end to end of outer TUBE (including metal part).

APPLICATION
- K5/K6 : Fno.CF46A-100001 ～ 530064
- K7/K9 : Fno.CF46A-530065 ～ / CF4EA ALL

ADDRESS V125/-G
REAR BRAKE CABLE (HARD TOUCH TYPE)

TYPE	K5/K6
NO.	906-2407300
TYPE	K7/K9
NO.	906-2409300

New color black Anodized added !

UNIVERSAL
REFLECTOR KIT (BLACK)

REMARKS

- Useful kit for installing rear fenderless kit or reflector to underside of license plate with attaching bolt for license plate.
- ALUMINUM/BLACK ANODIZED
- Fits with both mini and large-size motorcycles license plate



APPLICATION
- UNIVERSAL

UNIVERSAL
REFLECTOR KIT (BLACK)

TYPE	BLACK ANODIZED
NO.	801-0800110

Reasonable price for tuning !

APE/DAX/MONKEY-R
DRIVEN SPROCKET (REAR/46T)

REMARKS

- High-tensile chromoly steel
- 420 size
- 46T (APE50 stock teeth)
- Check the sprocket every 1000km.

APPLICATION
- APE50 (FNO.AC16-1000001 ～ 1599999)　・APE50 (FI MODEL) (FNO.AC16-1600001 ～)
- APE100 (HC07 ALL)　・GIOR CUB (AF53 ALL)　・DAX 50/70 (ALL)
- MONKEY R/RT (ALL)　・MAGNA 50 (AC13 ALL)　・JAZZ (ALL)　・CHALY 50/70 (ALL)
- MOTRA (ALL)　・CB50 (ALL)　・XE 50/75 (ALL)　・XL50 (ALL)　・XL80 (ALL)　・XR80 (ALL)
- R&P (ALL)　・NAUTY DAX (ALL)



※ Image shown may differ from actual product appearance

APE/DAX/MONKEY-R
DRIVEN SPROCKET (REAR/46T)

TYPE	FOR REAR
NO.	535-1015246

UNIVERSAL/For 12V Battery

DATA LOGGER

REMARKS

- Race use only. Device that can measure and record specific data and can log the data to computer with a USB cable (USB : Mini-B). (USB cable not included)
- ※ Software is free to download from KITACO website.
- Standard function : Voltage (v), Speed (km/h), Rev (rpm), Measurement and record of lap time
- Operations function of each button :

MODE = ・Measuring mode : Switching item ・Back light ON/OFF (Hold the button for 2 seconds)
VIEW = ・Measuring mode : Display change ・Setting mode : Numerical entry
LOG = ・Measuring mode : Start, Stop ・Setting mode : Decision

DISPLAY



OPTION PARTS (sold separately)	NO.
AMPLIFIER BOX	762-0000090

APPLICATION ・UNIVERSAL/For 12V motorcycle ※ Does not activate without battery.

UNIVERSAL/For 12V Battery
DATA LOGGER

TYPE	
NO.	762-0000000

For KITACO DATA LOGGER

AMPLIFIER BOX

REMARKS

- Option parts for KITACO DATA LOGGER
  Signal conversion unit for connecting various sensor.
- Can measure temperature sensor (x 2), stroke sensor, O2 sensor and universal analog ※ (x 2) by connecting amplifier box. (Each sensor is sold separately)

※ **UNIVERSAL ANALOG**
User can use universal port freely.
Can connect to every sensor which output voltage signal within range of 0 ~ 5VDC.
Records all by voltage.
Use recorded data depending on sensor type.

OPTION PARTS (sold separately)	NO.
TEMPERATURE SENSOR type 2N	752-0500341
TEMPERATURE SENSOR type 2NX	752-0500351
SENSOR ATTACHMENT BOLT D-1 (For type 2N)	752-0500342
STROKE SENSOR KIT	762-0000080



APPLICATION ・Exclusive use for KITACO DATA LOGGER

For KITACO DATA LOGGER
AMPLIFIER BOX

TYPE	
NO.	762-0000090

MONKEY (FI MODEL)

i-map (INJECTION CONTROL UNIT)

REMARKS

- Responds to each tuning menu.
- Can change 7 channels for fuel injection map with DIP switch.
- 6 channels pre-installed with best fuel injection map for stock and KITACO parts.
- User setting channel which can set a fuel injection map is installed.
- Limiter control function included

i-map channel setting

1	KITACO MUFFLER (type212V/typeM1)	REV LIMIT 10500rpm
2	KITACO MUFFLER (type212V/typeM1) + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + STOCK AIR CLEANER	REV LIMIT 11000rpm
3	KITACO MUFFLER (type212V/typeM1) + 50cc HIGH COMP PISTON/HIGH CAMSHAFT + AIR FUNNEL	REV LIMIT 11500rpm
4	KITACO MUFFLER (type212V/typeM1) + 88cc BIG BORE KIT + STOCK AIR CLEANER	REV LIMIT 10500rpm
5	KITACO MUFFLER (type212V/typeM1) + 88cc BIG BORE KIT + AIR FUNNEL	REV LIMIT 11500rpm
6	KITACO MUFFLER (racing) + 88cc BIG BORE KIT + AIR FUNNEL	REV LIMIT 11500rpm
7	USER SETTING CHANNEL (Rewritable)	

※ PC and PC INTERFACE CABLE KIT (763-0500900) are required to update user setting channel.
※ Software 'Fuel Manager' (for Windows) is required for editing the map.
(Free to download from KITACO website)

APPLICATION ・MONKEY (FI MODEL) (AB27-1900001 ~)

MONKEY (FI MODEL)
i-map (INJECTION CONTROL UNIT)

TYPE	
NO.	763-1137000

100cc KIT for SE head series available!

NSF100
100cc MINIMOTO KIT

REMARKS

- Race use only
- Chosen high performance SE head
  Enhances ultra-high revolution by short stroke
- 57mm forged piston (WPC + MoS2 shot)
- Chosen H section forged connecting rod for short stroke crank shaft.
  Stiffness was improved without increasing the weight.
  Chosen securiform knife edge for crank wave
- Displacement : 99.8cc Bore I.D. : 57mm
  Stroke : 39.1mm (Short stroke)
- Compression ratio (11.8 : 1)
  Maximum output power (**14ps**/13,000rpm)
  Maximum torque (0.87kg ・m/9,000rpm)
  Maximum rev speed (14,000rpm)

※ MINIMOTO KIT is unrelated to the race.



CARBURETOR : KEIHIN CR mini 22
MUFFLER : RACING MUFFLER
CDI : When using POWER REV RW (Recommended map : 4)
When using REV CON (Recommended map : 3)

APPLICATION

・APE100/-D (HC07-1000001 ～ /HC13-1000001 ～)　・XR100R (HE03-1200001 ～)
・XR100 MOTARD (HD13-1000001 ～)　・CRF100F (HE03-1000001 ～)　・NSF100

NSF100
100cc MINIMOTO KIT

TYPE	ULTRA-SE HEAD MODEL
NO.	217-1418100

DOHC model available!

NSF100
DOHC 100cc MINIMOTO KIT

REMARKS

- Race use only
- DOHC HEAD included
  Enhances ultra-high revolution by short stroke
- 57mm forged piston (WPC + MoS2 shot)
- Chosen H section forged connecting rod for short stroke crank shaft.
  Stiffness was improved without increasing the weight.
  Chosen securiform knife edge for crank wave
- Displacement : 99.8cc Bore I.D. : 57mm
  Stroke : 39.1mm (Short stroke)
- Compression ratio (10.2 : 1)
  Maximum output power (**15ps**/15,000rpm)
  Maximum torque (0.87kg ・m/11,500rpm)
  Maximum rev speed (15,000rpm)

※ MINIMOTO KIT is unrelated to the race.



CARBURETOR : MIKUNI TMR 32
MUFFLER : RACING MUFFLER
CDI : When using POWER REV RW (Recommended map : 5)
When using REV CON (Recommended map : 7)

APPLICATION

・APE100/-D (HC07-1000001 ～ /HC13-1000001 ～)　・XR100R (HE03-1200001 ～)
・XR100 MOTARD (HD13-1000001 ～)　・CRF100F (HE03-1000001 ～)　・NSF100



NSF100
DOHC 100cc MINIMOTO KIT

TYPE	DOHC HEAD MODEL
NO.	217-1418440

100cc CONVERSION KIT available!

For KITACO ULTRA-SE 125cc BIG BORE KIT
MINIMOTO CONVERSION KIT From 125cc to 100cc

REMARKS

- Race use only
- Converts ULTRA-SE 125cc BIG BORE KIT to 100cc MINIMOTO KIT
  Enhances ultra-high revolution by short stroke
- 57mm forged piston (WPC + MoS2 shot)
- Chosen H section forged connecting rod for short stroke crank shaft.
  Stiffness was improved without increasing the weight.
  Chosen securiform knife edge for crank wave
- Displacement : 99.8cc Bore I.D. : 57mm
  Stroke : 39.1mm (Short stroke)
- Compression ratio (11.8 : 1)
  Maximum output power (**14ps**/13,000rpm)
  Maximum torque (0.87kg ・m/9,000rpm)
  Maximum rev speed (14,000rpm)

※ MINIMOTO CONVERSION KIT is unrelated to the race.



CARBURETOR : KEIHIN CR mini 22
MUFFLER : RACING MUFFLER
CDI : When using POWER REV RW (Recommended map : 4)
When using REV CON (Recommended map : 3)

APPLICATION

KITACO ULTRA-SE 125cc BIG BORE KIT installed motorcycle
BIG BORE KIT ○ 125cc/STEEL VALVE/Forged piston model (212-1418780)
○ 125cc/TITANIUM/Forged piston model (212-1418790)

For KITACO ULTRA-SE 125cc BIG BORE KIT
MINIMOTO CONVERSION KIT

TYPE	From 125cc to 100cc
NO.	218-1418100