

**MONKEY • GORILLA • APE**

**Be more attractive!**



**METER BASE COVER**

CODE	COLOR
661-1123900	BLACK
661-1123910	GOLD
661-1123920	CHROME
661-1123930	RED
661-1123940	BLUE

- ALUMINUM / ALUMITE FINISH (except CHROME)
- KITACO HEAD LIGHT CASE for Monkey useable

※ KITACO METER STAY (672-1137000) not useable

**APPLICATION**

MONKEY	Fno.Z50J-1300017 ~ Fno.AB27-1000001 ~ 1899999
GORILLA	Fno.Z50J-2500001 ~ / FNo.AB27-1000001 ~
APE 50/- D (AC16/18)	APE 100/- D (HC07/13)

※ MONKEY (FI) Fno.AB27-1900001 ~ not useable

**MONKEY • GORILLA • APE**

**HEAD LIGHT VISOR released!**



**HEAD LIGHT VISOR**

CODE	SIZE
800-0100100	40 mm
800-0100110	70 mm

- STEEL / CHROME FINISH

**APPLICATION**

MONKEY	Fno.Z50J-1300017 ~ Fno.AB27-1000001 ~ 1899999
ゴリラ	Fno.Z50J-2500001 ~ / FNo.AB27-1000001 ~
モンキー(FI)	Fno.AB27-1900001 ~
APE 50/- D (AC16/18)	APE 100/- D (HC07/13)

※ KITACO 130 mm HEAD LIGHT (MULTINUM REFLECTOR .etc.) useable

**MONKEY • GORILLA • MONKEY BAJA**

**New color released!!**



**PIVOT CAP**

CODE	COLOR
523-1123730	RED
523-1123740	BLUE
523-1123750	PURPLE

- ALUMINUM MACHINED / ALUMITE FINISH
- Sold each ●  $\beta$  PIN included

**APPLICATION**

MONKEY • GORILLA	Fno.Z50J-1000001 ~ Fno.AB27-1000001 ~ 1899999
MONKEY (FI)	Fno.AB27-1900001 ~
MONKEY BAJA	

※ DAX / CHALY not useable

**⚠ DOWN MUFFLER APPLICATION**


- ◆ DOWN MUFFLER using stay fixing on brake pivot is not useable
- ◆ DOWN MUFFLER which routes close to brake pivot might interfere with  $\beta$  PIN

## K • CON Pro

# Not just fastening but beautiful nut!

### HEXAGON NUT (Category 2)


- Chamfered NUT
- STAINLESS / 24 K CHROME FINISH



TYPE	PITCH	A	B	QTY	CODE
6 mm	P1.0	5	10	2	0901-001-03001
8 mm	P1.25	6.5	13	2	0901-001-03002
10 mm	P1.25	8	17	1	0901-001-03003

### BOLT with FLANGE


- Nut with FLANGE
- Efficient and prevent loosening
- Not serrated
- STAINLESS / 24 K CHROME FINISH



TYPE	PITCH	A	B	C	QTY	CODE
6 mm	P1.0	6	10	13	2	0901-001-02001
8 mm	P1.25	7.5	12	17	2	0901-001-02002

### CAP NUT


- Cap nut for safety and esthetic preference
- STAINLESS / 24 K CHROME FINISH



TYPE	PITCH	A	B	C	QTY	CODE
6 mm	P1.0	9.5	10	4	2	0901-001-05001
8 mm	P1.25	12.5	13	5	2	0901-001-05002

### CAP NUT with FLANGE

- Cap nut with flange for safety and esthetic preference
- STAINLESS / 24 K CHROME FINISH



TYPE	PITCH	A	B	C	D	QTY	CODE
6 mm	P1.0	10.5	10	13	4.5	2	0901-001-040011
8 mm	P1.25	13	12	17	5.5	2	0901-001-040021


※ Refer to measurement before purchase

## K • CON Pro


# INFINIT USE!



### Image Example



### LED Pilot lamp measurement (mm)



### LED PILOT LAMP

CODE	COLOR
0901-752-99920	RED
0901-752-99921	BLUE
0901-752-99922	ORANGE
0901-752-99923	GREEN
0901-752-99924	WHITE

- UNIVERSAL
- For 12V models
- Sold each
- Mounting Hole O.D. : 9 mm
- Harness Length : 29 cm
- Includes LED LAMP x 1, WASHER x 1, NUT x 1

※ There could be case error because of water-proof treatment.

※ Do not place the pilot lamp to prevent clear view

※ Not for number plate


※ Waterproof treatment is a must on wiring part.

**K • CON Pro**

**Not just fastening but beautiful bolt!**



**VIVID BOLT**

- KITACO VIVID BOLTS with 24 K chrome version!
- STAINLESS / 24K CHROME FINISH



SIZE	TYPE	LENGTH	Qty	CODE
6×12	Full Thread	12	2	0901-060-00001
6×15	Full Thread	15	2	0901-060-00002
6×20	Full Thread	20	2	0901-060-00003
6×25	Full Thread	25	2	0901-060-00004
6×28	Full Thread	28	2	0901-060-00005
6×30	Full Thread	30	2	0901-060-00006
6×35	Half Thread	35	2	0901-060-00007
6×40	Half Thread	40	2	0901-060-00008

SIZE	TYPE	LENGTH	Qty	CODE
6×45	Half Thread	45	2	0901-060-00009
6×50	Half Thread	50	2	0901-060-00010
6×55	Half Thread	55	1	0901-060-00011
6×60	Half Thread	60	1	0901-060-00012
6×65	Half Thread	65	1	0901-060-00013
6×70	Half Thread	70	1	0901-060-00014
6×80	Half Thread	80	1	0901-060-00015
6×100	Half Thread	100	1	0901-060-00016



SIZE	TYPE	LENGTH	Qty	CODE
8×15	Full Thread	15	2	0901-080-00001
8×20	Full Thread	20	2	0901-080-00002
8×25	Full Thread	25	2	0901-080-00003
8×30	Full Thread	30	2	0901-080-00004
8×35	Full Thread	35	2	0901-080-00005
8×40	Half Thread	40	1	0901-080-00006
8×45	Half Thread	45	1	0901-080-00007
8×50	Half Thread	50	1	0901-080-00008

SIZE	LENGTH	Qty	CODE
10 × 20	20	1	0901-100-00001
10 × 25	25	1	0901-100-00002
10 × 30	30	1	0901-100-00003
10 × 35	35	1	0901-100-00004
10 × 40	40	1	0901-100-00005
10 × 45	45	1	0901-100-00006
10 × 50	50	1	0901-100-00007

**CHEMICAL**



PHOTO:968-2998500 15W

High Performance FORK OIL with high purified mineral oil

**High Performance FORK OIL!**

**elf MOTO FORK OIL**

CODE	SAE VISCOSITY
968-2999500	10W
968-2998500	15W
968-2997500	20W

- High Purified Mineral Oil ●500 ml ●Sold Individually
- ※Mix to make favorite viscosity



RACE USE BRAKE FLUID with elf's F1 experience!

**BRAKE FLUID for RACE USE!**

**elf BRAKE FLUID HTX115**

CODE	968-2800000
------	-------------

- 100% CHEMICAL SYNTHETIC OIL
- FMVSS 116 (DOT5.1)
- Dry boiling point : 290 °C
- Wet boiling point : 200 °C
- 500ml ●Sold individually
- ※ Do not mix with silicone or mineral fluid.

**SBS BRAKE PAD (CHINA / TAIWAN YAMAHA / PGO / KYMCO / SYM / HYOSUNG)**

**Most attractive thing in SBS BRAKE PAD is controllability!**



SBS BRAKE PAD has trilaminar structure, for best and stable performance under hard circumstances.

**BRAKE LINING**

- SPECIAL TECHNIQUE "ULTRA SONIC UCT"

**FIBER CERAMIC**

- FIBER CERAMIC is put between STEEL BACKING PLATE and LINING, to stabilize under high heat transfer.
- It shuts out humidity and prevents backing plate from rusting

**STEEL BACKING PLATE**

- Made with 22 tons of pressure bonding and 3 hours in 900 °C heat.

**MATRICES HOOK**

- SPECIAL LINING HOOK on backing plate, which is better bonding system to prevents lining from taking off and brake from screeching



PAD No.	PAD SIZE (mm)	APPLICATION	CODE
858HF		<b>YAMAHA</b> YBR125 ('08 ~) CYGNUS Z ('08 ~) (CHINA MODEL)	777-0858000
E140		<b>PGO</b> RODOSHOW50 ('01 ~) PMX50SPORTS ('01 ~) X-HOT150 ('10 ~) I BUBU125 ('09 ~) I'ME125 ('08 ~) <b>SYM</b> SYMPLY50 ('08 ~) CITYCOM125 ('09 ~) FIDDLE X125 ('09 ~) SYMPLY125 ('08 ~)	777-0140000
E171		<b>KYMCO</b> GRAND DINK250Z (GD250Z) ('01 ~ '03)	777-0171000
E178		<b>SYM</b> JOYRIDE125 ('01 ~ '06) JOYRIDE125i ('07 ~ '09) JOYRIDE125EVO ('10 ~) JOYRIDE200 ('01 ~ '06) JOYRIDE200i ('07 ~ '09) JOYRIDE200IEVO ('10 ~)	777-0178000
814HF		<b>HYOSUNG</b> GT250R ('07 ~) GT250 ('03 ~) RX125SM ('07 ~)	777-0814000

**HF/E STREET**

For street use with easy controllability and high durability.



**CERAMIC**

COST :

LIFE :

DRY PERFORMANCE :

WET PERFORMANCE :

CONTROLLABILITY :

ANTI-FADING :

FRICTION COEFFICIENT :

**NINJA 250R • KLX125/250 • D-TRACKER X • etc.**

**MUST ITEM!**



Just exchange with stock lens



**SMOKE WINKER LENS SET**

CODE 807-4771000

● Sold in pairs ● For FRONT / REAR

APPLICATION

NINJA 250R (EX250K) KLX250 (LX250S) D-TRACKER X (LX250V)

\* Stock winker bulbs useable

**MUST ITEM!**



Just exchange with stock lens



**SMOKE WINKER LENS SET**

CODE 807-4026000

● Sold in pairs ● For FRONT / REAR  
● 12V10W AMBER BULB included

APPLICATION

KLX125 (LX125C) D-TRACKER 125 (LX125D)

**JOG (3P3 • 5PT • 5SW • 3YK7 ~ 9/A)**

**FUTURISTIC LOOK !**



Stylish OKD REAR SHOCK



**OKD REAR SHOCK**

CODE 520-8022400

● Length : 240 mm ● Body : STEEL / BLACK  
● Spring : METALLIC RED ● Preload : 5-step  
● OIL-CHARGED DUMPER

APPLICATION

JOG/-DX/-ZR (4st) (3P31~38) JOG-ZR/-Z II (5PT•5SW)  
SUPER JOG-ZR (3YK7~9/A)

**JOG/-DX/-ZR (4st) (3P3)**

**MUST ITEM for SCOOTER!**



CONVENIENT SIDE STAND for  
SCOOTER USERS!



**SIDE STAND**

CODE 656-0010235

● STEEL / CHROME PLATED FINISH ● Bolt-on to install

APPLICATION

JOG/-DX/-ZR (4st) (3P31~38)

**ADDRESS V125**

**MUST WHEN EXCHANGING MUFFLERS!**



Exclusive muffler gasket for V125

**EXHAUST MUFFLER GASKET [XS-17]**

CODE 963-2000017

● Sold in pairs



APPLICATION

ADDRESS V125/-G (CF46A/CF4EA) ADDRESS V125S (CF4MA)

\* Change muffler gasket every time you exchange mufflers as muffler gasket is not reusable.


### Metallic spring look so cool!

#### DIO 110 REAR SHOCK

REMARKS	<ul style="list-style-type: none"> <li>● Length : 310 mm</li> <li>● Preload adjustment function : SINGLE-STEP</li> <li>● OIL-CHARGED DUMPER</li> </ul>		
APPLICATION	Dio 110 (JF31)		
			
TYPE	BLUE SPRING	TYPE	RED SPRING
CODE	520-1427000	CODE	520-1427030



### Direct brake feeling!

#### DIO 110 STAINLESS MESH BRAKE HOSE

REMARKS	<ul style="list-style-type: none"> <li>● STAINLESS BRAKE HOSE with direct brake feeling that has high durability.</li> <li>● SUPER TEFLON that has low-penetration, low-friction and solvent resistance properties is adopted.</li> <li>● Non-dilatable stainless mesh material is adopted in Teflon inner surface.</li> <li>● Center hose fitting : STAINLESS SEPARATE 3-PIECE STRUCTURE</li> <li>● STAINLESS BANJO BOLT / ALUMINUM SEALING WASHER included</li> <li>● Sold in pairs</li> <li>● LENGTH : MASTER CYLINDER - CALIPER : 790mm CBS MASTER CYLINDER - CALIPER : 620mm</li> </ul>		
APPLICATION	Dio 110 (JF31)		
		TYPE	FRONT
		CODE	773-1427100

### Impressive muffler!



#### DIO 110 GPR MUFFLER

REMARKS	<ul style="list-style-type: none"> <li>● SPORT MUFFLER that looks like GP machines.</li> <li>● JMCA approved</li> <li>● Silencer : ALUMINUM 110 mm (BLACK ALMITE FINISH)</li> <li>● Exhaust Pipe : STAINLESS</li> <li>● CATALYZER built-in</li> <li>※ EXHAUST MUFFLER GASKET (sold separately) required XH-02 963-1000002</li> </ul>	
		
APPLICATION	Dio 110 (JF31)	

	
TYPE	M1
CODE	548-1427310



### STRONGEST COLLABORATION!

#### DIO 110 POWER PACK

REMARKS	<ul style="list-style-type: none"> <li>● POWER PACK for DIO 110 is newly released!</li> <li>● Includes HIGH SPEED PULLEY KIT type X &amp; i-Map (FI CONTROLLER)</li> <li>● Gets wide ratio for powerful acceleration and torqueful middle rpm range.</li> <li>● Weight roller (11.0g x 6 pcs) included</li> <li>※ STOCK ROLLER not useable</li> <li>● KITACO WEIGHT ROLLER for SUZUKI B useable (Page 407 of K BOOK 2010 - 2011)</li> </ul>	
		
APPLICATION	Dio 110 (JF31)	

TYPE	
CODE	230-1427950

### REPAIR PARTS

			
HIGH SPEED PULLEY KIT		i-Map	
TYPE	type X	TYPE	
CODE	488-1427000	CODE	763-1427000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 33 -2

### Easy! Cover for dress-up!

#### DIO 110 CRANKCASE / AIR CLEANER COVER GARNISH



REMARKS	<ul style="list-style-type: none"> <li>● Easy-to-install with 3 bolts.</li> <li>(AIR CLEANER COVER GARNISH is attached with both-sided tape)</li> <li>● ABS RESIN / CHROME PLATED FINISH</li> </ul>
APPLICATION	• Dio 110 (JF31)

			
TYPE	CRANKCASE COVER	TYPE	AIR CLEANER COVER
CODE	335-1427100	CODE	590-1427100

### Good whenever needed!

#### DIO 110 REAR WINKER COVER GARNISH

REMARKS	<ul style="list-style-type: none"> <li>● Attachable to REAR WINKER COVER</li> <li>● Sold in pairs</li> <li>● ABS RESIN / CHROME PLATED FINISH</li> </ul>
APPLICATION	• Dio 110 (JF31)

	
TYPE	
CODE	336-1427010

### Dress-up your step!

#### DIO 110 STEP BOARD

REMARKS	<ul style="list-style-type: none"> <li>● ALUMINUM</li> <li>● TAPPING SCREWS (STAINLESS) included</li> <li>※ Machining mods required</li> </ul>
APPLICATION	• Dio 110 (JF31)

			
TYPE	SILVER ALUMITE	TYPE	BLACK ALUMITE
CODE	538-1427000	CODE	538-1427010

### Get Racy look with knuckle cover!

#### DIO 110 KNUCKLE COVER


REMARKS	<ul style="list-style-type: none"> <li>● POLYPROPYLENE</li> <li>● Sold in pairs</li> <li>● BRACKET included</li> </ul>
APPLICATION	• Dio 110 (JF31)

			
TYPE	WHITE	TYPE	BLACK
CODE	562-1427100	CODE	562-1427110

### For easy grip change!

#### DIO 110 SUPER THROTTLE PIPE

REMARKS	<ul style="list-style-type: none"> <li>● High throttle which reduces throttle action by 11%</li> <li>※ Handle grip required</li> <li>○ Applicable grip 105 ~ 110 mm</li> </ul>
APPLICATION	• Dio 110 (JF31) • LEAD 110/-EX (JF19)

	TYPE	
	CODE	901-1427900

### Easy-dress up!

#### DIO 110 BAR END CAP

REMARKS	<ul style="list-style-type: none"> <li>● For handle bar dress-up</li> <li>● 4 COLORS (SILVER, GOLD, BLACK &amp; CHROME) available</li> <li>● ALUMINUM MACHINED</li> <li>● Sold in pairs</li> <li>● CAP BOLT included</li> <li>● O.D. 33.0 mm / Length : 16.5 mm</li> </ul>
APPLICATION	• Dio 110 (JF31)

			
TYPE	SILVER ALUMITE	TYPE	GOLD ALUMITE
CODE	506-1427200	CODE	506-1427210

			
TYPE	BLACK ALUMITE	TYPE	CHROME PLATED
CODE	506-1427230	CODE	506-1427240



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 33 -1



**More comfortable tandem touring!**

### DIO 110 TANDEM BACK REST & BAR



REMARKS	<ul style="list-style-type: none"> <li>● More comfortable touring for tandem riders.</li> <li>□ Tandem Bar : 25.4 mm STAINLESS / ELECTROPOLISH</li> <li>□ Backrest : DIMPLE MESH PAD : PAD SIZE 90(H) x 310(W) x 100(L) mm</li> <li>※ KITACO REAR CARRIER not useable</li> </ul>
APPLICATION	Dio 110 (JF31)



TYPE	TANDEM BACK REST & BAR
CODE	652-1427000



TYPE	TANDEM BACK REST
CODE	652-1427100




TYPE	TANDEM BAR
CODE	652-1427900

**Good whenever needed!**

### DIO 110 REAR CARRIER



REMARKS	<ul style="list-style-type: none"> <li>● Practical REAR CARRIER!</li> <li>● STAINLESS</li> <li>● Measurement : 200 (L) x 210 (W) mm</li> <li>● Max load : 5.0 kgs</li> <li>※ KITACO TANDEM BACK REST &amp; BAR not useable</li> </ul>
APPLICATION	Dio 110 (JF31)




TYPE	
CODE	539-1427000

**Sharpens it up!**

### DIO 110 FENDER LESS KIT



REMARKS	<ul style="list-style-type: none"> <li>● STYLISH STYLE FENDER LESS KIT</li> <li>● STEEL / BLACK CHROME FINISH</li> <li>※ REAR INNER FENDER MACHINING required</li> </ul>
APPLICATION	Dio 110 (JF31)




TYPE	
CODE	691-1427000

# K-CON CAP BOLT COVER



## REMARKS

- DRESS-UP CAP BOLT COVER
- ABS / ALUMINUM CAP released
- Qty : 4
- Make sure the bolt size and if there is enough space for the cover before purchase
- ※ For JIS certified cap bolts.
- ※ Fitting might be hard or not possible depending on genuine bolt's tolerance, crack and rust.



ABS / M6			
SIZE	A : 10 B : 5.1 C : 1.6 D : 3		
TYPE	CHROME	BLACK-CHROME	BLACK
CODE	0900-000-80101	0900-000-80102	0900-000-80103

ABS / M8			
SIZE	A : 12.5 B : 6.1 C : 2.5 D : 4.2		
TYPE	CHROME	BLACK-CHROME	BLACK
CODE	0900-000-80111	0900-000-80112	0900-000-80113

ABS / M10			
SIZE	A : 16 B : 8.1 C : 2.8 D : 5		
TYPE	CHROME	BLACK-CHROME	BLACK
CODE	0900-000-80121	0900-000-80122	0900-000-80123



ALUMINUM / M6			
	TYPE	SILVER	
	CODE	0900-000-81001	
TYPE	RED	BLUE	BLACK
CODE	0900-000-81002	0900-000-81003	0900-000-81004
TYPE	PURPLE	GOLD	NAVY
CODE	0900-000-81005	0900-000-81006	0900-000-81007

ALUMINUM / M8			
	TYPE	SILVER	
	CODE	0900-000-81011	
TYPE	RED	BLUE	BLACK
CODE	0900-000-81012	0900-000-81013	0900-000-81014
TYPE	PURPLE	GOLD	NAVY
CODE	0900-000-81015	0900-000-81016	0900-000-81017

ALUMINUM / M10			
	TYPE	SILVER	
	CODE	0900-000-81021	
TYPE	RED	BLUE	BLACK
CODE	0900-000-81022	0900-000-81023	0900-000-81024
TYPE	PURPLE	GOLD	NAVY
CODE	0900-000-81025	0900-000-81026	0900-000-81027



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol.31

### WANT MORE CHANGE?

#### LEAD110 HIGH GEAR KIT

REMARKS	<ul style="list-style-type: none"> <li>● Gets more maximum speed by changing 1st reduction ratio.</li> <li>● Without getting the power down at low-middle speed, you can get more maximum speed.</li> <li>● Bearing press fitting is not required as all the change required to make is counter gear.</li> <li>● LIQUID GASKET (KC-027) included</li> </ul>
	<p>◇ DATA ◇</p> <p>FIRST REDUCTION RATIO : STOCK 50 / 20 (2.500) HIGH GEAR KIT 49 / 20 (2.450)</p> <p>MAX SPEED : Gets about more 2 km / h ※ Calculated at Kitaco facility. Actual speed may differ.</p>
APPLICATION	LEAD110 /-EX (JF19)



TYPE	
CODE	305-1425010

### LONG-AWAITED PULLEY KIT for LEAD110!

#### LEAD110 HIGH SPEED PULLEY KIT type X

REMARKS	<ul style="list-style-type: none"> <li>● Long-awaited POWER DRIVE KIT type X for LEAD110 is released!! Brings wide ratio for powerful acceleration and torqueful middle rpm range. To maximize the potentials to get more max speed.</li> <li>● WEIGHT ROLLER 9.0 g x 6 pcs included</li> <li>※ STOCK WEIGHT ROLLER not useable</li> <li>○ KITACO SUPER WEIGHT ROLLER SET recommended. (Listed on page 407 of 2010-2011 K BOOK)</li> <li>■ ABOUT type X PULLEY Same performance of type 3 pulley with improved durability.</li> <li>○ PULLEY : MATERIAL CHANGE → DURABILITY IMPROVED!</li> <li>○ BUSH : MATERIAL CHANGE (from steel to copper) → THERMAL CONDUCTIVITY IMPROVED!</li> </ul>
APPLICATION	LEAD110 /-EX (JF19)




TYPE	type X
CODE	488-1425000

### THE STRONGEST COLLABORATION!!

#### LEAD110 POWER PACK

REMARKS	<ul style="list-style-type: none"> <li>● POWER PACK for LEAD110 is newly released!!! Includes HIGH SPEED PULLEY KIT &amp; i-Map Gets wide ratio for powerful acceleration and torqueful middle rpm range. The LEAD110 which got power can be adjusted with i-Map. By upraising rpm limiter, you could get further potentials.</li> </ul>
APPLICATION	LEAD110 /-EX (JF19)



TYPE	
CODE	230-1425950

### TO THE PLACE NOBODY HAS REACHED!!

#### LEAD110 V BELT

REMARKS	<ul style="list-style-type: none"> <li>● Newly designed exclusively for KITACO HIGH SPEED PULLEY / POWER PACK Gets more of max speed with the length is a little longer than HONDA STOCK BELT. HIGH INTENSITY POLYESTER is adopted in core wire.</li> <li>※ STOCK PULLEY / OTHER MAKER'S PULLEY not useable</li> <li>⚠ DRIVE BELT is expendable. Check the belt every 3,000 km and exchange to new ones when width is reduced more than 1 mm.</li> </ul>
APPLICATION	LEAD110 /-EX (JF19)



TYPE	
CODE	468-1425000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 30

Newly released with improved shape!

PCX125

## FENDER LESS KIT

REMARKS

- STEEL / BLACK CHROME FINISH
- STOCK TAIL LAMP useable
- ROUND MINI WINKER (CHROME / CLEAR) included
- ※ Reflector kit (sold separately) required

OPTION PARTS		CODE
REFLECTOR	SILVER	801-0800100
	BLACK	801-0800110
STICKER & PLATE SET for category 2		801-0800920

▲ CURRENT FENDER LESS KIT (691-1426000) is discontinued.



APPLICATION : PCX125 (JF28)

Re Newal



TYPE

CODE

691-1426100

Control wind!

PCX125

## AERO SCREEN (SMOKE)

REMARKS

- SMOKE TYPE of AERO SCREEN newly released!
- Pleated bubble design adopted
- For comfortable touring & street riding by transferring air to upside coming from front side.
- ACRYLIC / SMOKE (TRANSPARENT)



TYPE

CODE

SMOKE

670-1426300

Want more change?

PCX125

## HIGH GEAR KIT

REMARKS

- Gets more maximum speed by changing 1st reduction ratio.
- Without getting the power down at low-middle speed, you can get more maximum speed.
- Bearing press fitting is not required as all the change required to make is counter gear.

◇ DATA ◇

FIRST REDUCTION RATIO : STOCK 53 / 17 (3.117)  
HIGH GEAR KIT 51 / 17 (3.000)

MAX SPEED : Gets about more 5 km / h

※ Calculated at Kitaco facility. Actual speed may differ.



TYPE

CODE

305-1426010

For easy grip exchange!

PCX125

## SUPER THROTTLE PIPE

REMARKS

- SUPER THROTTLE PIPE does not have concave-convex surface as Honda genuine pipe does.
- Easy to exchange grips, not bothering to scrape the surface.
- For stock throttle holder
- Reduces throttle action by 33% for wide open full throttle position
- GRIP APPLICATION : 105 ~ 110 mm
- ※ HANDLE GRIP (sold separately) required
- GRIP BOND required to install.

OPTION PART	CODE
GRIP BOND (7g)	0900-969-00220

APPLICATION : PCX125 (JF28)



TYPE

CODE

901-1426900

Direct touch and high durability!

PCX125

## STAINLESS BRAKE HOSE (FRONT)

REMARKS

- STAINLESS BRAKE HOSE with direct brake feeling that has high durability. SUPER TEFLON that has low-penetration, low-friction and solvent resistance properties is adopted. Non-dilatable stainless mesh material is adopted in Teflon inner surface.
- Consists of CENTER HOSE & 2 of FITTINGS (STAINLESS)
- STAINLESS BONJO BOLT / ALUMINUM SEALING WASHER included
- Sold in pairs
- LENGTH : MASTER CYLINDER - CALIPER : 895 mm  
: CBS MASTER CYLINDER - CALIPER : 620 mm



TYPE

CODE

FRONT


773-1426100

APPLICATION : PCX125 (JF28)

## K-CON UNION NIPPLE

REMARKS

- For oil cooler extract
- Material : ALUMINUM
- Surface treatment : BLACK ALMITE
- QTY : 1




TYPE	For 6mm hose
CODE	0900-990-90030

## K-CON CRESCENT CLAMP

REMARKS

- Material : STEEL
- Surface treatment : CHROMATE
- QTY : 2





TYPE	11.6 ~ 13.8mm	12.5 ~ 14.8mm
SIZE	A : 8 B / B' : 11.6 / 13.8	A : 10 B / B' : 12.5 / 14.8
CODE	0900-995-08005	0900-995-08006

## K-CON MASTER HOSE (BRAKE / CLUTCH)

REMARKS

- HOSE for BRAKE FLUID
- 3 different most popular sizes among bremsbo / NISSIN / GENUINE are released.
- Material : EPDM
- Rubber which has aging / ozone / oil -resistance property.
- ※ Do not use as gasoline hose because it does not have gasoline resistance property
- Comes with 2 qty of CRESCENT CLAMP (STEEL / CHROMATE)
- ※ Make sure to measure the size of reservoir tank / master cylinder attaching part before use.
- ※ Make sure to reroute the hose for oil to flow inside.




I.D.	O.D.
6	12
7	13
9	14

TYPE	CODE
φ 6 × 10cm	0900-991-70000
φ 6 × 25cm	0900-991-70001
φ 7 × 10cm	0900-991-70010
φ 7 × 25cm	0900-991-70011
φ 9 × 25cm	0900-991-70021

## K-CON BUTTON CAP BOLT

REMARKS

- Material : STAINLESS
- Fastening torque : 0.2 ~ 0.3 kgf · m (1.6 ~ 2.8N · m)
- Make sure to fasten with regulated torque for breakage prevention.
- Qty : 2
- ▲ Applying ALUMINUM GREASE (0900-969-00140) is recommended to prevent seizure.




TYPE	CODE
M5 × 10/P0.8	0900-050-20001
M5 × 12/P0.8	0900-050-20002
M5 × 15/P0.8	0900-050-20003
M5 × 20/P0.8	0900-050-20004
M5 × 25/P0.8	0900-050-20005
M5 × 30/P0.8	0900-050-20006
M5 × 35/P0.8	0900-050-20007

## K-CON BUTTON CAP BOLT with FLANGE

REMARKS

- Material : STAINLESS
- Fastening torque : 0.1 ~ 0.2 kgf · m (1.0N ~ 1.5N · m)
- Make sure to fasten with regulated torque for breakage prevention.
- Qty : 1
- ▲ Applying ALUMINUM GREASE (0900-969-00140) is recommended to prevent seizure.




TYPE	CODE
M5 × 12/P0.8	0900-052-10001
M5 × 15/P0.8	0900-052-10002
M5 × 20/P0.8	0900-052-10003
M5 × 25/P0.8	0900-052-10004

**Come back with nylon filter!**

## FUEL FILTER type R

REMARKS

- Removes fine objects by nylon filter to protect engine inside.  
Reasonable price with high quality!
- ※ Disassembling NOT possible



For 6mm hose

For 8mm hose

APPLICATION : UNIVERSAL

Model  
Change



TYPE	For 6mm hose	TYPE	For 8mm hose
CODE	521-0000110	CODE	521-0000120

**Comes back with LIGHTWEIGHT PLATE!**

## STICKER & PLATE SET for category 2

REMARKS

- 2 types of stickers (for front white line and rear △ sticker) & plate as a set  
A must when installing fender less kit
- Plate : ABS RESIN
- KITACO REFLECTOR KIT useable

APPLICATION : UNIVERSAL

Re Newal



TYPE

CODE

801-0800920

**A MUST when changing mufflers!**

CBR250R

## EXHAUST MUFFLER GASKET (XH-20)

REMARKS

- Prevents exhaust gas from leaking between muffler and cylinder head. A must when changing mufflers.
- ※ Exchange to new ones every time you change mufflers as muffler gasket is expendable
- Sold in pairs

APPLICATION : CBR250R (MC41)

Re Newal



IMAGE EXAMPLE

TYPE

CODE

XH-20

963-1000020

**Comes back with forged piston!!**


KSR110 / KLX110

## 125cc ULTRA-SE BIG BORE KIT / VERSION KIT

REMARKS

- The strongest SOHC ULTRA-SE BIG BORE KIT with newly designed ALUMINUM FORGED PISTON!
- ALUMINUM HARD PLATED CYLINDER
- Displacement : 125 cc
- Bore : 56 mm / Stroke : 50.6 mm (same as stock)
- CYLINDER reusable for VERSION UP KIT

OPTION PARTS	CODE
FORGED PISTON KIT	350-4021910



MAX POWER	
STOCK	6.9ps
LIGHT 125cc	10.8ps
ULTRA-SE 125cc	15.4ps

ORACING DOWN MUFFLER  
OMIKUNI VM26 BIG CARBURETOR KIT  
OPOWER FILTER KIT  
※Actual power may differ

APPLICATION : KSR110 (Fno.KL110A-A02833 ~) : KLX110 (Fno.LX110A-A08133 ~)

Re Newal



TYPE

CODE

BIG BORE KIT

212-4021820

Re Newal



TYPE

CODE

VERSION UP KIT  
(from LIGHT 125cc)

213-4021820

**DISCONTINUED**

125cc ULTRA-SE BIG BORE KIT	212-4021800
125cc ULTRA-SE VERSION UP KIT	213-4021800
125cc ULTRA-SE PISTON KIT	350-4021700

Nice to have!!

## HELMET HOLDER

REMARKS	<ul style="list-style-type: none"> <li>● Convenient HELMET HOLDER for stocking helmet outside.</li> <li>● BLACK &amp; CHROME released</li> <li>● 2 of Keys included</li> <li>● M6 x 30 flat head screw for installation included.</li> <li>※ Boring mods is required to install</li> </ul>	
	APPLICATION : UNIVERSAL	

TYPE	BLACK	CHROME
CODE	503-0600100	503-0600110

Nice to have!!

## BUNGEE CORD HOOK

REMARKS	<ul style="list-style-type: none"> <li>● HOOK when fixing luggage on the scooter floor. Useable for varieties of places.</li> <li>● Hook : 6 mm STAINLESS</li> <li>● Collar : ALUMINUM 18 x 15 mm</li> <li>● Sold in pairs</li> <li>● STAINLESS FLAT HEAD CAP BOLT for installation included</li> <li>※ Height adjustment might be required</li> <li>※ FLOOR BOARD EXAMPLE</li> </ul>	
	APPLICATION : UNIVERSAL	

TYPE		
CODE	536-0500000	

To lower the power down at minimum!



## UNIVERSAL SHIFTER / LIMITER

REMARKS	<ul style="list-style-type: none"><li>● Keeping full throttle, without clutch operation, you can shift up with minimum power down.</li><li>● Ignition will be cut with option PUSH SWITCH (#756-0500300).</li></ul> <p>Reducing traction of transmission and make it possible to shift up precisely and quickly.</p>					
	<div>■ <b>REV LIMITER FUNCTION</b></div> <p>Prevents over revving and protects engine</p> <p>○ Rev limiter range is selectable from 10,000 ~ 15,000 rpm by 9 selectable rotary switch</p>	<div>■ <b>SHIFT TIMING INDICATOR FUNCTION</b></div> <p>LED INDICATOR LAMP (sold separately) flashes up 500 rpm before rev limit, to indicate shift timing.</p>				
	<div>■ <b>INSTANT IGNITION CUT FUNCTION</b></div> <p>With option (sold separately) UNIVERSAL SWITCH, ignition can be cut for a moment.</p> <p>○ Ignition cut time is selectable from 0.03 ~ 0.07 seconds by 9 selectable rotary switch</p>	<div>■ <b>PIT LANE LIMITER FUNCTION</b></div> <p>Avoids speeding at pit lane area.</p> <p>○ Selectable between 3,000 ~ 9,900 rpm with rotary switch</p>				
	※ SHIFTER SWITCH / LED INDICATOR LAMP sold separately.					
	⚠ Gears of transmission might be broken when using non-reinforced transmission with wide ratio gears, with high-output engine and so on.					
	<table><tr><td>OPTION PARTS</td><td>CODE</td></tr><tr><td>PUSH SWITCH</td><td>756-0500300</td></tr></table>	OPTION PARTS	CODE	PUSH SWITCH	756-0500300	
OPTION PARTS	CODE					
PUSH SWITCH	756-0500300					
APPLICATION	: HONDA 4-stroke single cylinder 12V CDI ignition with battery mounted mini models					

TYPE	ROTARY CODE SWITCH	
CODE	778-0500100	

Collaborated with UNI FILTER

## UNI FILTER

REMARKS	<ul style="list-style-type: none"><li>● Uni Air Filter has sponsored some of the greatest racers over the past 40 years and proved to be one of the greatest filter on Earth.</li><li>● "Open Cell" Polyurethane Foam is wetted with specially developed filter oil. The "sticky" filter oil is suspended in the path of the dirty air on the strands of the web-like cell structure of the foam.</li><li>● This makes it impossible for dirt to pass through the depth of the filter without sticking to the strands</li></ul> <p>※ CABURETOR SETTING required</p> <p>※ There might be small air bubbles on rubber lid, that do not affect the quality.</p>		
	<p>■ <b>PK-4E</b></p> <p>· I.D. 35mm × Length 86 mm × Width 61mm</p> <p>· SPACER I.D. : 25 mm</p> <p>■ <b>PK-7E</b></p> <p>· I.D. 46mm × Length 82 mm × Width 73mm</p> <p>· SPACER I.D. : 32 mm</p> <p>■ <b>PK-10E</b></p> <p>· I.D. 50mm × Length 82 mm × Width 73mm</p>		
APPLICATION : UNIVERSAL			

TYPE	PK-4E 25 / 35 mm	
CODE	515-1100000	
TYPE	PK-7E 32 / 46 mm	
CODE	515-1100100	
TYPE	PK-10E 48 ~ 52 mm	
CODE	515-1100200	



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. **26** -1



**Look like a top end racing model!**


**CBR250R**

**CARBON FENDER (FRONT / REAR)**



REMARKS

- TWILLED CARBON FENDER that makes the whole machine so cool and sharp!



TYPE FRONT

CODE 680-1818700

TYPE REAR

CODE 681-1818700

APPLICATION : CBR250R (MC41)

※ REAR FENDER is not useable for ABS model

**Easy dress-up!**

**CBR250R**

**SMOKE WINKER LENS SET**



REMARKS

- SMOKE LENS (TINT) with luxury and cool looking
- Sold in pairs
- FRONT / REAR in common
- STOCK BULBS useable



TYPE SMOKE

CODE 807-1818000

APPLICATION : CBR250R (MC41)

**Convenient and easy-to-use!**


**CBR250R**

**HELMET HOLDER**




REMARKS

- EASY-TO-REMOVE AND INSTALL HELMET
- Installable on the left side of tandem step
- 2 qty of KEY included
- Plate : STEEL with BLACK PAINT FINISH



TYPE BLACK

CODE 564-1818100



TYPE CHROME

CODE 564-1818110

APPLICATION : CBR250R (MC41)



WORLD NUMBER 1 SHARE!!

**CBR250R**  
**SBS BRAKE PAD (REAR)**



The most attractive thing for SBS BRAKE PAD is CONTROLLABILITY // HIGH DURABILITY!!

SBS BRAKE PAD has trilaminar structure, for best and stable performance under hard circumstances.

**BRAKE LINING**

- SPECIAL TECHNIQUE "ULTRA SONIC UCT"

**FIBER CERAMIC**


- FIBER CERAMIC is put between STEEL BACKING PLATE and LINING, to stabilize under high heat transfer.
- It shuts out humidity and prevents backing plate from rusting

**STEEL BACKING PLATE**

- Made with 22 tons of pressure bonding and 3 hours in 900 °C heat.

**MATRIXES HOOK**

- SPECIAL LINING HOOK on backing plate, which is better bonding system to prevents lining from taking off and brake from screeching



APPLICATION : CBR250R (MC41)

For street use with easy controllability and high durability

<b>HF STREET</b>	<b>CERAMIC</b>
COST :	
LIFE :	
DRY PERFORMANCE :	
WET PERFORMANCE :	
CONTROLLABILITY :	
ANTI-FADING :	
FRICITION COEFFICIENT :	

TYPE	881HF (STREET)
CODE	777-0881000

Best for both street use and sport riding

<b>LS STREET excel</b>	<b>SINTER</b>
COST :	
LIFE :	
DRY PERFORMANCE :	
WET PERFORMANCE :	
CONTROLLABILITY :	
ANTI-FADING :	
FRICITION COEFFICIENT :	

TYPE	881LS (STREET EXCEL)
CODE	777-0881030

**SBS FRONT BRAKE PAD is on sale!**

[CBR250R] 627 : HF/HS/RS/RQ/DC

[CBR250R ABS] 828 : HF/HS

Direct touch and high durability!

**CBR250R**  
**STAINLESS MESH BRAKE HOSE**

- STAINLESS BRAKE HOSE with direct brake feeling that has high durability SUPER TEFLON that has low-penetration, low-friction and solvent resistance properties is adopted. Non-dilatable stainless mesh material is adopted in Teflon inner surface. Additionally, coated with vinyl chloride to protect from scratch
- CENTER HOSE FITTING (STAINLESS) : SEPARATE 3-PIECE STRUCTURE
- STAINLESS BANJO BOLT / ALUMINUM SEALING WASHER included
- FRONT : 708 mm REAR : 619 mm

APPLICATION : CBR250R (MC41) ※ Not useable for ABS model



IMAGE EXAMPLE

TYPE	FRONT
CODE	773-1818100
TYPE	REAR
CODE	773-1818200

Unbelievable durability!

**CBR250R**  
**DRIVE / DRIVEN SPROCKET**

- STEEL
- 520 SIZE (STOCK SIZE)
- Stock teeth : FRONT 14T REAR 38T
- ※ RACE USE ONLY
- Speedometer gives incorrect speed display, when changing sprocket teeth.
- ⚠ Visually inspect sprocket teeth for wear and damage every 1,000 km. If they are worn or damaged, replace the sprocket with new ones. Periodical lubrication will make the chain life longer. Changing chain when replacing a sprocket is recommended.

APPLICATION : CBR250R (MC41)

DRIVE SPROCKET (FRONT)



IMAGE EXAMPLE



DRIVEN SPROCKET (REAR)

**DRIVE SPROCKET (FRONT)**

**DRIVEN SPROCKET (REAR)**

TYPE	CODE
13T	530-1818013
14T	530-1818014
15T	530-1818015
38T	535-1818038
39T	535-1818039
40T	535-1818040
41T	535-1818041



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 25

**FOR RECEIVING THE STRONGEST POWER!!**

MONKEY / GORILLA

**REINFORCED STROKE UP CRANKSHAFT (H-SHAPED CONNECTING ROD)**



REMARKS	<ul style="list-style-type: none"> <li>● REINFORCED STROKE UP CRANKSHAFT with H-SHAPED CONNECTING ROD</li> <li>● Brings more power with rigid and durable crankshaft.</li> <li>● H-SHAPED CONNECTING ROD : NICKEL MOLYBDENUM STEEL</li> <li>● STROKE : 54.0 mm</li> <li>○ BEARING (#6205), TIMING GEAR INSTALLED</li> <li>※ STOCK or KITACO OLD TYPE OIL PUMP SPINDLE not useable Make sure to use KITACO NEW TYPE OIL PUMP SPINDLE SET (331-1083003). Refer to page 67 of K BOOK 2010-2011.</li> </ul>
	APPLICATION : KITACO ULTRA-SE / DOHC BIG BORE KIT



TYPE	H-SHAPED CONNECTING ROD
CODE	309-1 123400


**MORE DURABLE WITH H-SHAPED CONNECTING ROD!!**

MONKEY / GORILLA

**124cc ULTRA-SE BIG BORE KIT (H-SHAPED CONNECTING ROD)**




REMARKS	<ul style="list-style-type: none"> <li>● ULTRA-SE BIG BORE KIT (STRONGEST in SOHC WORLD) improved with newly designed STROKE UP CRANKSHAFT! Brings more than 20.0 ps (calculated at Kitaco facility) with option parts. H-SHAPED CONNECTING ROD newly adapted!</li> <li>● STEEL / TITANUM VALVES useable</li> <li>● FORGED SS PISTON &amp; WPC+MoS2 SHOT PISTON released.</li> <li>● Displacement : 124cc</li> <li>● Bore : 54 mm</li> <li>● Stroke : 54.0 mm</li> <li>● Valves installed when shipped</li> <li>※ Reinforcing clutch, changing gears, installing oil cooler and etc. are required.</li> <li>※ Crankcase boring mods required.</li> </ul>	SKULL STRUCTURE	WPC + MoS2 SHOT
APPLICATION : MONKEY / GORILL (Fno.Z50J-2000001 ~ /AB27-1000001 ~ 1899999) : MONKEY BAJA (ALL) : XR50R/CRF50F (AE03/ALL) : XR70R/CRF70F (DE02/ALL)			



SS (SKULL STRUCTURE) PISTON

TYPE	STEEL VALVE	TYPE	TITANUM VALVE
CODE	212-1 123701	CODE	212-1 123801



WPC + MoS2 PISTON

TYPE	STEEL VALVE	TYPE	TITANUM VALVE
CODE	212-1 123791	CODE	212-1 123891



**VERSION UP KIT**  
ULTRA-SE 85 ~ 117  
↓  
124cc  
**RELEASED!!**

※ Reuse cylinder head.

TYPE	SS PISTON
CODE	211-1 123701
TYPE	WPC + MoS2 PISTON
CODE	211-1 123791

**DISCONTINUED**

**PRODUCTS BELOW DISCONTINUED DUE TO NEWLY RELEASED PRODUCTS**

124cc ULTRA-SE BIG BORE KIT (SS MODEL)	STEEL VALVE	212-1 123700
	TITANUM VALVE	212-1 123800
124cc ULTRA-SE BIG BORE KIT (WPC + MoS2 SHOT MODEL)	STEEL VALVE	212-1 123790
	TITANUM VALVE	212-1 123890
ULTRA-SE 85 ~ 117 → 124cc VERSION UP KIT		211-1 123700



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 24

**BE ONLY ONE!**

## MINI AERO VISOR

REMARKS	<ul style="list-style-type: none"> <li>● New color (RED, BLUE &amp; PURPLE) newly released!!</li> <li>● Material : ACRYLIC</li> <li>● H : 165 mm / W : 210 mm</li> <li>● SCREEN STAY (BLACK) included</li> <li>● Length between stay : about 160mm</li> </ul>
APPLICATION	: UNIVERSAL ● For MONKEY/APE's stock headlight and stay.






					
TYPE	RED	TYPE	BLUE	TYPE	PURPLE
CODE	603-0500020	CODE	603-0500030	CODE	603-0500040



(SMOKE) 603-0500100

(CLEAR) 603-0500010

**A MUST WHEN EXCHANGING HEADLIGHTS!**




## MAIN SWITCH RELOCATING STAY SET



REMARKS	<ul style="list-style-type: none"> <li>● STAY SET for relocating main switch when changing headlights.</li> <li>● Relocatable for any place</li> <li>● Main switch box : ABS RESIN</li> <li>● Stay : STAINLESS</li> </ul>
	  
APPLICATION	: UNIVERSAL (For MONKEY / APE / CUB's main switch.)

	
TYPE	
CODE	673-1123800

**LONG-AWAITED RIM LINE TAPE for 12 ~ 14 inch wheel!**

## RIM LINE TAPE

REMARKS	<ul style="list-style-type: none"> <li>● TRANSFER TYPE</li> <li>● Designed for 14 inch wheel (12 / 13 inch wheel useable)</li> <li>● RED/BLUE &amp; SILVER/RED released!</li> <li>● Decorating sheet (6 different pattern) included</li> <li>● Rim line O.D. : 380mm (8 pcs)</li> <li>● Rim line width : 7.5mm</li> <li>● Weather-resistant material adapted for exterior use.</li> <li>※ Degrease with part cleaner and surface preparation with primer is required for special modified or special coating wheel.</li> </ul>
	  
APPLICATION	: UNIVERSAL (14 inch wheel recommended)

	
TYPE	RED/BLUE
CODE	000-0900300
	
TYPE	SILVER/RED
CODE	000-0900310

## K-CON NIPPLE



REMARKS	<ul style="list-style-type: none"> <li>● BLACK NIPPLE for OIL COOLER / CASE BREATHER EXTRACT is newly released!</li> <li>● Surface treatment : ALUMITE FINISH</li> <li>※ KITACO LIQUID GASKET KC-027 (0900-969-00010) is required for sealing</li> <li>※ Do not overtorque when fasten.</li> </ul>				
Photo					
SIZE	 UNIT : mm	 UNIT : mm	 UNIT : mm	 UNIT : mm	 UNIT : mm
TYPE	M8 - P 1.25 (for 8mm hose)	M10 - P1.25 (for 6mm hose)	(A) LONG/M8 - P1.25 (for 6mm hose)	(B) SHORT/M8 - P1.25 (for 6mm hose)	M8 - P1.25 (for 6mm hose)
CODE	0900-990-90021	0900-990-90022	0900-990-90023	0900-990-90024	0900-990-90025

## K-CON STAINLESS POLISH ABRASIVE



REMARKS	<ul style="list-style-type: none"> <li>● ABRASIVE for STAINLESS MUFFLER, that brings shiny surface again.</li> <li>● Acidic liquid</li> <li>● Contents : ABRASIVE (38.5% , Alutena-based Mineral), FATTY ACID, ORGANIC SOLVENT</li> <li>● Net Weight : 80 grams</li> <li>※ Do not use on chrome, painted or new stainless surface.</li> </ul>
TYPE	
CODE	0900-969-00210



## K-CON GRIP-BOND (SOLVENTLESS / CLEAR)



REMARKS	<ul style="list-style-type: none"> <li>● Best for handle grip attaching. Solventless, odorless and good for environment. Has peel resistance, vibration proof and crash proof properties.</li> <li>● Main component : SYLIL CONTAINED SPECIAL POLYMER</li> <li>● Net weight : 7 grams</li> <li>● Initial hardening time : about 5 minutes.</li> <li>● Practical hardening time : about 60 minutes ~</li> <li>※ Hardening time changes depending on the bond amount.</li> <li>● Becomes hardest in 24 hours.</li> <li>※ HOT GRIP not useable</li> </ul>
TYPE	
CODE	0900-969-00220





"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol.22

## K-CON BOLT COVER

REMARKS

- DRESS-UP COVER for HEXAGON HEAD BOLT
- KITACO HEXAGON HEAD BOLT with FLANGE useable
  - Bolt head 10 mm : M6 - P1.0 Length 12 ~ 50 mm 0900-062-02001 ~ 9
  - Bolt head 12 mm : M8 - P1.25 Length 15 ~ 50 mm 0900-082-02001 ~ 9
  - Bolt head 14 mm : M10 - P1.5 Length 20 ~ 50 mm 0900-102-02101 ~ 9
- Measure the size of bolt head and room before purchasing
- Do not use wrench with bolt cover installed
- Qty : 3
- ※ If bolt head is broken or rust, bolt cover is not useable



CHROME	RED	BLUE	BLACK	PURPLE	GOLD

		Bolt head 10 mm					
	TYPE	CHROME	RED	BLUE	BLACK	PURPLE	GOLD
	CODE	0900-000-80001	0900-000-80002	0900-000-80003	0900-000-80004	0900-000-80005	0900-000-80006


		Bolt head 12 mm					
	TYPE	CHROME	RED	BLUE	BLACK	PURPLE	GOLD
	CODE	0900-000-80011	0900-000-80012	0900-000-80013	0900-000-80014	0900-000-80015	0900-000-80016

		Bolt head 14 mm					
	TYPE	CHROME	RED	BLUE	BLACK	PURPLE	GOLD
	CODE	0900-000-80021	0900-000-80022	0900-000-80023	0900-000-80024	0900-000-80025	0900-000-80026

## K-CON HOOK AND LOOP FASTENER

REMARKS

- Best size for installing ETC UNIT and so on (100 x 100 mm)
- Weather-resistant polyester is adopted.  
Resultant force is not attenuated under wet circumstances
- Both-sided tape attaching type
- Male/Female a set
- ※ HOOK AND LOOP FASTENER might hurt painted surface when attached, because adhesion of both-sided tape in a kit is very strong
- ※ Resultant force will be attenuated when removing and installing many times, or using in a small cut.
- ※ Make sure to degrease before attaching.
- ※ Resultant force will be highly attenuated when attaching on patterned indented surfaces.






TYPE	BLACK
CODE	0900-755-09003

**LONG-AWAITED PULLEY KIT for PCX125!!**

**PCX125  
POWER DRIVE KIT type X**

REMARKS

- Long-awaited POWER DRIVE KIT type X for PCX125 is released!!  
Brings wide ratio for powerful acceleration and torqueful middle rpm range. To maximize the potentials to get more max speed.
- WEIGHT ROLLER 12 g x 6 pcs included
- KITACO SUPER WEIGHT ROLLER SET recommended. (Listed on page 407 of 2010-2011 K BOOK)
- ABOUT type X PULLEY  
Same performance of type 3 pulley with improved durability.
- PULLEY : MATERIAL CHANGE → DURABILITY IMPROVED!
- BUSH : MATERIAL CHANGE (from steel to copper) → THERMAL CONDUCTIVITY IMPROVED!



APPLICATION : PCX125 (JF28)


**THE STRONGEST COLLABORATION!!**

**PCX125  
POWER PACK**

REMARKS

- POWER PACK for PCX125 is newly released!!!  
Includes POWER DRIVE KIT & i-Map (FI CONTROLLER)  
Gets wide ratio for powerful acceleration and torqueful Middle rpm range.  
The PCX which got power can be adjusted with i-Map.  
By upraising rpm limiter, you could get further potentials.

APPLICATION : PCX125 (JF28)




**TO THE PLACE NOBODY HAS REACHED!!**

**PCX125  
V BELT**


REMARKS

- Newly designed exclusively for KITACO HIGH SPEED PULLEY / POWER DRIVE KIT.  
Gets more of max speed with the length is a little longer than HONDA STOCK BELT.
- HIGH INTENSITY POLYESTER is adopted in core wire.
- ※ STOCK PULLEY / OTHER MAKER'S PULLEY not useable
- ⚠ DRIVE BELT is expendable.  
Check the belt every 3,000 km and exchange to new ones when width is reduced more than 1 mm.

APPLICATION : PCX125 (JF28)



**IN STORE NOW !! PCX 125 TUNING PARTS !!**



- A DLC PULLEY BOSS**  
**463-1426300**
- CHROME MOLYBDENUM STEEL with DLC COATING FINISH
  - SAME SIZE AS STOCK
  - KITACO POWER DRIVE KIT, HIGH SPEED PULLEY KIT useable

- B WPC CLUTCH CENTER SPRING**  
**307-1426340**
- LENGTH : 155 mm
  - O.D. : 57.5 mm
  - SPRING RATE : ROUGHLY 11% INCREASED

- C REINFORCED CLUTCH SPRING SET**  
**307-1426130**
- For STOCK CLUTCH SHOE
  - 3 in a set

- D SUPER ROLLER SET**  
**462-2206100 ~ 170**
- 10.0g ~ 17.0g (1.0g incr.)
  - 6 in a set
  - O.D. 20mm x 15mm

- E GPR DOWN MUFFLER type M-1**  
**548-1426310**
- Sound : 88db ● Silencer : 110mm (ALUMINUM / BLACK ALMITE FINISH)
  - Exhaust pipe : STAINLESS (MULTI-STEP)
  - CATALIZER built-in
  - ※ EXHAUST MUFFLER GASKET (XH-02 963-1000002) is required to install (sold separately)



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol.20

### LONG-AWAITED EXCLUSIVE WASHER!

ADDRESS V125

### ALUMINUM DRAIN BOLT SET

REMARKS

- HIGH HARDNESS / LIGHTWEIGHT DRAIN BOLT & EXCLUSIVE WASHER for V125 released!!  
The magnet in the point collects metallic debris that might be suspended in oil system
- Has drilled hole for safety wire anchor.
- DRAIN BOLT : ALUMINUM 7075 material with T6 heat treatment / BLUE ALUMITE FINISH  
WASHER : STEEL / CHROMATE TREATMENT

REPLACEMENT	SIZE	CODE
DRAIN WASHER	10 × 14 × 3.6mm	092-0505001

APPLICATION : ADDRESS V125/-G/-S (CF46A/CF4EA/CF4MA)



TYPE

CODE

772-2415000


### SHARP CONTROL with SHORT REACH LEVER!

DRAG STAR 250 / SR400

### SHORT REACH LEVER SET

REMARKS

- For more sensitive controllability. Good for people with small hands such as women
- ALUMINUM MACHINED / SILVER ALMITE FINISH
- Sold in pairs
- For FRONT DISC MODEL



TYPE

CODE

525-0750200

### WORLD NUMBER 1 SHARE!!

### SBS BRAKE PAD

**THE POWER TO STOP YOU!**

**High Durability!!**

**Perfect Controllability!!**

**The most attractive thing for SBS BRAKE PAD is CONTROLLABILITY / HIGH DURABILITY!!**

SBS BRAKE PAD has trilaminar structure, for best and stable performance under hard circumstances.

#### BRAKE LINING

- SPECIAL TECHNIQUE "ULTRA SONIC UCT"

#### FIBER CERAMIC

- FIBER CERAMIC is put between STEEL BACKING PLATE and LINING to stabilize under high heat transfer.
- It shuts out humidity and prevents backing plate from rusting

#### STEEL BACKING PLATE

- Made with 22 tons of pressure bonding and 3 hours in 900 °C heat.

#### MATRICES HOOK

- SPECIAL LINING HOOK on backing plate, which is better bonding system to prevents lining from taking off and brake from screeching



For street use with easy controllability and high durability.

COST : ■■■■

CONTROLLABILITY : ■■■■

LIFE : ■■■■

ANTI-FADING : ■■■■

DRY PERFORMANCE : ■■■■

FRICTION COEFFICIENT : ■■■■

WET PERFORMANCE : ■■■■

PAD No.	SIZE (mm)		APPLICATION	CODE
E205			PCX125 LEAD 110EX	777-0205000
E206			JOG (FI) GRAND AXIS 100 (5FA5 ~)	777-0206000
E208			BW'S125	777-0208000
773HF			SCORPA T-RIDE250 ('08 ~) REAR	777-0773000
859HF			SCORPA T-RIDE250 ('08 ~) FRONT	777-0859000
877HF			KTM DUKE125 ('11 ~) FRONT	777-0877000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**



2011  
Vol. 19

**CLOSE MISSION for ROAD COURSE RELEASED!!**

**MONKEY / GORILLA**

**5 SPEED CLOSE MISSION type 4**

REMARKS	<ul style="list-style-type: none"><li>● SHORT RATIO 5 SPEED CLOSE MISSION for ROAD COURSE RACERS!</li><li>○ For high revolution engine (DOHC etc.) Good for 10 and 12 inch racers</li><li>※ <b>For ROAD COURSE RACE USE ONLY!</b></li><li>● STOCK CLUTCH, KITACO 2 DISC CLUTCH KIT (discontinued), 3 DISK CLUTCH KIT, ULTRA CLUTCH KIT useable</li><li>● Shift pattern : 5 STEPS (1 → N → 2 → 3 → 4 → 5)</li><li>● Shift drum : STEEL</li><li>● Gear : NICKEL CHROME MOLIBDENUM MACHINED</li><li>● Mainshaft / countershaft / shift fork : FORGED</li><li>● KICK STARTER GEAR included</li><li>※ GASKET SET is not included. Please purchase separately.</li></ul>	<table border="1"><caption>Reduction Ratio (Stock) vs Gear Number</caption><thead><tr><th>Gear</th><th>Type 4 (5 SP)</th><th>Type 3 (5 SP)</th><th>Stock (4 SP)</th></tr></thead><tbody><tr><td>1st</td><td>3.273</td><td>2.615</td><td>2.615</td></tr><tr><td>2nd</td><td>1.938</td><td>1.611</td><td>1.611</td></tr><tr><td>3rd</td><td>1.350</td><td>1.350</td><td>1.350</td></tr><tr><td>4th</td><td>1.043</td><td>1.238</td><td>1.238</td></tr><tr><td>5th</td><td>—</td><td>1.136</td><td>1.136</td></tr></tbody></table>	Gear	Type 4 (5 SP)	Type 3 (5 SP)	Stock (4 SP)	1st	3.273	2.615	2.615	2nd	1.938	1.611	1.611	3rd	1.350	1.350	1.350	4th	1.043	1.238	1.238	5th	—	1.136	1.136
	Gear	Type 4 (5 SP)	Type 3 (5 SP)	Stock (4 SP)																						
1st	3.273	2.615	2.615																							
2nd	1.938	1.611	1.611																							
3rd	1.350	1.350	1.350																							
4th	1.043	1.238	1.238																							
5th	—	1.136	1.136																							
APPLICATION	<p>■ <b>MONKEY (CARBURETOR) 305-1123400</b></p> <p>: MONKEY / GORILLA (FNo.Z50J-2000001 ~ /AB27-1000001 ~ 1899999) : MONKEY BAJA (ALL)</p> <p>: MONKEY R / RT (FNo.AB22-1011926 ~) : CHALY (FNo.CF50-3200001 ~)</p> <p>: DAX 50 (6V ST50) (FNo.ST50-6100022 ~ 6346265) : DAX 50 (12V AB26) (ALL) : DAX 70 (FNo.ST70-6100023 ~)</p> <p>● GEAR STARTER SPINDLE SET (307-1123399 sold separately) is required for auto clutch models below.</p> <p>: MONKEY / GORILLA (FNo.Z50J-1000001 ~ 1805927) : MONKEY R / RT (FNo.AB22-1000017 ~ 1011925)</p> <p>: CD50 (FNo.CD50-1000001 ~ 1330600) : CHALY (FNo.CF50-1000002 ~ 3199999)</p> <p>: DAX50 (6V ST50) (FNo.ST50-1000001 ~ 6027910) : DAX70 (FNo.ST70-1000001 ~ 6015109)</p> <p>■ <b>MONKEY (FI) 305-1137400</b></p> <p>: MONKEY (FI) (FNo.AB27-1900001 ~)</p>																									





**ULTRA DRIVE KIT with type 4 5 SPEED!**

**MONKEY / GORILLA**

**ULTRA DRIVE KIT type X4**

REMARKS	<ul style="list-style-type: none"> <li>● DRIVE UNIT that includes ULTRA CLUTCH KIT type X &amp; 5 SPEED CLOSE TRANSMISSION ASSY type 4!!</li> <li>☆ <b>ONLY 100 qty</b> of SILVER CLUTCH COVER is available!</li> <li>□ ULTRA CLUTCH KIT type X</li> <li>● HIGH QUALITY / HIGH OUTPUT ULTRA CLUTCH KIT developed for high-revolution &amp; high output motors.</li> <li>● PRIMARY REDUCTION RATIO : 3.666 (STOCK : 4.312)</li> <li>● CLUTCH COVER : ALUMINUM DIE-CAST</li> </ul>	
APPLICATION	<p>■ <b>CARBURETOR MODEL (GOLD) 318-1123400 (SILVER) 318-1123430</b></p> <p>: MONKEY / GORILLA (FNo.Z50J-2000001 ~ / FNo.AB27-1000001 ~ 1899999)</p> <p>: MONKEY BAJA (ALL)</p> <p>● KICK STARTOR SPINDLE SET (305-1123399 sold separately) is required for below models</p> <p>: MONKEY / GORILLA (FNo.Z50J-1000001 ~ 1805927)</p> <p>※ GEAR SHIFT SPINDLE SET (307-1016080 sold separately) is also required for auto clutch models.</p> <p>※ Clutch cable included in the kit is for KITACO L LEVER &amp; HOLDER (sold separately)</p> <p>When using stock clutch cable, cable receiver for stock clutch cable (307-1123007) is required</p>	
	<p>■ <b>FI MODEL (GOLD) 318-1137400 (SILVER) 318-1137430</b></p> <p>: MONKEY (FI) (FNo.AB27-1900001 ~)</p> <p>○ STOCK CLUTCH CABLE useable</p>	



**⚠ ATTENTION WHEN INSTALLING ULTRA CLUTCH KIT / DRIVE KIT ⚠**

- When disassembling engine, GASKET SET A for your displacement is required. See below for reference.

DISPLACEMENT	GASKET SET REQUIRED (SOLD SEPARATELY)
50cc STOCK DISPLACEMENT	GASEKT SET A PAPER GASKET : 960-1015050 / STAINLESS GASKET 960-1133950
KITACO LIGHT/STD/ULTRA/SE/DOHC BIG BORE KIT 88/108cc	GASEKT SET A PAPER GASKET : 960-1015088 / STAINLESS GASKET 960-1123088
KITACO ULTRA-SE/DOHC BIG BORE KIT 124cc	GASEKT SET A 960-1015117

## K-CON LOW HEAD SCREW (RENY)

### REMARKS

- For COWLING and SCREEN to tighten.
- Engineering plastics which has Fatigue / Creep / Electrical Insulation / Corrosion-resistant / Thermal insulation properties
- Material : RENEY (GLASS FIBER 50% REINFORCED POLYAMIDE MXD6)
- Temperature limit : ~ 105 C
- QTY : 2
- ※ Do not use at the place under load
- ※ RENEY is the trademark registration of Mitsubishi Engineering-Plastics Corporation.
- ※ Use torx wrench or torque driver to tighten
- ※ It might cause the scratches on the mating surface as LOW HEAD SCREW is made from glass fiber



		M4 - P0.7			
 T10 UNIT : mm	TYPE	M4 × 10	M4 × 12	M4 × 16	M4 × 20
	CODE	0900-044-00010	0900-044-00012	0900-044-00016	0900-044-00020

		M5 - P0.8			
 T15 UNIT : mm	TYPE	M5 × 10	M5 × 12	M5 × 16	M5 × 20
	CODE	0900-054-00010	0900-054-00012	0900-054-00016	0900-054-00020

## K-CON NUT (RENY)

### REMARKS

- Engineering plastics which has Fatigue / Creep / Electrical Insulation / Corrosion-resistant / Thermal Insulation properties
- Material : RENEY (GLASS FIBER 50% REINFORCED POLYAMIDE MXD6)
- Temperature limit : ~ 105 C
- QTY : 2
- ※ It might cause the scratches on the mating surface as it is made from glass fiber



 UNIT : mm	TYPE	M4 - P0.7
	CODE	0900-001-20004
 UNIT : mm	TYPE	M5 - P0.8
	CODE	0900-001-20005

## K-CON WASHER (RENY)

### REMARKS

- Engineering plastics which has Fatigue / Creep / Electrical Insulation / Corrosion-resistant / Thermal Insulation properties
- Material : RENEY (GLASS FIBER 50% REINFORCED POLYAMIDE MXD6)
- Temperature limit : ~ 105 C
- QTY : 2
- ※ It might cause the scratches on the mating surface as it is made from glass fiber



 UNIT : mm	TYPE	M4
	CODE	0900-090-20004
 UNIT : mm	TYPE	M5
	CODE	0900-090-20005

## K-CON TORX WRENCH

### REMARKS

- Anti-theft wrench
- QTY : 1
- KITACO LOW HEAD SCREW useable

Anti-theft shape



TYPE	T10
CODE	0900-674-00010
TYPE	T15
CODE	0900-674-00015

## K-CON WELL NUT

### REMARKS

- RUBBER BLIND NUT which has vibration proof, insulation and sealing characteristics
- QTY : 2

 UNIT : mm	
C-440	A:12 B:7.9 C:11 D:1.2 E:7.7
C-630	A:16 B:12.7 C:16 D:1.3 E:9.8



TYPE	C-440 (M4 - P0.7)
CODE	0900-678-05060
TYPE	C-630 (M6 - P1.0)
CODE	0900-678-05070

## K-CON RUST REMOVAL ERASER

### REMARKS

- Removes rust and tough dirt caused by seizure and so on.
- Can be used to make foundation before painting.
- Size : 50 x 25 x 10 mm
- Granularity : #120
- ※ It causes scratches on the surface as it contains abrasive.
- Try somewhere small or out-of-sight before using.
- ※ Use protection globe all the time for safety purpose.



TYPE	# 120
CODE	0900-969-00230

## K-CON SLIM REFLECTOR

### REMARKS

- It is best when using FENDER LESS KIT / TAIL LAMP
- Attaches with both-sided tape
- ※ Make sure to degrease before attaching.


 UNIT : mm	
TYPE	19 × 98mm
CODE	0900-801-90002



# CBR 250R

CUSTOMIZED  
BY  
**KITACO**

全てのユーザーに走る楽しさを



## SHARPENS YOU UP!!

### CBR250R FENDER LESS KIT

- FENDER LESS KIT that makes sharp style.  
Simple-construction reduces weight so much.
- Uses stock license lighting and winker
- REFLECTOR included
- STEEL with BLACK BAKING FINISH

REMARKS



APPLICATION : CBR250R



TYPE	
CODE	691-1818000

## A MUST for COMFORTABLE TANDEM TOURING!!

### CBR250R TANDEM BACK REST

- Best and comfortable backrest for tandem touring.  
Grab bars come with the pad for safety.
- SILVER : ELECTROPOLISHED
- BLACK : POWDER COATED
- STAINLESS
- ※ STOCK GRAB BARS not useable

REMARKS



APPLICATION : CBR250R



TYPE	SILVER	TYPE	BLACK
CODE	652-1818000	CODE	652-1818200

## DRESS UP & PROTECTION!!


### CBR250R CARBON TANK PAD

- A TANK PAD to protect your tank from riding jacket zipper.
- TWILLED CARBON
- Attaches with BOTH-SIDED TAPE

REMARKS



APPLICATION : CBR250R



TYPE	TWILLED CARBON
CODE	692-1818000



**CUTTING-EDGE SURFACE TREATMENT!!**

**CBR250R  
BAR END CAP**

**REMARKS**

- In addition to visual feast, it has counterbalance and weather-resistant characteristics.
- POLISH-FINISH / TITANIUM COATING / DLC (Diamond-Like Carbon) are released.
- STAINLESS
- Sold in pairs
- STAINLESS CAP BOLT included
- Weight : 202 gram (STOCK : 206 gram)



APPLICATION : CBR250R



					
TYPE	POLISH	TYPE	TITAN COATING	TYPE	DLC
CODE	506-1818110	CODE	506-1818120	CODE	506-1818130

**Before you fall down!**

**CBR250R  
MASTER CYLINDER GUARD**

**REMARKS**

- STYLISH MASTER CYLINDER GUARD
- It guards your MASTER CYLINDER when falling down
- ALUMINUM with ALMITE FINISH

APPLICATION : CBR250R



					
TYPE	BLACK	TYPE	GOLD	TYPE	SILVER
CODE	500-1818900	CODE	500-1818910	CODE	500-1818930





**To minimize damages!!**

**CBR250R  
ENGINE SLIDER**






**REMARKS**

- It protects CLUTCH COVER / GENERATOR COVER from unexpected accidents.
- Luxury and sporty look with aluminum machined base and duracon protector
- PLAIN TYPE & CONE TYPE are released
- BASE : ALUMINUM MACHINED with SILVER ALMITE FINISH
- SLIDER : DURAON
- Sold in pairs

APPLICATION : CBR250R

			
			
TYPE	PLAIN TYPE	TYPE	CONE TYPE
CODE	553-1818000	CODE	553-1818100

**COMING SOON!**


				
<b>SPROCKET</b>	<b>WINKER LENS</b>	<b>ALUMINUM MUFFLER</b>	<b>HELMET HOLDER</b>	<b>i-map</b>
● FRONT / REAR UNDER DEVELOPMENT	● SMOKE ● STOCK EXCHANGE TYPE	● ALUMINUM SILENCER ● SLIP-ON TYPE ● JMCA APPROVED	● Easy to use helmet lock with key. Installs with left side tandem step.	● Adjustable for a variety of tuning pattern ● Original map can be made, by using PC INTERFACE CABLE (sold separately) ● Rev limiter release function built-in

**SILVER COLOR NEWLY RELEASED!!**

**MONKEY / GORILLA  
ULTRA CLUTCH KIT type X (SILVER CLUTCH COVER)**

REMARKS

- LTD SILVER COLOR ULTRA CLUTCH KIT type X newly released!  
**Only 100 Limited** kits are available  
High quality with reasonable price for high revolution and high output engines
- Clutch connects to mainshaft from crankshaft, to reduce friction loss from crankshaft, to improve lots of response.
- Primary reduction 3.666 (stock 4.312)
- Oil level gauge (window) is built-in for convenient for maintenance.
- CLUTCH COVER :  
ALUMINUM DIE CAST / SILVER POWDER COATING



APPLICATION : MONKEY / GORILLA FNO.Z50J-2000001 ~ FNO.AB27-1000001 ~ 1899999 : MONKEY BAJA (ALL)		APPLICATION : MONKEY / GORILLA FNO.Z50J-1000001 ~ FNO.AB27-1000001 ~ 1899999 : MONKEY BAJA (ALL) ※ GEAR SHIFT SPINDLE SET (307-1016080) required when installing on auto clutch model		APPLICATION : MONKEY (FI) FNO.AB27-1900001 ~			
※ Clutch cable included in the kit is for KITACO L LEVER & HOLDER (sold separately) When using stock clutch cable, cable receiver (307-1123007) for stock clutch cable is required							
TYPE For STOCK 4 SPEED TRANSMISSION		TYPE For KITACO 5 SPEED TRANSMISSION type 2 / 3		TYPE For STOCK 4 SPEED TRANSMISSION		TYPE For KITACO 5 SPEED TRANSMISSION	
CODE 317-1083030		CODE 317-1123730		CODE 317-1137030		CODE 317-1137730	



**ULTRA DRIVE KIT comes in SILVER!!!**

**MONKEY / GORILLA  
ULTRA DRIVE KIT type X3 (SILVER CLUTCH COVER)**


REMARKS

- DRIVE UNIT that includes ULTRA CLUTCH KIT type X & 5 SPEED CLOSE TRANSMISSION ASSY type 3!!
- 5 SPEED CLOSE TRANSMISSION ASSY type 3
- Inexpensive 5 speed transmission assy with highest performance and quality. Start and acceleration is very good and useful all around the power band.

	MAIN / COUNTER TEETH	REDUCTION RATIO (STOCK)
1st	12T / 35T	2.917 (3.273)
2nd	17T / 30T	1.765 (1.938)
3rd	20T / 27T	1.350 (1.350)
4th	22T / 25T	1.136 (1.043)
5th	24T / 24T	1.000 (—)



TYPE	For CARBURETOR
CODE	318-1123330



TYPE	For FI
CODE	318-1137330

- CARBURETOR 318-1123330  
: MONKEY / GORILLA (FNO.Z50J-2000001 ~ /FNO.AB27-1000001 ~ 1899999)  
: MONKEY BAJA (ALL)
- KICK STARTOR SPINDLE SET (305-1123399 sold separately) is required for below models  
: MONKEY / GORILLA (FNO.Z50J-1000001 ~ 1805927)  
※ GEAR SHIFT SPINDLE SET (307-1016080 sold separately) is also required for auto clutch models.
- ※ Clutch cable included in the kit is for KITACO L LEVER & HOLDER (sold separately)  
When using stock clutch cable, cable receiver (307-1123007) for stock clutch cable is required
- FI 318-1137330  
: MONKEY (FI) (FNO.AB27-1900001 ~) ○ STOCK CLUTCH CABLE useable

**⚠ ATTENTION WHEN INSTALLING ULTRA CLUTCH KIT / DRIVE KIT ⚠**

- When disassembling engine, GASKET SET A for your displacement is required. See below for reference.

DISPLACEMENT	GASKET SET REQUIRED (SOLD SEPARATELY)
50cc STOCK DISPLACEMENT	GASEKT SET A PAPER GASKET : 960-1015050 / STAINLESS GASKET : 960-1133950
KITACO LIGHT/STD/ULTRA/SE/DOHC BIG BORE KIT 88/108cc	GASEKT SET A PAPER GASKET : 960-1015088 / STAINLESS GASKET : 960-1123088
KITACO ULTRA-SE/DOHC BIG BORE KIT 124cc	GASEKT SET A 960-1015117



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**


2011  
Vol.15

## K-CON SPONGE SHEET (EPDM)



REMARKS

- Uses in a variety of ways such as cushioning and spacer.
- Material : EPDM RUBBER
- Size : 240 x 330 mm
- ※ Not petrol resistance
- Attachable to metal and plastic plates by using both-sided tape (below)



	E-4088 (SOFT) HARDNESS : C7 (±) 5			E-4408 (HARD) HARDNESS : C35 (±) 5		
THICKNESS	3mm	5mm	10mm	3mm	5mm	10mm
CODE	0900-996-10001	0900-996-10002	0900-996-10003	0900-996-10011	0900-996-10012	0900-996-10013

## K-CON BOTH-SIDED TAPE (NITTO NO.500)



REMARKS

- Has strong adhesivity and useable for both sided tape.
- Size : 240 x 330mm
- Material : NONWOVEN FABRIC
- Use : On METAL, PLASTIC PLATE & FOAMED RUBBER
- ※ Degrease the plate surface before attaching.
- If BOTH-SIDED TAPE is attached on patterned indented surface, adhesivity might decrease accordingly.




TYPE	
CODE	0900-996-10090

## K-CON FITTING CLIP (HONDA)



REMARKS

- FITTING CLIPS that are often used for COWLING and GARNISH.
- Material : POLYACETAL (POM)
- Qty : 2 pcs



TYPE	HONDA
CODE	0900-005-06010

## K-CON Pro GREASE SET



REMARKS

- 10 kinds of K-CON 5-gram tube grease comes a set.
- ★ You can get cut price by about 10 %, compared to grease sold loose.
- ★ Exclusive case included

CONTENTS	CODE	REFERENCE
MOLYBDENUM DISULFIDE GREASE	0900-969-00100	Prevents parts from seizure, galling. Transmission initial collaboration
ORGANOMOLYBDENUM GREASE	0900-969-00110	For pulley roller, bearing, etc.
MOLYBDENUM DISULFIDE GREASE $\mu$	0900-969-00120	Prevents parts from seizure, galling, roller, gear, etc.
SILICON GREASE	0900-969-00130	For rubber seal, battery termina, etc.
ALUMINUM GREASE	0900-969-00140	For muffler flange bolt, nut, etc.
UREA GREASE	0900-969-00150	For rubber seal, gear, axle shaft seal and etc.
CARBON GREASE	0900-969-00160	For connector, coupler, electricity stabilization
MIRROR FINISH	0900-969-00170	Abrasive agent with wax
BRAKE PAD GREASE	0900-969-00190	Heat resistant brake pad grease
SUPER PULLEY GREASE	0900-969-00200	Best for pulley roller, bearing and etc.



TYPE	
CODE	0901-969-99000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol.14

### JUST A SHARP LOOK!

#### D-TRACKER 125 / KLX125

#### FENDER LESS KIT (SUPER SLIM TYPE)

REMARKS	<ul style="list-style-type: none"><li>● Fully new designed long-lived / high durability LED TAIL LAMP for D-TRACKER 125 / KLX125!</li><li>● Tail lamp : 12V HIGH LUMINOSITY LED (NUMBER PLATE LIGHT BUILT-IN) Bracket : ALUMINUM / BLACK ALMITE FINISH Plate : STEEL / BLACK CHROME</li><li>● REFLECTOR included</li><li>● STOCK WINKER useable</li></ul>	
	 <p>WHEN LIGHT IS ON</p> <p>WHEN BRAKING</p>	
	APPLICATION	

TYPE	RED LENS	TYPE	CLEAR LENS
CODE	691-4025100	CODE	691-4025110

### SIMPLE AND EASY CUSTOM!

#### MONKEY / GORILLA PIVOT CAP


	<ul style="list-style-type: none"><li>● ALUMINUM CAP that covers BRAKE PEDAL PIVOT. SIMPLE CUSTOM with REASONABLE PRICE</li><li>● ALUMINUM</li><li>● β PIN included</li><li>● SOLD EACH</li></ul>
REMARKS	
	<p><b>⚠ MONKEY WITH DOWN TYPE MUFFLER ⚠</b></p> <p>The models with down muffler stay on brake pivot can not be installed.</p>
APPLICATION	<ul style="list-style-type: none"><li>- MONKEY / GORILLA (FNo.Z50J-1000001 ~ /AB27-1000001 ~ 1899999)</li><li>- MONKEY (FI) (FNo.AB27-1900001 ~)</li><li>※ DAX / CHALY not useable</li></ul>

Photo			
TYPE	BLACK	GOLD	CHROME
CODE	523-1123700	523-1123710	523-1123720

### LONG-AWAITED NEW COLORS!!!

#### MONKEY / GORILLA


#### TL SEAT type 3 (TUCKROLL TYPE)


REMARKS	<ul style="list-style-type: none"> <li>NEW COLORS (BLUE, WHITE &amp; SILVER) are released!</li> <li>CHIC PIPING design fits any style.</li> <li>MONKEY STOCK REAR CARRIER useable (※ GORILLA not useable)</li> </ul>	
	<p><b>MEASUREMENT</b></p> <p>UNIT : mm</p> <p><b>MODEL : MONKEY (CARBURETOR) / BLUE PIPING</b></p>	

Photo			
APPLICATION	<b>MONKEY (CARBURETOR)</b> FNo.Z50J-1300017 ~ FNo.AB27-1000001 ~ 1399999 ※ FNo.AB27-1400001 ~ not useable	<b>MONKEY (FI)</b> FNo.AB27-1900001 ~	<b>GORILLA</b> FNo.Z50J-1300027 ~ FNo.AB27-1000001 ~ ※ STOCK CARRIER not useable
TYPE	PIPING : BLUE	PIPING : BLUE	PIPING : BLUE
CODE	610-1083430	610-1137430	610-1017430
TYPE	PIPING : WHITE	PIPING : WHITE	PIPING : WHITE
CODE	610-1083440	610-1137440	610-1017440
TYPE	PIPING : SILVER	PIPING : SILVER	PIPING : SILVER
CODE	610-1083450	610-1137450	610-1017450

**POP AND FANCY! MORE FASHIONABLE!**

**GIORNO / TODAY / DIO  
OIL LEVEL GAUGE**

REMARKS	<ul style="list-style-type: none"> <li>● ALUMINUM MACHINED / ALMITE FINISH</li> <li>● SOLD EACH</li> </ul>
	
APPLICATION	<ul style="list-style-type: none"> <li>● GIORNO (AF70) ● TODAY (AF61) ● TODAY (FI/AF67)</li> <li>● DIO/-CHESTA (AF62) ● DIO/-CHESTA (FI/AF68)</li> </ul>

	TYPE	PINK
	CODE	307-1145900
	TYPE	RED
	CODE	307-1145910
	TYPE	BLUE
	CODE	307-1145920

**POLISH-FINISH LUSTER!!**


**GIORNO  
BAR END CAP**


REMARKS	<ul style="list-style-type: none"><li>● BAR END CAP WITH STAINLESS POLISH FINISH!! Just put it on for sporty look. Decorate with rhinestone for cute and elegant look!!</li><li>● SOLD IN PAIRS</li><li>● STAINLESS CAP BOLTS included</li></ul>	
	<div><p>DECORATED WITH RHINESTONES</p></div>	
APPLICATION	● GIORNO (AF70)	

	TYPE	
	CODE	506-1145100

**TO BOLT-ON WICKER STYLE BASKET!!**

**GIORNO  
FRONT BASKET STAY**

REMARKS	<ul style="list-style-type: none"><li>● Exclusive bracket for KITACO WICKER STYLE FRONT BASKET</li><li>● STEEL / BLACK ZINC CHROME FINISH</li><li>● EXCLUSIVE COLLAR / BOLTS included</li></ul>	<div>WICKER TYPE FRONT BASKET (SOLD SEPARATELY)</div> 
	APPLICATION - GIORNO (AF70)	

	TYPE	
	CODE	688-1145900

**IN STORE NOW!!**

**SEAT POCKET**

**BLACK**  
606-0000010

**RED**  
606-0000020

**BROWN**  
606-0000030

**IVORY**  
606-0000040

**GRAY**  
606-0000050

**ORANGE**  
606-0000060

**NAVY**  
606-0000070


**GREEN**  
606-0000080



POCKET NET (RUBBER IS ELASTIC TO PREVENT FALLING)  
ZIPPER POCKET  
INSTALL WITH TAPPING SCREWS BEHIND THE SEAT.

260~300mm  
240mm  
210mm  
260mm


**WICKER STYLE FRONT BASKET**




STD : 688-0500000  
DX : 688-0500100

- UNIVERSAL
- MAX LOAD : 3.0 kgs (volume : about 23 litter)
- SPRING MOUNTED COVER
- STD : NET TYPE  
DX : WICKER TYPE
- RUBBER HOOK CODE included


**TOP VIEW**



**SIDE VIEW**




**BACK VIEW**



UNIT (mm)      \*Measurements are just for reference.

**RIM LINE TAPE**




RED : 000-0900200  
WHITE : 000-0900210


- UNIVERSAL ● Transfer type
- For 1 MOTORCYCLE (FRONT, REAR, RIGHT & LEFT)
- Best for 10 inch rim (8 inch also useable)
- MEASUREMENT :  
O.D. : 263 mm (quartered stickers)  
Width : 3 mm
- LETTER SIZE : 10 mm

## GIORNO (AF70) CUSTOMIZED

### WANT A SHARP BODY??


#### GIORNO / TODAY MINI CABTON MUFFLER

REMARKS	<ul style="list-style-type: none"> <li>● CLASSIC STYLE MINI CABTON MUFFLER</li> <li>● Sound : 82 dB Acceleration Sound : 73 dB</li> <li>● Exhaust pipe : STAINLESS</li> <li>● Silencer : 86 mm STAINLESS</li> <li>※ EXHAUST MUFFLER GASKET (SOLD SEPARATELY) required.</li> <li>XH-17 963-1000017 ¥450</li> </ul>	
APPLICATION	GIORNO (AF70) · TODAY (FI/AF67)	

	
TYPE	
CODE	543-1145850

### GET SPORTY LOOK with RED METALLIC SHOCK ABSORBER!!

#### GIORNO / TODAY / DIO REAR SHOCK ABSORBER

REMARKS	<ul style="list-style-type: none"> <li>● Adopted KITACO ORIGINAL DAMPER!</li> <li>For street use as well as sporty use!</li> <li>● Body : BLACK Spring : METALLIC RED</li> <li>● Length : 260 mm</li> <li>● OIL-CHARGED DAMPER</li> <li>● Preload : 5-STEP CAM TYPE</li> </ul>	<p>METALLIC BLUE Ver.</p> <p>520-2102502</p> <p>IN STORE NOW!!</p> 
APPLICATION	GIORNO (AF70) · TODAY (AF61) · TODAY (FI/AF67) · DIO/-CHESTA (AF62) · DIO/-CHESTA (FI/AF68)	

	
TYPE	
CODE	520-1141030

### DRESS-UP! MORE ATTRACTIVE!!


#### GIORNO / TODAY / DIO AIR CLEANER COVER GARNISH

REMARKS	<ul style="list-style-type: none"> <li>● SPORTY LOOK for your GIORNO, TODAY &amp; DIO!!</li> <li>Attaches with both-sided tape and fasten with stock bolts.</li> <li>● ABS RESIN / CHROME FINISH</li> <li>● Tighten together with stock screws</li> </ul>	 
APPLICATION	GIORNO(AF70) · TODAY(FI/AF67) · DIO/-CHESTA (FI/AF68) ※ CARBURETOR MODELS not installable	

	
TYPE	
CODE	590-1141100

### DRESS-UP & UTILITY


#### GIORNO REAR CARRIER

REMARKS	<ul style="list-style-type: none"> <li>● Fashionable and fancy REAR CARRIER for GIORNO</li> <li>Clamp-on to stock grab bar to install.</li> <li>● 9mm thick STAINLESS</li> <li>● Measurement : L 174 x W 169 mm</li> <li>● Max load : 3.0 kgs</li> </ul>	
APPLICATION	GIORNO (AF70)	

TYPE	
CODE	539-1145000

### SPORTY & STYLISH !!

#### GIORNO MUFFLER COVER GARNISH

REMARKS	<ul style="list-style-type: none"> <li>● Only to cover on stock muffler protector!</li> <li>● ABS RESIN / CHROME FINISH</li> </ul>	
APPLICATION	GIORNO (AF70) TODAY FNo.AF61-1000001 ~ 1600001 FNo.AF67-1400001 ~ DIO FNo.AF62-1000001 ~ 1399999 FNo.AF68-1300001 ~ DIO CHESTA FNo.AF62-5000001 ~ 5399999 FNo.AF68-3200001 ~	

	
TYPE	
CODE	549-1145000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol.12

**BLACK VERSION RELEASED!!**

PCX125

**TANDEM BACK REST (BLACK)**

REMARKS

- TANDEM BACK REST BAR in BLACK is newly released!  
For DRESS-UP & PRACTICAL USE!
- STAINLESS / BLACK POWDER COATING
- GRAB BAR : 25.4mm
- PAD SIZE : H 90 x W 310 x L 110 (mm)
- SEAT POSITION changeable back and forth (15mm)
- ※ Making hole mods on grab rail cover is required
- ※ KITACO REAR CARRIER not useable.



APPLICATION : PCX125 (JF28)



TYPE BLACK

CODE 652-1426200

**HOW CONVENIENT!**

PCX125

**CONVENIENCE HOOK**

REMARKS

- A CONVENIENCE HOOK that you can use to hang up something small like shopping bag.  
Do not waste time to open the seat and put something in there.
- Fasten the hook together with handle clamp with accompanying bolt and nut.
- BODY : ALUMINUM MACHINED / SILVER ALMITE FINISH
- HOOK : RESIN
- ※ It follows handle bar movement as it is fastened with handle clamp.  
Do not hang a big baggage not to let it interfere with steering.



APPLICATION : PCX125 (JF28)



TYPE

CODE 563-1426000

**MORE COMFORTABLE COMMUTING!!**

LEAD 110/EX

**FLOOR CARRIER**

REMARKS

- FLOOR CARRIER to create a storage space for something like attaché case.  
Uses elastic cord to hold baggage more tightly.
- STAINLESS (RUST-PROOF/8mm)
- ※ If fuel rid is open, it interferes with FLOOR CARRIER. Be careful when opening.



APPLICATION : LEAD 110/EX (JF19)



TYPE

CODE 639-1425000



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**


2011  
Vol. 11

FOR HAPPY SHOPPING!

## WICKER STYLE FRONT BASKET (STD/DX)

REMARKS

- SOFT-LOOKING with WEATHER-RESISTANT and DURABLE WICKER STYLE FRONT BASKET
- Models with 3 qty of M6 holes on front cowling are installable.
- ※ Models without suitable holes, models which headlights are covered by basket are NOT installable.
- Maximum load : 3.0 kg (volume : about 23 liter)
- SPRING MOUNTED COVER STD : NET TYPE  
DX : WICKER TYPE
- RUBBER HOOK CODE included (to prevent the baggage from hamper)
- Basket : STEEL / RESIN (PE) COATING  
Nut : STEEL / BLACK ZINC CHROME



TYPE	STD
CODE	688-0500000
TYPE	DX
CODE	688-0500100

Refresh in hot summer!

## COOLING MINI BANDANA "Polar Fresh!"

REMARKS


- Just soak it, tie it and you can get cool feeling.
- Absorbent polymer in bandana makes the water evaporate slowly, which dissipates heat on the skins surface to get comfortable for a long time.
- Sheet shape polymer is easy to fit around neck.
- SAFETY RING included (PAT)
- Eco-friendly!
- Coolant : ABSORBENT POLYMER (MADE IN JAPAN)
- Bandana : COTTON 100%
- Ring : PC (POLYCARBONATE)
- Size : 4 x 84 cm



TYPE	OLIVE
CODE	000-0120000
TYPE	ORANGE
CODE	000-0120010
TYPE	DARK BLUE
CODE	000-0120020

PATENT.P.

**POLAR FRESH**



!Cool time in hot summer! COOLING MINI BANDANA!

### STEP1

Soak the bandana about 10~15 minutes.  
Inflate the bandana with water.




### STEP2

Wipe the water in the surface with towel and it is ready to put on.




### STEP3

Use again and again.  
※ Dry it well at well-ventilated area.



- ① "POLAR FRESH" is Eco-friendly product that uses polymer (made in Japan)!
- ② Absorbent polymer in bandana makes the water evaporate slowly, which dissipates heat on the skins surface to get comfortable for a long time.



Manufactured and distributed by BIG WING LTD



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 10

Flooded with inquiries!

## ULTRA ROBOT ARM LOCK (HDR-6/8/10)



REMARKS

- Manufactured from the mixture of rare metal base super alloy.  
Tolerance is the same level of loved and discontinued HD series.
- Easy to remove and install for extra-fat multijoint arms, which have special rivets that make smooth movement.
- Reliable FINLAND ABLOY (EXEC) is adopted for LOCK KEY.  
Best against PICKING, DRILLING, HITTING AND CYLINDER PICKING.
- Key Pattern : 362.79 million combination
- Material : SPECIAL ALLOY
- JIS Rockwell Hardness : HRC45 ~ 55
- Comes with EXCLUSIVE COVER (installed with shipment)



FINLAND ABLOY/EXEC



Reliable-shape KEY

TYPE	HDR-6
CODE	880-0816060
SPEC	LENGTH : 1800mm WEIGHT : 8.5kg ARM SIZE : 19 x 19mm sq.

TYPE	HDR-8
CODE	880-0816080
SPEC	LENGTH : 2000mm WEIGHT : 11.5kg ARM SIZE : 22 x 22mm sq.

TYPE	HDR-10
CODE	880-0816100
SPEC	LENGTH : 2100mm WEIGHT : 17.0kg ARM SIZE : 28 x 28mm sq.

First come, first served!

## CHAIN LOCK (CL-200 SERIES) It will be discontinued once out of stock!

CHAIN LOCK CL SERIES

REMARKS

- 20mm-thick **FORGED CHAIN** (only one in the market) is adopted, that is used for vessel and industrial use.  
It will not be broken when one part of them is cut.
- Reliable FINLAND ABLOY (EXEC) is adopted for KEY CYLINDER (PROTECH is adopted for SP MODEL)  
Best against PICKING, DRILLING, HITTING AND CYLINDER PICKING.
- Key Pattern : EXEC 362.79 million combination  
SP 1977.32 million combination
- Material : SPECIAL ALLOY



TYPE	CL -20010
CODE	880-0807010
SPEC	LENGTH : 1000mm WEIGHT : 9.0kg

TYPE	CL -20015
CODE	880-0807015
SPEC	LENGTH : 1500mm WEIGHT : 14.0kg

TYPE	CL -20020
CODE	880-0807020
SPEC	LENGTH : 2000mm WEIGHT : 18.0kg

TYPE	CL -20020SP
CODE	880-0807021
SPEC	LENGTH : 2000mm WEIGHT : 22.0kg

- We recommend using more than 2 different type of locks to protect against professional theft ring!
- ※ Price and model tend to change without notice



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 09

## K • CON PUSH RIVET




REMARKS



- RESIN RIVET which can attach and fasten panels.
- 3 pcs in a set
- Reusable

### OPERATION :

- PUSH PIN TO SET / PUSH FURTHER TO REMOVE



※Refer to the measurement in the table



(B-D : UNLOCKED / LOCKED)

UNIT : mm



TYPE	SUZUKI type B 8mm
PANEL THICKNESS	4.9 ~ 6.4mm
SIZE	A : 20 B : 7.5/10.3 C : 2.5 D : 13.5/19.5
CODE	0900-005-00021



TYPE	Kawasaki type A 7mm
PANEL THICKNESS	3.5 ~ 5.5mm
SIZE	A : 18 B : 6.2/8.2 C : 1.5 D : 16.1/22
CODE	0900-005-00040



TYPE	Kawasaki type B 7mm
PANEL THICKNESS	8.0 ~ 10.0mm
SIZE	A : 11 B : 6.8/8.9 C : 1.5 D : 19/25
CODE	0900-005-00041



## K • CON SCREW RIVET



REMARKS

- RESIN RIVET which can attach and fasten panels.
- Uses plus driver to remove and attach
- 3 pcs in a set
- Reusable

※Refer to the measurement in the table



(B-D : UNLOCKED / LOCKED)

UNIT : mm



TYPE	SUZUKI type 6mm
PANEL THICKNESS	5.5 ~ 6.5mm
SIZE	A : 15 B : 5.8/7.9 C : 2.7 D : 13.5/14
CODE	0900-005-04020



TYPE	Kawasaki type 6mm
PANEL THICKNESS	3.3 ~ 6.0mm
SIZE	A : 14 B : 5.8/8.0 C : 3 D : 11.5/12
CODE	0900-005-04040



## K • CON PUSH PULL RIVET



REMARKS

- RESIN RIVET which can attach and fasten panels.
- 3 pcs in a set
- Reusable

※Refer to the measurement in the table



(B-D : UNLOCKED / LOCKED)

UNIT : mm



TYPE	SUZUKI type A 6mm
PANEL THICKNESS	4.3mm
SIZE	A : 15 B : 5.5/7.6 C : 3 D : 10/10.8
CODE	0900-005-05020



TYPE	SUZUKI type B 7mm
PANEL THICKNESS	1.2 ~ 2.3mm
SIZE	A : 20 B : 6.5/8.2 C : 4.5 D : 10/14
CODE	0900-005-05021

## K • CON SUPER PULLEY GREASE



REMARKS

- HIGH-EFFICIENT / HIGH-GRADE GREASE for PULLEY
- Stable lubricating effect for high-temperature pulley with torqued big bore motor.
- BORON NITRIDE** that has heat-resistant, heat transfer and chemical stability properties was adapted.
- Best for variable speed pulley and bearings
- 5 gram tubed single use type
- Material : PURIFIED MINERAL OIL, MOLYBDENUM GREASE, LITHIUM SOAP & BORON NITRIDE
- Temperature range : -20 ~ 300 °C

### What is BORON NITRIDE?

Its crystal structure looks like the one of black lead, which has good heat conductivity, high thermal shock resistance, coefficient of thermal expansion. Its self-lubricating and chemical stability are also similar to black lead, though BORON NITRIDE does not exist in the nature.


It also has electrical insulation property unlike black lead.




TYPE	5g
CODE	0900-969-00200

**COST EFFECTIVE SCOOTER CUSTOM!!**

**ADDRESS V125S  
STEP BOARD**

REMARKS	<ul style="list-style-type: none"> <li>● For DRESS-UP &amp; PRACTICAL USE</li> <li>● BURRING NON-SLIP FINISH</li> <li>● STAINLESS</li> <li>● SOLD IN PAIRS</li> <li>● STAINLESS TAPPING SCREWS included</li> </ul>	
APPLICATION	ADDRESS V125S (CF4MA)	

	
TYPE	
CODE	538-2416300

**MUST for TANDEM RIDERS!**


**ADDRESS V125S  
TANDEM BACK REST BAR**


REMARKS	<ul style="list-style-type: none"> <li>● GRAB BAR : 25.4mm STEEL CHROME FINISH</li> <li>● PAD : DIMPLE MESH W 310 x H 90 x L 100 (mm)</li> <li>● Seat position changeable back and forth (10mm)</li> <li>※ STOCK CARRIER / PILION RIDER HANDLE BAR not useable</li> </ul>	
APPLICATION	ADDRESS V125S (CF4MA)	

	
TYPE	
CODE	652-2416000

**No.1 of MARKET SHARE, SBS BRAKE PAD!**

**SBS BRAKE PAD (702RSI)**

REMARKS	<ul style="list-style-type: none"> <li>● Best for STREET &amp; RACE USE</li> <li>● For stock caliper</li> </ul>	
APPLICATION	ADDRESS V125/-G/-S (CF46A/CF4EA/CF4MA) ADDRESS 110 (CF11A) ADDRESS V100 (CE11A/CE13A) ZZ (CA1PB) ADDRESS V50 (CA1FB)	

	
TYPE	RSI (SINTER METAL)
CODE	777-0702077

**ADDRESS V125 (LO) ALL ITEMS**




1	<b>POWER DRIVE KIT (type X)</b> ● SUPER ROLLER SET (13.0g X 6) included	489-2411000
2	<b>REINFORCED CLUTCH SPRING SET</b> ● SPRING RATE : INCREASED BY 30% (compared with stock) ● For STOCK CLUTCH SHOE ● 3 a set	307-2416130
3	<b>WPC CLUTCH CENTER SPRING</b> ● Strong against heat ● WPC treated ● LENGTH : 107mm ● O.D. 56.8 mm ● SPRING RATE : INCREASE BY 11% (compared with stock)	307-2416340
4	<b>DLC PULLEY BOSS</b> ● CHROME MOLYBDENUM with DLC COATING FINISH ● STOCK SIZE	463-2411300
5	<b>DRIVE BELT (type X)</b> ● FOR KITACO POWERDRIVE KIT ● CORE WIRE : HIGH-INTENSITY POLYESTER ※ STOCK PULLEY / OTHER MAKER'S PULLEY not useable	468-2411000
6	<b>GPR CARBON DOWN MUFFLER (M1)</b> ● SOUND : 85db ● CATALIZER built-in ● SILENCER : CARBON (110mm) ● EXHAUST PIPE : STAINLESS ※ MUFFLER GASKET (sold separately) is required	548-2416380
7	<b>SUPER THROTTLE PIPE</b> ● FOR STOCK THROTTLE HOLDER ● PENETRATION TYPE ● Reduces throttle action by 15%	901-2416900
8	<b>FAN COVER GARNISH</b> ● ABS RESIN CHROME FINISH ● BOLT-ON TYPE	517-2407710
9	<b>CRANKCASE COVER GARNISH</b> ● CRANKCASE / AIR DUCT / AIR CLEARNER COVER included in a set ● ABS RESIN CHROME FINISH	335-2411710
10	<b>TANDEM BACK REST</b> ● PAD : DIMPLE MESH ● STAY : STEEL / BLACK CHROME FINISH ● PAD SIZE : H 90 X W 310 X L 100 mm ● PAD POSITION changeable (15mm) ※ STOCK REAR CARRIER required at the same time to install.	652-2416100
11	<b>REAR INNER FENDER</b> ※ Cutting / hole mods are required to install. ※ Bolt length is different depending on the muffler you choose. ※ Bolt comes in a kit can be useable for STOCK / KITACO MUFFLER.	(FRP BLACK) 681-2411010 (TWINING CARBON) 681-2411700
12	<b>REAR SHOCK ABSORBER (W315)</b> ● LENGTH : 315 mm ● PRELOAD : SINGLE-STEP ● OIL-CHARGED DAMPER	(RED) 520-2416030 (BLUE) 520-2203160
13	<b>10 INCH CAST WHEEL (5-SPOKE/FRONT)</b> ● MADE FROM ALUMINUM ● ALUMINUM MACHINED AXLE COLLAR included ● RIM SIZE : 2.15 x 10 ※ CALIPER CUTTING MODS required when using KITACO BIG DISC ROTOR (for stock caliper)	(SILVER) 509-2416700 (BLACK) 509-2416710
14	<b>10 INCH CAST WHEEL (5-SPOKE/REAR)</b> ● MADE FROM ALUMINUM ● RIM SIZE : 2.15 x 10	(SILVER) 509-2407800 (BLACK) 509-2407810
15	<b>BIG DISC ROTOR</b> ● DISC : STAINLESS ● DISC O.D. : 210 mm (STOCK : 160mm) ※ BREMBO CALIPER 2 POT LARGE PISTON (34 mm) CALIPER (GOLDLINE 20.6951, TYPE) and BANJO BOLTS are required.	(FOR STOCK CALIPER) 500-2407880 (FOR BREMBO CALIPER) 500-2407890 ※

**THE DLC PULLEY BOSS comes back!**

**DLC PULLEY BOSS**

REMARKS	<ul style="list-style-type: none"> <li>● Much-loved DLC PULLEY BOSS comes back for the first time in an year! DLC HAS resistant, anti-adherent, wear-resistant, anti-aggressive properties and surface hardness gain!</li> <li>● CHROME MOLYBDENUM STEEL with DLC COATING FINISH</li> <li>● SAME SIZE AS STOCK</li> <li>● KITACO POWER DRIVE KIT / HIGH SPEED PULLEY KIT useable</li> </ul>
	<p><b>What is special treatment <b>DLC (Diamond-Like Carbon)</b>?</b></p> <p>It is carbon coating that displays some of the unique properties of diamond. DLC is treated on camshafts, rocker arm shafts, pistons of the machine engines for Formula 1 and MOTO GP. Most of resistance causing from other materials during high revolution is eliminated.</p>



APPLICATION	• CYGNUS X (FI) (28S) • AXIS TREET (41D) • BW'S125 (5S9) • MAJESTY 125	• PCX125 (JF28)	• ADDRESS V125/-G/-S (CF46A/CF4EA/CF4MA)
CODE	463-0411300	463-1426300	463-2411300

**FOR TOUGHNESS & STEERING CONTROL!**

**DRIVE BELT type X for POWER DRIVE KIT**

REMARKS	<ul style="list-style-type: none"> <li>● V-BELT made especially for KITACO POWER DRIVE KIT. It is slightly longer than stock belt that is the best length for maximum speed. High-intensity polyester is adopted for core wire. Has toughness, better steering and durability for best performance.</li> <li>※ STOCK PULLEY / OTHER MAKERS' PULLEY not useable.</li> <li>⚠ DRIVE BELT is expendable item. Check every 3,000 km and replace it when worn more than 1 mm.</li> </ul>
---------	--



APPLICATION	JOG/-DX/-ZR (4st) (3P3)	AXIS TREET (41D)	ADDRESS V125/-G/-S (CF46A/CF4EA/CF4MA)
CODE	468-0089000	468-0413000	468-2411000

**(OPTION) POWER DRIVE KIT**

JOG/-DX/-ZR (4st)		AXIS TREET		ADDRESS V125	
CODE	489-0089000	CODE	489-0411000	CODE	489-2411000

**EXCHANGE GRIPS EASILY!!**

**CYGNUS X / ADDRESS V125  
SUPER THROTTLE PIPE**

REMARKS	<ul style="list-style-type: none"> <li>● Stock pipe can not be exchanged easily because it has some convex on surface. Possible to exchange pipes without wasting time scraping the convex on pipe</li> <li>● For stock throttle holder</li> <li>● Penetration type</li> <li>● Reduces your throttle action by 15% for ADDRESS V125</li> <li>※ HANDLE GRIP (SOLD SEPARATELY) is required. Use commercial-release GRIP BOND, when installing.</li> </ul>	<p>CYGNUS X</p> <p>STOCK SUPER THROTTLE PIPE</p>
		<p>ADDRESS V125</p> <p>STOCK SUPER THROTTLE PIPE</p>

APPLICATION	• CYGNUS X (5UA/28S)	APPLICATION	• ADDRESS V125/-G/-S (CF46A/CF4EA/CF4MA)
CODE	901-0411900	CODE	901-2416900

**100 cc HEAD KIT comes back again!!**

NSF100 / APE100 / XR100 MOTARD

**100cc ULTRA-SE CYLINDER SET**

REMARKS	<ul style="list-style-type: none"> <li>● ULTRA-SE CYLINDER HEAD SET with the same displacement of 100cc. Revs up very quickly that you can not believe the displacement is not changed. FORGED PISTON that is the best for endurance performance, SE ROCKER ARM &amp; TITANIUM NUT that reduces friction loss are adapted</li> <li>● FORGED PISTON (3R)</li> <li>● BORE 53mm / STROKE : 45mm DISPLACEMENT : 99.27cc COMPRESSION RATIO 11.3 : 1</li> <li>● VALVES installed</li> <li>※ STOCK CYLINDER useable</li> <li>※ Limiter release is required for NSF100F</li> </ul>	
	REPLACEMENT	CODE
	PISTON KIT	350-1413700


OPTION PART (SOLD SEPARATELY)



OIL JET CYLINDER HEAD COVER  
310-1418400

TYPE	FORGED PISTON TYPE
CODE	221-1413700

**ULTRA-SE 100cc**



**ULTRA-SE CYLINDER HEAD**

- ULTRA-SE CAMSHAFT included.
- ULTRA SE VALVE installed
- TITANIUM VALVE SPRING RETAINER installed.
- SE ROCKER ARM included
- TITANIUM ADJUST NUT included




**53mm FORGED PISTON**

- WPC + MOS 2 treatment

※ STOCK CYLINDER useable  
※ Displacement is the same as stock (100cc).

**APE100 ULTRA-SE 100 cc HEAD KIT POWER DATA (REAR WHEEL)**



※ Tested at Kitaco facility. Actual power may differ.

ULTRA-SE 100cc		
CARBURETOR	KEIHIN PD22	RECOMMENDED
	KEIHIN CR-MINI 22	RECOMMENDED
OIL PUMP	SUPER OIL PUMP	MUST
OIL COOLER	OIL COOLER KIT	MUST
CLUTCH	CLUTCH KIT	MUST

**DOHC SHORT STROKE KIT**

217-1418440



- ALUMINUM HARD CHROME CYLINDER
- FORGED PISTON (3R) (WPC/MOS2 treated)
- DISPLACEMENT : 99.8 cc / BORE : 57 mm  
STROKE : 39.1 mm (shorter than stock stroke)

**ULTRA-SE SHORT STROKE KIT**

217-1418100




- FORGED PISTON (3R) (WPC/MOS treated)
- DISPLACEMENT : 99.8 cc / BORE : 57 mm STROKE : 39.1 mm (shorter than stock stroke)
- VALVES installed
- ★ CONVERT KIT is for ULTRA-SE125cc BIG BORE KIT

**ULTRA-SE SHORT STROKE CONVERT KIT**

218-1418100



APPLICATION : • NSF100F • APE100/-D (HC07/HC13) • XR100 MOTARD (HD13) • XR100R (FNo.HE03-1200001 ~) • CRF100F (HE03)



Tested : NSF100

**100cc DOHC SHORT STROKE KIT**

- CARBURETOR : MIKUNI TMR32
- MUFFLER : RACING MUFFLER
- CDI : POWER REV RW (MAP : 5) / REV-CON (MAP : 7) recommended.

**100cc ULTRA-SE SHORT STROKE KIT / CONVERT KIT**


- CARBURETOR : KEIHIN CR mini 22
- MUFFLER : RACING MUFFLER
- CDI : POWER REV RW (MAP : 4) / REV-CON (MAP : 3) recommended.

※ Tested at Kitaco facility. Actual power may differ.

⚠ These parts are only for race use. Racing parts such as CDI, CLUTCH KIT and RACING MUFFLER are required.

**Long-awaited LCD MULTI METER!**

**MONKEY / GORILLA / APE  
LCD DIGITAL SPEEDO & TACHOMETER**

REMARKS	<ul style="list-style-type: none"> <li>● LCD DIGITAL MULTIPLE FUNCTION METER is newly released! Only to exchange with stock meter. Displays SPEEDOMETER, TACHOMETER, ODOMETER, TRIP METER, MAX SPEED/MAX REV MEMORY FUNCTION. Carburetor mode (1 revolution - 1 ignition) / Fuel Injection mode (2 revolution - 1 ignition) changeable with switch coming in a kit.</li> <li>● LED BACKLIGHT built-in</li> <li>□ features <ul style="list-style-type: none"> <li>• MAX SPEED : 199 km/h</li> <li>• MAX REV : 25,500 rpm</li> <li>• MEMORY FUNCTION : MAX SPEED / MAX REV automatically updated (resettable)</li> <li>• TOTAL MILEAGE / ODOMETER : Only ODOMETER resettable</li> </ul> </li> </ul>
	
APPLICATION	<ul style="list-style-type: none"> <li>• MONKEY • GORILLA (FNO.Z50J-2000001 ~ /FNo.AB27-1000001 ~ 1899999)</li> <li>• MONKEY (FI/FNO.AB27-1900001 ~) ※ Harness modification required.</li> <li>• APE50/-D (FI) (FNO.AC16-1600001 ~ /AC18)</li> <li>• APE100/-D (FNO.HC07-1600001 ~ /HC13)</li> </ul>



TYPE	
CODE	752-1 123780



**At a glance with LCD!**

**ZOOMER • TODAY  
LCD DIGITAL FUEL METER KIT**


REMARKS	<ul style="list-style-type: none"> <li>● LCD DIGITAL FUEL METER for individual models that comes with all of the required parts (FUEL GAUGE &amp; HARNESS etc.) No irritating harness modification required. Meter can be installed with both-sided tape to anywhere you want.</li> <li>● LED BACK LIGHT built-in</li> <li>● DRIP-PROOF construction</li> <li>● Measurement : 63W x 32D x 14H (mm)</li> </ul>
---------	---



APPLICATION	ZOOMER (CARBURETOR) • ZOOMER (FNO.AF58-1000001 ~ 1699999)
	CODE 752-1 125300
APPLICATION	ZOOMER (FI) • ZOOMER (FI) (FNO.AF58-1700001 ~)
	CODE 752-1 135300
APPLICATION	TODAY (CARBURETOR) • TODAY (AF61) ※ AF67 is not useable.
	CODE 752-1 128300

**LIGHTWEIGHT & FORGED PEDAL!!**

**D-TRACKER 125 / KLX125  
ALUMINUM CHANGE PEDAL**

REMARKS	<ul style="list-style-type: none"> <li>● LIGHTWEIGHT FORGED ALUMINUM CHANGE PEDAL for D-TRACKER 125 / KLX125!! RETRACTABLE PEDAL END PREVENTS DAMAGE FROM ACCIDENT.</li> <li>● SILVER PAINTED</li> <li>● SAME LENGTH OF STOCK PEDAL (145mm)</li> </ul>
APPLICATION	
APPLICATION	• D-TRACKER 125 (LX125D) • KLX125 (LX125C)



TYPE	
CODE	516-4025800

**Waiting for a kit to get more power?**

**CYGNUS-X / BW'S 125 / AXIS TREET  
POWER PACK KIT**

REMARKS

- POWER PACK KIT for popular models (CYGNUS-X, BW'S 125 & AXIS TREET) newly comes out!
- POWER DRIVE KIT changes transmission ratio wider, to get more maximum speed, more powerful acceleration and more forceful middle speed.
- I-MAP controls fuel injection and off the limiter to get the best engine performance.
- Recommends to use KITACO MUFFLERS at the same time.



APPLICATION	CYGNUS X (FI/28S1 ~ 5)
CODE	230-0411950
APPLICATION	BW'S 125(5S9)
CODE	230-0412950
APPLICATION	AXIS TREET (41D1)
CODE	230-0413950

**More speedy, more sporty!**

**AXIS TREET  
HIGH GEAR KIT**

REMARKS

- A must for max speed lover.
- Changes your drive ratio from 2.666 to a higher 2.235, allowing for taller top end and more top speed.
- ◇ REFERENCE ◇
- Reduction ratio : STOCK 40/15 (2.666)
- HIGH GEAR KIT 38/17 (2.235)
- Max speed : Adds 8 ~ 10 km / h (Calculated with AXIS TREET with Kitaco bore kit)
- ※ It requires to set up drive-line parts. Especially changing weight rollers a must.

TYPE	
CODE	305-0413210

**Leading-edge surface treatment!!**

**PCX125  
BAR END CAP**

REMARKS

- Next-generation BAR END CAP with leading-edge surface treatment!
- 5 kinds of line-up that includes POLISH FINISH on stainless material and ion-coating.
- Much tougher than aluminum almite finish and strong against discoloring.
- Sold in pairs
- For stock handle bar
- Comes with STAINLESS CAP BOLT

APPLICATION • PCX125



TYPE	STAINLESS
CODE	506-0600100
TYPE	STAINLESS with POLISH
CODE	506-0601100
TYPE	TITANIUM COATING
CODE	506-0602100
TYPE	DLC COATING
CODE	506-0603100
TYPE	TITAN CHROME COATING
CODE	506-0604100

**For replacement and maintenance!!**

**VOX / GEAR  
AIR ELEMENT**

REMARKS

- REPLACEMENT for stock air element.
- DRY TYPE
- GENUINE NUMBER : 3B3-E4451-00

APPLICATION • VOX (3B3) • GEAR 4st (10B)

TYPE	
CODE	341-0086000

**Get more luxurious style?**

**MONKEY / GORILLA / APE  
CARBON OIL CATCH TANK type X**

REMARKS	<ul style="list-style-type: none"> <li>● DURALUMIN MACHINED with CARBON SHEET COATING</li> <li>● For DRESS-UP as well as RACE USE, for its toughness and capacity</li> <li>● TAPPET / FILLER CAP : SILVER ALUMITE FINISH</li> <li>● OIL NIPPLE : M8 X P1.25 / BLACK ALUMITE FINISH</li> <li>● TANK MEASUREMENT : 63 mm X 115 mm</li> <li>● TANK CAPACITY : 220cc</li> </ul>
APPLICATION	<ul style="list-style-type: none"> <li>■ For MONKEY / GORILLA MONKEY / GORILLA (Fno.Z50J-1000001 ~ /AB27-1000001 ~ 1899999)</li> <li>※ Not for STOCK / UP TYPE MUFFLER</li> <li>■ For APE50/100 APE50 (Fno.AC16-1000001 ~ 1599999)</li> <li>APE100-D (HC07/13)</li> <li>※ RIGHT SIDE COVER &amp; STOCK AIR CLEANER not useable</li> </ul>

MONKEY : CARBON OIL CATCH TANK (RED)




					
					
					
<b>MONKEY / GORILLA</b>					
TYPE	BLACK	TYPE	SILVER	TYPE	RED
CODE	616-1083200	CODE	616-1083210	CODE	616-1083220

					
					
					
<b>APE50 / 100</b>					
TYPE	BLACK	TYPE	SILVER	TYPE	RED
CODE	616-1122200	CODE	616-1122210	CODE	616-1122220

**New line-up for popular TL SEAT type 3 (TUCKROLL)**




**MONKEY (FI) • GORILLA  
TL SEAT type 3 (TUCKROLL)**

REMARKS	<ul style="list-style-type: none"> <li>● New TL SEAT for GORILLA and MONKEY (FI)! Looks nice with any style of MONKEY (FI) / GORILLA</li> </ul> 
APPLICATION	<ul style="list-style-type: none"> <li>■ For MONKEY (FI) <ul style="list-style-type: none"> <li>• MONKEY (FI) (Fno.AB27-1900001 ~)</li> <li>○ STOCK REAR CARRIER useable</li> </ul> </li> <li>■ For GORILLA <ul style="list-style-type: none"> <li>• GORILLA (Fno.Z50J-1300027 ~ /AB27-1000001 ~)</li> <li>※ STOCK REAR CARRIER NOT useable</li> </ul> </li> </ul>

GORILLA : RED PIPING



					
					
					
<b>MONKEY (FI)</b>					
TYPE	PIPING : BLACK	TYPE	PIPING : RED	TYPE	PIPING : YELLOW
CODE	610-1137400	CODE	610-1137410	CODE	610-1137420

					
					
					
<b>GORILLA</b>					
TYPE	PIPING : BLACK	TYPE	PIPING : RED	TYPE	PIPING : YELLOW
CODE	610-1017400	CODE	610-1017410	CODE	610-1017420



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE


**KITACO**




**KITACO NEW PRODUCTS!!**

2011  
Vol. 02

### RED METALLIC SHINING SHOCK ABSORBERS!!


#### LEAD110 / PCX125 / ADDRESS V125 REAR SHOCK ABSORBER

REMARKS	<ul style="list-style-type: none"><li>● RED METALLIC REAR SHOCK ABSORBER is newly released!!</li><li>● Kitaco original oil damper is adapted that is the best for commuters and sport riders.</li><li>● Body : BLACK</li><li>● Spring : RED METALLIC</li><li>● Preload : NON-STEP</li><li>● OIL CHARGED DAMPER</li><li>● TWO-SEATERS useable.</li></ul>	
APPLICATION	<b>LEAD110 (520-1425030)</b>	
	· LEAD110/-EX (JF19)	
	<b>PCX125 (520-1426030)</b> ○ SOLD IN PAIRS	
	· PCX125 (JF28)	
	<b>ADDRESS V125 (520-2416030)</b>	
	· ADDRESS V125S (CF4MA)	
	· ADDRESS V125/-G (CF46A · CF4EA)	

		<b>LEAD110</b>	
TYPE		W330 (E-E 330mm)	
CODE		520-1425030	
		<b>PCX125</b>	
TYPE		(E-E 310 mm)	
CODE		520-1426030	
		<b>ADDRESS V125</b>	
TYPE		W315 (E-E 315 mm)	
CODE		520-2416030	

### FLUFFY LUXURY MAT!!

#### PCX125 FUR MAT


REMARKS	<ul style="list-style-type: none"><li>● 15mm-length fluffy mat for PCX125!</li><li>● STAINLESS TAPPING SCREWS included</li><li>※ Drilling modification is required to install.</li><li>● Material : FUR : POLYESTER BACK FABRIC : RUBBER</li><li>※ Do not recommend using mat in rainy day. If it gets wet, dry it immediately with towels.</li></ul>	
APPLICATION	• PCX125 (JF28)	

			
TYPE	LIGHT GRAY	TYPE	BLACK
CODE	537-1426000	CODE	537-1426010

### A Must for maintenance & overhaul of mufflers!

#### FAZE / SKYWAVE (K7) / SKYWAVE (K8/9) MUFFLER JOINT GASKET


REMARKS	<ul style="list-style-type: none"> <li>● Prevents exhaust gas leakage between exhaust pipe and silencer for mufflers best performance.</li> <li>※ Exchange to new ones every time you maintenance or overhaul your muffler, because MUFFLER JOINT GASKET is an expendable item.</li> <li>● Sold each</li> </ul>		
	TYPE	GENUINE NUMBER	MEASUREMENT (O.D. x I.D. x L) mm
	JPH-9	18391-MB0-891 (HONDA)	34.6 x 28.7 x 25.3
	JPS-5	14771-06H00 (SUZUKI)	39.0 x 31.6 x 25.0
	JPS-6	14771-06H10 (SUZUKI)	38.8 x 21.6 x 30.2
※ For application details, take a look at page 548 ~ 549 K-BOOK 2010-2011.			

		TYPE	JPH-9
		CODE	973-1000009
		TYPE	JPS-5
		CODE	973-2000005
		TYPE	JPS-6
		CODE	973-2000006

### A Must for changing mufflers!

#### FORZA / FUSION EXHAUST MUFFLER GASKET

REMARKS	<ul style="list-style-type: none"> <li>● Prevents exhaust gas leakage between cylinder and exhaust pipe for muffler's best performance.</li> <li>※ Exchange to new ones every time you mount / unmount your muffler, because EXHAUST MUFFLER GASKET is an expendable item.</li> <li>● Sold in pairs</li> </ul>	
	TYPE	APPLICATION
	XH-19	FORZA, FUSION.etc
※ For application details, take a look at page 542 ~ 544 K-BOOK 2010-2011.		

		TYPE	XH-19
		CODE	963-1000019



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

2011  
Vol. 01


Get more attention!

## UNIVERSAL HAND-SHAPE MIRROR



REMARKS

- CUTE HAND-SHAPE MIRROR released!!
- 4 DIFFERENT COLOR AVAILABLE
- SOLD SEPARATELY (RIGHT or LEFT)
- MOUNTING BOLT : 8 mm (right handed)
- MIRROR SIZE : 69mm



TYPE	CHROME/RIGHT	TYPE	PINK/RIGHT
CODE	675-0900000	CODE	675-0900200
TYPE	CHROME/LEFT	TYPE	PINK/LEFT
CODE	675-0900010	CODE	675-0900210
TYPE	BLACK/RIGHT	TYPE	WHITE/RIGHT
CODE	675-0900100	CODE	675-0900300
TYPE	BLACK/LEFT	TYPE	WHITE/LEFT
CODE	675-0900110	CODE	675-0900310

Make efficient use of the room under seat!!

## UNIVERSAL SEAT POCKET



REMARKS

- INNER POCKET just to put under your seat!
- DRESS-UP as well as CONVENIENT to store document and small accessories.
- 10 of STAINLESS TAPPING SCREWS included
- ※ FULL FACE type helmets can not be stored after INNER POCKET installed.



	TYPE	BLACK / RED PIPING		TYPE	GRAY / BLACK PIPING
	CODE	606-0000010		CODE	606-0000050
	TYPE	RED / BLACK PIPING		TYPE	ORANGE / BLACK PIPING
	CODE	606-0000020		CODE	606-0000060
	TYPE	BROWN / BLACK PIPING		TYPE	NAVY / BLUE PIPING
	CODE	606-0000030		CODE	606-0000070
	TYPE	IVORY / GRAY PIPING		TYPE	GREEN / GREEN PIPING
	CODE	606-0000040		CODE	606-0000080

RIM LINE & IN-LINE LETTER = DRESS UP INFINITELY

## UNIVERSAL RIM LINE TAPE





REMARKS

- Transfer type
- For 10 / 8 inch wheel rim
- Rim line : O.D. 263 mm (4 pcs)
- Rim line width : 3 mm
- IN-LINE CHARACTER SIZE : 10 mm
- Weather-resistant

※ For special-coated cowling and wheel, it requires to remove fat with part cleaner, make base treatment with primer and silicone off and so on before installing.



	TYPE	RED		TYPE	WHITE
CODE	000-0900200	CODE	000-0900210		