

**GSR250, GSR400, SKYWAVE400, etc.**

**Required parts when replacing the muffler !**



Prevents for leaking of exhaust gas from between muffler and cylinder head.

**EXHAUST GASKET (XS-18)**

CODE	963-2000018
● 2pcs / 1 set	
Application	
GSR250 (GJ55D All model) Genuine parts number : 14181-46E20) GSR400 ('06 ~ Genuine parts number : 14181-46E00) * 1 SKYWAVE400 (CK44A / 45A All model : 14181-46E10) * 1 GSX-R600 ('97 ~ '12 Genuine parts number : 14181-46E00) * 1 GSX-R750 ('96 ~ '12 Genuine parts number : 14181-46E00) * 1 GSX-R1000 ('01 ~ '06 Genuine parts number : 14181-46E00) * 1 GSX-R1100W ('93 ~ '98 Genuine parts number : 14181-46E00) * 1 GSX1400 ('01 ~ Genuine parts number : 14181-46E00) * 1	

\* Muffler gasket is consumable. It must be exchanged when replacing the muffler.  
\*1 Application will be changed from XS-5 by release of XS-18.

**NC700S/X, INTEGRA**



**Required parts when replacing the muffler !**

**New release for NC700 Series!!**

Prevents for leaking of exhaust gas from between muffler and cylinder head.

**EXHAUST GASKET (XH-21)**

CODE	963-1000021
● 1 pcs ● Genuine parts number: 18291-MGS-D31	
Application	NC700S (RC61 All model), NC700X (RC63 All model) INTEGRA (NC700D) (RC62 All model)


\* Muffler gasket is consumable. It must be exchanged when replacing the muffler.

**MIRROR**

**Adapter for M8 reversed screw released!**



Necessary item such as height adjustment spacer.



**MIRROR ADAPTER (M8 reversed screw)**

CODE	505-1000083
● Steel/Black ● For M8 reverse screw ● 1 pcs	

**Specification Change**

**MONKEY, SUPER CUB, CRF50F, etc.**



**SPL TENSIONER ARM SET** (listed in KITACO catalog 2012-2013 P.62) 303-1083710 (PRICE 7500YEN) will be changed the parts number and price by specification change.

**Before** : WPC(base)+TUFRAM finish

**After** : TUFRAM finish

**SPL TENSIONER ARM SET**

CODE	303-1083810
● ARM : Super duralumin ● <b>TUFRAM finish</b> ● weight : 26.6g (N: 36.6g) ● Roller shaft : Steel ● Tensioner cap : Carbon containing duracon ● Genuine parts number / ARM : 14500-035-020 CAP : 14566-086-030	
Application	Monkey, CUB

**Price change**



**RUBBER SHEET** (listed in K-CON catalog 2012 P.42) 0900-094-90010 (PRICE 280YEN) will be changed the parts number and price after sold out.

**RUBBER SHEET**

CODE	0900-094-90011
● EPDM (Ethylene-Propylene diene Rubber) ● SIZE: 120X150X1mm	

## K • PIT CHOKE CABLE



TYPE		CODE
250SS		70-905-90001
Genuine parts number	54017-044	
Application	250SS (S1), 350SS (S2)	
● Genuine replacement parts number ● It is adapted to the above genuine parts		



TYPE		CODE
KH250 / 400		70-905-90002
Genuine parts number	54017-059	
Application	250SS MACH I (S1-B), 400SS (S3), KH250 / 400	
● Genuine replacement parts number    ● It is adapted to the above genuine parts number		



TYPE		CODE
750SS		70-905-90003
Genuine parts number	54017-042	
Application	750SS MACH IV (H2 / H2A)	
● Genuine replacement parts number    ● It is adapted to the above genuine parts number		

## K • PIT REAR BRAKE CABLE



TYPE		CODE
KH250 / 400		70-906-00001
Genuine parts number	54022-026	
Application	KH250 (B2 ~ B7), KH400 (A3 ~ A7), 400SS (S3)	
● Genuine replacement parts ● It is adapted to the above genuine parts number		

Please note : Please check the "genuine parts number" before purchase.



**K • PIT CLUTCH CABLE**



TYPE	CODE
CB400F-1	70-909-00001
Genuine parts number	22870-377-000
Application	Dream CB400F - I / II
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K	70-909-00002
Genuine parts number	22870-410-000
Application	Dream CB750 FOUR (K0 ~ K6)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
Z1 / Z2	70-909-00003
Genuine parts number	54011-048
Application	900 (Z1 / Z1A / Z1B / A4), 750RS (Z2)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
KH250 / 400	70-909-00005
Genuine parts number	54011-053
Application	KH250 (B1 ~ B7), KH400 (A3 ~ A7), 250SS (S1), 350SS (S2-A), 400SS (S3)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
500SS	70-909-00006
Genuine parts number	54011-030
Application	500SS MACH III (H1 / H1E / A8)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
750SS	70-909-00007
Genuine parts number	54011-039
Application	750SS MACH IV (H2 / H2A)
● Genuine replacement parts ● It is adapted to the above genuine parts number	

Please note : Please check the "genuine parts number" before purchase.

**K • PIT TACHOMETER CABLE**



TYPE	CODE
CB400F	70-907-00001
Genuine parts number	37260-333-000
Application	Dream CB400F - I / II
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K	70-907-00002
Genuine parts number	37260-449-840
Application	Dream CB750 FOUR (K0 ~ K6)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
Z1 / Z2	70-907-00003
Genuine parts number	54018-015
Application	900 (Z1 / Z1A / Z1B / A4), 750RS (Z2)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
KH250 / 400	70-907-00004
Genuine parts number	54018-016
Application	KH250 (B2 ~ B7), KH400 (A3 ~ A7), 350SS (S2-A), 400SS (S3)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
500SS	70-907-00005
Genuine parts number	54018-007
Application	500SS MACH III (H1 / H1E / A8)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
750SS	70-907-00006
Genuine parts number	54018-011
Application	750SS MACH IV (H2 / H2A)
● Genuine replacement parts ● It is adapted to the above genuine parts number	

Please note : Please check the "genuine parts number" before purchase.

**K • PIT SPEEDOMETER CABLE**



TYPE	CODE
CB400F-1/2	70-908-00001
Genuine parts number	44830-425-870
Application	Dream CB400F - I / II
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K	70-908-00002
Genuine parts number	44830-426-830
Application	Dream CB750 FOUR (K0 ~ K6)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
250SS	70-908-00003
Genuine parts number	54001-035
Application	250SS (S1), 250SS MACH I (S1-B), 350SS (S2), KH250 (B1)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
KH250 / 400	70-908-00004
Genuine parts number	54001-041
Application	KH250 (B2 ~ B7), KH400 (A3 ~ A7), 350SS (S2-A), 400SS (S3)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
500SS	70-908-00005
Genuine parts number	54001-043
Application	500SS MACH III (H1 / H1E / A8)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
750SS	70-908-00006
Genuine parts number	54001-036
Application	750SS MACH IV (H2 / H2A)
● Genuine replacement parts ● It is adapted to the above genuine parts number	

Please note : Please check the "genuine parts number" before purchase.

**K • PIT THROTTLE CABLE**



TYPE		CODE
Z1 / Z2 (B) (Return side)		70-905-00009
Genuine parts number	54012-087	
Application	900 (Z1 / Z1A / Z1B / A4), 750RS (Z2)	
● Genuine replacement parts ● It is adapted to the above genuine parts number		



TYPE		CODE
250SS		70-905-00010
Genuine parts number	54012-074	
Application	250SS (S1), 350SS (S2)	
● Genuine replacement parts number    ● It is adapted to the above genuine parts number		



TYPE		CODE
KH250 / 400		70-905-00011
Genuine parts number	54012-097	
Application	KH250 (B1 ~ B7), KH400 (A3 ~ A7), 400SS (S3)	
● Genuine replacement parts number    ● It is adapted to the above genuine parts number		



TYPE		CODE
500SS		70-905-00012
Genuine parts number	54012-054	
Application	500SS MACH III (H1 / H1E / A8)	
● Genuine replacement parts number      ● It is adapted to the above genuine parts number		



TYPE		CODE
750SS		70-905-00013
Genuine parts number	54012-100	
Application	750SS MACH IV (H2 / H2A)	
● Genuine replacement parts number    ● It is adapted to the above genuine parts number		

Please note : Please check the "genuine parts number" before purchase.

**K • PIT THROTTLE CABLE**



TYPE	CODE
CB400F-2 (A) (Pulling side)	70-905-00003
Genuine parts number	17910-333-405
Application	Dream CB400F - II (UP HANDLE)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB400F-2 (B) (Return side)	70-905-00004
Genuine parts number	17920-377-710
Application	Dream CB400F - II (UP HANDLE)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K0	70-905-00005
Genuine parts number	17910-300-030
Application	Dream CB750 FOUR (K0 FNo.1017342 ~ 1042999)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K (A) (Pulling side)	70-905-00006
Genuine parts number	17910-341-000
Application	Dream CB750 FOUR (K0 FNo.1043000 ~ / K1 ~ K6)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
CB750K (B) (Return side)	70-905-00007
Genuine parts number	17920-341-000
Application	Dream CB750 FOUR (K0 FNo.1043000 ~ / K1 ~ K6)
● Genuine replacement parts ● It is adapted to the above genuine parts number	



TYPE	CODE
Z1 / Z2 (A) (Pulling side)	70-905-00008
Genuine parts number	54012-081
Application	900 (Z1 / Z1A / Z1B / A4), 750RS (Z2)
● Genuine replacement parts ● It is adapted to the above genuine parts number	

Please note : Please check the "genuine parts number" before purchase.



"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

**2012 Vol.35-1**

**K P 社**

kitaco replacement parts

FOR MOTORCYCLES

**交換  
部品**

Replacement parts For MOTORCYCLES

Start the new brand following "K・CON" and "K・CON Pro"!  
Specialized for replacement parts of vehicles

**The start of "K・PIT" series!!**

**AS THE FIRST STAGE!! CABLE SERIES FOR OLD MODELS!**

Cable for THROTTLE / CLUTCH / CHOKE / SPEEDOMETER / TACHO METER  
/ REAR BRAKE Total 35 kinds of cables will be released at a time!

**Teflon coating processing / Stainless steel wire**

#### K・PIT THROTTLE CABLE



TYPE		CODE
CB400F-1 (A) (Pulling side)		70-905-00001
Genuine parts number	17910-377-000	
Application	Dream CB400F - I	
● Genuine replacement parts ● It is adapted to the above genuine parts number		



TYPE		CODE
CB400F-1 (B) (Return side)		70-905-00002
Genuine parts number	17920-377-000	
Application	Dream CB400F - I	
● Genuine replacement parts ● It is adapted to the above genuine parts number		

Please note : Please check the "genuine parts number" before purchase.



## GSR250 CUSTOMIZE ITEMS RELEASED!

### Special topic of GSR250

#### STANDARD ITEM "CARBON" FOR DRESS UP!



Makeover the front face with carbon visor.

#### CARBON METER VISOR

CODE	670-2800700
● Twilled carbon ● Fit with double-sided tape	
APPLICATION	GSR250 (GJ55D All model)



#### DRESS UP IN LUXURY !



Highlighted dress up by plating garnish!

#### FRONT WINKER GARNISH

CODE	658-2800700
● Made from chrome-plated ABS ● 2pcs/set ● Fit with double-sided tape ● For front winker	
APPLICATION	GSR250 (GJ55D All model)

#### STABILIZER WITH TRUSS STRUCTURE!



Machined stabilizer has not only dress up effect but also keep the stiffness & save the weight!!

#### FRONT FORK STABILIZER

CODE	580-2800200
● Machined aluminum / silver ● For kitaco front fender / stock fender	
APPLICATION	GSR250 (GJ55D All model)



#### SPECIALLY DESIGNED FOR GSR250. SLIM SHORT FENDER!



Suitable with stock and Kitaco front stabilizer (ref. above)

#### FRONT FENDER

CODE	680-2800010
● FRP with black gel coat finish ● Short type ● For front	
APPLICATION	GSR250 (GJ55D All model)



**Recommended Item!**  
**FRONT FORK  
STABILIZER**  
580-2800200


**Special topic of GSR250**

**DRESS UP AND PROTECTION  
FOR FUEL TANK!**



Standard dress up item to protect for the tank from scratches.

**VERSATILE UNIVERSAL STAY!**



Mount plate is common for right and left side. Fixable with either side of mirror.

**UTILITY ITEM!**



Fix with tandem step! 2types of color available from black or plating!

**COMFORTABLE FOR  
TANDEM RIDING!**



Support the tandem riding tightly! Seat position is adjustable for back and front.

**CARBON TANK PAD**

CODE	692-2800000
● Twilled carbon ● Fit with double-sided tape	
APPLICATION	GSR250 (GJ55D All model)

**UNIVERSAL STAY**

COLOR	CODE
SILVER	563-2800100
BLACK	563-2800110
● Anodized aluminum ● Fix with M10 mirror	
APPLICATION	GSR250 (GJ55D All model)

Photo: Silver on left side/ Japanese ETC equipment



**HELMET HOLDER**

COLOR	CODE
BLACK	564-2800100
PLATING	564-2800110
● Stay: steel - black ● Key box : black / plating ● 2 keys Included ● Fix with tandem step	
APPLICATION	GSR250 (GJ55D All model)




**TANDEM BACK REST & BAR**

PAD SIZE	CODE
300	652-2800100
150	652-2800150
● BAR : $\phi$ 25.4 stainless with black powder coating finish ● PAD : Dimple mesh type	
APPLICATION	GSR250 (GJ55D All model)



**MONKEY/GORILLA, etc.**

**LIGHT WEIGHT, HOLLOW AXLE SHAFT  
ADDITIONAL RELEASED for MONKEY SIZE too!!**



Lightweight axle shaft has hollow hole with  $\phi 6$  to reduce the weight of under the spring.



Reduce the weight of under the spring by axle shaft with  $\phi 6$  hollow hole!

Hollow axle shaft size (mm)

Total length F : 198 / R : 219 / W : 254



Under the neck F:189 / R:210 / W:245

**HOLLOW AXLE SHAFT**

SIZE (mm)	CODE
F : 198	498-1123000
R : 219	498-1123100
W : 254	498-1123200

- 12  $\phi$  steel (black)
- Shaft weight : F (180g  $\rightarrow$  Weight saving for about 134g) (Monkey)
- R (198g  $\rightarrow$  Weight saving for about 148g) (Monkey)
- W (240g  $\rightarrow$  Weight saving for about 172g) (Monkey)
- Sale for 1pc (FLANGE LOCK NUT Included)

**Application**

F : 198mm / FRONT SIDE OF FOLLOWING MODEL \* Genuine parts number : 44301-GN5-900

R : 219mm / REAR SIDE OF FOLLOWING MODEL \* Genuine parts number : 42301-GW8-670

MONKEY · GORILLA Fno.Z50J-1000001 ~ Fno.AB27-1000001 ~ 1899999


MONKEY (FI) Fno.AB27-1900001 ~

W : 254mm / For KITACO  $\phi 30$  front fork kit typeX · 3piece type \* (199mm wide pitch) \*  $\phi 30$  front fork kit (3piece type) was discontinued (in 2011)

For KITACO  $\phi 27/30$  front fork kit 173mm pitch, please use the type of APE/NSF 100 front (498-1418000)

**ADDRESS V125, PCX125/150**

**18.0 ~ 21.0g added!!  
Setting range will be wider!**



**WEIGHT ROLLER SET**

TYPE	CODE
18.0g	462-2206180
19.0g	462-2206190
20.0g	462-2206200
21.0g	462-2206210

- 6pc in 1set
- $\phi 20.0 \times 15.0$

**Application**

ADDRESS V125S (CF4MA All Model) (N:19.0g)

ADDRESS V125/-G (CF46A All Model) (N:16.8g)

ADDRESS V125/-G (CF4EA All Model) (N:19.0g)

PCX125 (JF28 All Model) (N:18.0g), PCX150 (KF12 All Model) (N:21.0g)

\* (N:00.0g) = weight for 1pc of stock weight roller.

\* Now on sale for 8 items of 10.0 ~ 17.0g (6pc in 1set)

**CBR250R**

**RELEASED AS THE SET OF NECESSARY  
PARTS FOR LOW DOWN!!**




SIDE STAND 676-1818300

LOW DOWN LINK KIT 528-1818000

Supply either items needed for Low down in a set.



(MAN 168cm)



STOCK SEAT HEIGHT


20mm lower than stock!

LOW DOWN LINK KIT SEAT HEIGHT

We recommend to exchange also SIDE STAND to prevent overturning when using LOW DOWN LINK KIT.

**LOW DOWN PACK**

CODE	190-1818000
<ul style="list-style-type: none"> <li>● Side stand / Low down link kit : steel / black</li> <li>● Low down link kit : bearing &amp; oil seal installed</li> <li>● For about 20mm lower than stock height . Stock riding position will be improved!</li> </ul>	
Application	CBR250R (MC41 All model)



LOW DOWN LINK KIT+STOCK SIDE STAND

LOW DOWN PACK


**Special topic of BW'S 50!**

**Adjustable for length of the brace!!**



**HANDLE BRACE**

CODE	619-0090900
● MACHINED ALUMINUM / SILVER ANODIZED FINISH	
● HANDLE BRACE : Adjustable for length	
Application	UNIVERSAL (for $\phi$ 22 bar handle)



**Convenience helmet holder!!**



**HELMET HOLDER**


COLOR	CODE
BLACK	564-0090100
PLATING	564-0090110
● HELMET HOLDER (BLACK / PLATING) ● HOLDER : MACHINED ALUMINUM / SILVER / BLACK ANODIZED FINISH	
● 2 keys included	
Application	UNIVERSAL (for $\phi$ 22 bar handle)

**SMART UTILITY ITEM!!**



**ASSIST GRIP**

COLOR	CODE
BLACK	539-0090900
SILVER	539-0090910
● $\phi$ 14 STEEL / PAINTED FINISH ● SOLD IN PAIRS	
Application	BW'S50 (1VC All model)



★ **RECOMMENDED OPTION ITEMS** ★ by K・CON

**Cap bolt cover**

CHROME / BLACK (ABS) 4PCS  
SILVER / BLACK (ALUMINUM) 4PCS

**STANDARD ITEM FOR DRESS-UP!!**



**ALUMINUM STEP BOARD**

COLOR	CODE
SILVER	538-0090000
BLACK	538-0090010
● ALUMINUM / ANODIZED FINISH ● TAPPING SCREWS included.	
Application	BW'S50 (1VC All model)

※ Hole making mods. required

**Dress-up in Luxury!!**



**TAIL LAMP GARNISH**

CODE	658-0090000
● ABS resin / Chrome-plated finish ● Fit with double-sided tape	
Application	BW'S50 (1VC All model)



# BW'S 50 CUSTOMIZE ITEMS RELEASED!

Special topic of BW'S 50!

## DRESS-UP with Plating garnish!



Easy to fit by double sided tape.



### HEADLIGHT VISOR

CODE	800-0090900
<ul style="list-style-type: none"> <li>● ABS resin / Chrome-plated finish</li> <li>● Fit with double-sided tape &amp; tapping screws</li> </ul>	
Application	BW'S50 (1VC All model)
※ Hole making mods. required	

## DRESS-UP with smoke lens!!



Simple dress-up parts to replace the stock lens.



### SMOKE WINKER LENS SET

CODE	807-0090000
<ul style="list-style-type: none"> <li>● ACRYLIC / SMOKE</li> <li>● STOCK LENS EXCHANGE TYPE</li> <li>● FRONT / REAR in common</li> <li>● SOLD IN PAIRS</li> </ul>	
※ Reuses the stock winker bulb.	
Application	BW'S50 (1VC All model)



## Not only protects your fists but also has efficacy of DRESS-UP!!



Protects your fists from cold wind and incoming obstacles.



### KNUCKLE COVER

COLOR	CODE
WHITE	562-0090100
BLUE	562-0090130
<ul style="list-style-type: none"> <li>● POLYPROPYLENE</li> <li>● SOLD IN PAIRS</li> <li>● STAY : STEEL / BLACK</li> <li>● Exclusive use for reverse-threaded vehicles of YAMAHA only (Fitting size : M8)</li> <li>● MIRROR ADAPTER M8 (reverse-threaded) included</li> <li>※ It's used for height adjustment.</li> </ul>	
Application	BW'S50 (1VC All model)

## HIGHLIGHTED DRESS-UP ITEM!!



Aluminum machined upper holder released!



### HANDLE UPPER HOLDER

CODE	561-0090500
<ul style="list-style-type: none"> <li>● MACHINED ALUMINUM / SILVER ANODIZED FINISH</li> <li>● STOCK EXCHANGE TYPE</li> </ul>	
Application	BW'S50 (1VC All model), BW'S125 (5S9 All model)

★ RECOMMENDED OPTION ITEMS ★ by K・CON / Cap bolt cover

<p>Silver (ALUMINUM) 4PCS</p>	<p>Chrome-plate (ABS) 4PCS</p>
(There are 6 other colors)	(There are 2 other colors)

**MONKEY/GORILLA**

**"SUPPORT SET" of 88cc NEW STD BIG BORE KIT released for 6V / L-crank model of MONKEY!**



It will be possible to fit NEW STD BIG BORE KIT on 6V / L-crank model of Monkey.

**SUPPORT SET (For 88cc)**

CODE	219-1133000
● SET contents : LIGHT-WEIGHT CAM SPROCKET (weight : about 42.5g (stock 47.0g)) VALVE ROCKER ARM (Specially designed for SUPPORT SET)	
Application	MONKEY (6V) FNo.Z50J-1600008 ~ 1805927
* Required separately NEW STD 88cc BIG BORE KIT (with camshaft) 214-1133102 38,000 yen. NEW STD 88cc BIG BORE KIT (with camshaft / Chrome cylinder) 215-1133102 42,000 yen. is required. * Please use super oil pump SET together (331-1013300 5,000yen)	

**MONKEY/GORILLA**

**"SUPPORT SET" of 108cc NEW STD BIG BORE KIT released for 6V / L-crank model of MONKEY!**



It will be possible to fit NEW STD BIG BORE KIT on 6V / L-crank model of Monkey.

**SUPPORT SET (For 108cc)**

CODE	219-1133100
● SET contents: LIGHT-WEIGHT CAM SPROCKET (weight : about 42.5g (stock 47.0g)) 51mm LONG STROKE CRANKSHAFT VALVE ROCKER ARM SET, GASKET SET	
Application	MONKEY (6V) FNo.Z50J-1600008 ~ 1805927
* Required separately NEW STD 88cc BIG BORE KIT (with camshaft) 214-1133102 38,000 yen. NEW STD 88cc BIG BORE KIT (with camshaft / Chrome cylinder) 215-1133102 42,000 yen. * Use 88cc piston. * Please use ultra oil pump SET together (331-1013500 6,800yen)	

**MONKEY/GORILLA, etc.**

**LIGHT-WEIGHT CAM SPROCKET released!**



Reduced the weight about 10% from stock one by drilled hole.

**LIGHT-WEIGHT CAM SPROCKET**

CODE	303-1133900
● 28T ● weight : about 42.5g (stock 47.0g) Suitable to stock cylinder head of Monkey/Gorilla and Kitaco NEW STD head * , Lightweight cam sprocket for 2-hole mounting type. 10% weight saving from stock one by drilled hole. Reducing the power loss by friction.	
Application	● MONKEY / CUB, etc. (For 2-hole mount type of cam sprocket)
* Can not be installed to the DOHC cylinder head.	

**MONKEY/GORILLA, etc.**

**BEST FOR REPAIR!**



Repair for stock cylinder head of Monkey/Gorilla 12V model and Kitaco NEW STD cylinder head.

\* Not only for repair parts of stock, but also necessary parts for NEW STD BIG BORE KIT.

**VALVE ROCKER ARM SET**

CODE	303-1133770
● 2pcs / set	
Application	
● FOR KITACO NEW STD cylinder head & stock cylinder head as following. <b>MONKEY/GORILLA</b> FNo.Z50J-2000001 ~ /FNo.AB27-1000001 ~ 1899999 <b>MONKET BAJA</b> (All model) <b>SUPER CUB 50/PRESS CUB</b> FNo.C50-9000001 ~ 9501323 FNo.C50-9600001 ~ 0095210/FNo.C50-0200001 ~ FNo.AA01-1000001 ~ 1699999 <b>LITTLE CUB</b> FNo.C50-4300001 ~ /FNo.AA01-1000001 ~ 3999999 <b>DAX (12V)</b> (AB26 All model), <b>JAZZ</b> (All model), <b>MAGNA 50</b> (AC13 All model), <b>CHALY 50</b> FNo.CF50-3400001 ~ <b>CD50/BENLY 50S/BENLY CL50</b> FNo.CD50-1500001 ~ <b>GIORCUB</b> (AF53 All model), <b>SOLO</b> (AC17 All model), <b>XR50R / CRF50F</b> (AE03 All model)	
* Can not be installed to the KITACO STD / ULTRA / ULTRA-SE cylinder head.	

**SECURITY**

# Kitaco Security Lock "Loop-d2" released !!!



## Loop Super Disk Lock LSD-45 & LSD-55



- KITACO has own system of disk rock which patented.
- Anti-slip shaft made from special alloy steel.
- Key cylinder is Manufactured by ABLOY.

■LSD-45	■LSD-55
Width of usable disk rotor : About 45mm	Width of usable disk rotor : About 55mm
Thickness of usable disk rotor : About 8mm	Thickness of usable disk rotor : About 8mm
Pin diameter : About φ12	Pin diameter : About φ12
Diameter of anti-slip shaft : About φ25	Diameter of anti-slip shaft : About φ25
Length of anti-slip shaft : About 110mm	Length of anti-slip shaft : About 110mm
Body width : About 90mm	Body width : About 100mm
Body length : About 180mm	Body length : About 180mm
Body Thickness : About 25mm	Body Thickness : About 25mm
Total weight : About 1,500g	Total weight : About 1,600g

※Combinable with Kitaco HDR-6 ※Combinable with Kitaco HDR-6/HDR-8

## LSD-TYPE & Heavy Chain LSDC-100 & LSDC-200



- Higher security performance!!
- Chain has a preservative treatment by the plating process.
- Chain cover is made from fake leather to protect the body of vehicle.

■LSDC-100	■LSDC-200
Chain wire diameter : φ10	Chain wire diameter : φ10
Length of the chain : 1,000mm	Length of the chain : 2,000mm
Breaking load of the chain : 160kN	Breaking load of the chain : 160kN

## LSD-TYPE & Heavy Chain LSDX-200



- Security performance is higher than LSDC series by using φ12.5 size of chain.
- Chain has a preservative treatment by the plating process.
- Chain cover is made from fake leather to protect the body of vehicle.

■LSDX-200
Chain wire diameter : φ12.5
Length of the chain : 2,000mm
Breaking load of the chain : 250kN

## Compact Disk Lock LCD-01



- KITACO has own system of disk rock which patented.
- Anti-slip shaft made from special alloy steel.
- Key cylinder is Manufactured by ABLOY.

■LCD-01
Thickness of usable disk rotor : About 8mm
Pin diameter : About φ14
Diameter of anti-slip shaft : About φ22
Length of anti-slip shaft : About 85mm
Body width : About 50mm
Body length : About 155mm
Body Thickness : About 25mm
Total weight : About 850g

## LCDS-01 & Heavy Chain LCDS-100 & LCDS-200



- Higher security performance!!
- Chain has a preservative treatment by the plating process.
- Chain cover is made from fake leather to protect the body of vehicle.

■LCDS-100	■LCDS-200
Chain wire diameter : φ10	Chain wire diameter : φ10
Length of the chain : 1,000mm	Length of the chain : 2,000mm
Breaking load of the chain : 160kN	Breaking load of the chain : 160kN

## Special Alloy Steel Flatbar Lock LFB-12 & LFB-16



- The body made from special alloy tool steel with hardening treatment.
- The KEY BOX is made from stainless steel.
- Has portability by foldable structure.
- Special plastic coating for surface treatment.
- Key cylinder is Manufactured by ABLOY.

■LFB-12	■LFB-16
Dimensions of the bar Width : About 25mm	Dimensions of the bar Width : About 25mm
Thickness : 12mm	Thickness : 16mm
Body weight : About 3.0kgs	Body weight : About 4.0kgs
Body length : About 950mm	Body length : About 850mm
Result of breaking test : Passed for oil pressure cutter 16t level	Result of breaking test : Passed for oil pressure cutter 25t level

## Loop-d2 DISK LOCK & HEAVY CHAIN SERIES

TYPE	CODE
LSD-45	880-8000100
LSD-55	880-8000200
LSDX-200	880-8001100
LSDC-100	880-8002100
LSDC-200	880-8002200

TYPE	CODE
LCD-01	880-8003100
LCDS-100	880-8004100
LCDS-200	880-8004200
LFB-12	880-8005100
LFB-16	880-8005200

**SBS BRAKE PAD (HONDA, BUELL)**

**The most attractive thing for SBS BRAKE PAD is CONTROLLABILITY/ HIGH DURABILITY!**

**2012 Vol.29**



SBS Brake pad has 3 layer construction for best and stable performance under hard circumstance.

**Brake lining materials**

Special technique "ULTRA SONIC UCT" work effectively by blending each material in a good balance.

**Fiber Ceramic**


- Fiber ceramic is put between steel back plate and lining materials to stabilize under high heat transfer.
- It shuts out humidity and prevents back plate from rusting.

**Steel back plate**

- made with 22t of pressure bonding and 3hours in 900°C heating.

**Matrix hook (700HS/889DS Only)**

- Special lining hook on a backplate which is better bonding system to prevents lining from taking off and brake from screeching.



**"ULTRASONIC UCT"** is special blend technology for materials. A patent technology of SBS Corporation which can blend the materials in a good balance by supersonic wave.

**HONDA**



**STREET EXLE 700SERIE**

**SINTER HS**

MATRIX HOOK

COST: ■ ■ ■ ■ ■

LIFE: ■ ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■ ■

Special pad for street and sports running.



**BUELL**



**STREET 658SERIE**

**CERAMIC HF**

COST: ■ ■ ■ ■ ■

LIFE: ■ ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■ ■

For street use with easy controllability and high durability.



**BREMBO**



**RACING DUAL SINTER 889SERIE**

**SINTER DS**

MATRIX HOOK

COST: ■ ■ ■ ■ ■

LIFE: ■ ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■ ■

Special pad improved all performance (repression for brake fade, resistance to abrasion, stability for performance) by the new material. It used in the current Superbike Championships, etc.



**HONDA**



**STREET EXLE 892SERIE**

**SINTER LS**

COST: ■ ■ ■ ■ ■

LIFE: ■ ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■ ■





CONTROLLABILITY: ■ ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■ ■

Special pad for street and sports running.



PAD No.	PAD SIZE (mm)	Application	CODE
700HS		<b>● FRONT PAD HONDA</b> SHADOW 400 CLASSIC (NC44-1000001 ~) ('09) SHADOW 400 CUSTOM (NC45-1000001 ~) ('09) VT400S (NC46-1000001 ~) ('10) TRANSALP 400 (ND06-1100001 ~) ('93 ~) NC700X (RC63-1000001 ~) ('12) * 1 NC700S (RC61-1000001 ~) ('12) * 1 SHADOW 750 (RC50-1000001 ~) ('04 ~ '07) SHADOW 750 (RC50-1400001 ~) ('08 ~ '12) SHADOW PHANTOM 750 (RC53) ('10 ~ '12) VT750S (RC58-1000001 ~) ('10 ~ '12) CBF1000 ('06 ~ '09) * 1 VT1300CX (SC61-1000001 ~) ('10 ~ '12) * 1 VT1300CR (SC66-1000001 ~) ('10 ~ '11) * 1 VT1300CS (SC67-1000001 ~) ('10 ~ '11) * 1 * 1, Not applicable for ABS model	777-0700020
658HF		<b>● FRONT PAD BUELL</b> ALL MODELS ('94 ~ '97) RS1200 ('93 ~)	777-0658000
889DS		<b>● FRONT PAD BREMBO</b> SBK Racing SX XB0.B1.30, P4 30/34 SBK Racing DX XB0.B1.31, P4 30/34 * For front only. Do not use for rear.	777-0889021
892LS		<b>● REAR PAD HONDA</b> VFR1200F DCT (SC63) ('10 ~ '12)	777-0892030


## K • CON

### Hose connector 2 TYPE, 6 ITEM released!



All connection has same outer diameter for T-TYPE and Y-TYPE. 6 items released for each hose inner diameter 6/8/10mm

We recommend to use the hose clips and crescent clamps for preventing leakage of water.



HOSE CONNECTOR (T-TYPE)			
	6mm	8mm	10mm
A	6	8	10
B	7.4	9.8	11.6
C	16	19	21
D	50	58	63
E	26	32	35

(mm)

HOSE CONNECTOR (Y-TYPE)			
	6mm	8mm	10mm
A	6	8	10
B	7.4	9.8	11.6
C	16	19	21
D	41	47.5	51
E	44	51	53

(mm)

### HOSE CONNECTOR (T-TYPE)

Hose inner diameter	CODE
6mm	0900-990-10006
8mm	0900-990-10008
10mm	0900-990-10010

- UNIVERSAL ● Made from POM (Polyacetal)
- Inner diameter of the hose  
6mm /  $\phi$  5.5 ~ 6.0 8mm /  $\phi$  7.5 ~ 8.0 10mm /  $\phi$  9.5 ~ 10.0
- Sell for 1pc

### HOSE CONNECTOR (Y-TYPE)

Hose inner diameter	CODE
6mm	0900-990-10106
8mm	0900-990-10108
10mm	0900-990-10110

- UNIVERSAL ● Made from POM (Polyacetal)
- Inner diameter of the hose  
6mm /  $\phi$  5.5 ~ 6.0 8mm /  $\phi$  7.5 ~ 8.0 10mm /  $\phi$  9.5 ~ 10.0
- Sell for 1pc

### Recommended for preventing the leakage!

#### CRESCENT CLAMP

- Made from steel with chromate finish ● 2pc in 1set



Corresponding range of the outer diameter of the hose.	CODE
$\phi$ 10.0 ~ 12.2	0900-995-08004
$\phi$ 11.6 ~ 13.8	0900-995-08005
$\phi$ 12.5 ~ 14.8	0900-995-08006
$\phi$ 13.1 ~ 15.5	0900-995-08007
$\phi$ 14.8 ~ 17.3	0900-995-08008





## K • CON

### For protection of the top of the bolts, preventing for any foreign matter from getting inside of oil tap!



NBR rubber has high oil resistance, abrasion resistance and aging resistance.

To prevent for foreign matter from getting inside in maintenance!



Please cut and use it for each bolts and oil tap.

### RUBBER CAP (NBR)

c : 25mm

a:Inner diameter b:Outer diameter	CODE
a:2.5 / b:5.1	0900-998-00001
a:3.2 / b:5.8	0900-998-00002
a:3.8 / b:6.8	0900-998-00003
a:4.4 / b:7.4	0900-998-00004
a:4.7 / b:7.7	0900-998-00005
a:5.5 / b:8.5	0900-998-00006
a:6.4 / b:9.4	0900-998-00007
a:7.1 / b:10.1	0900-998-00008
a:8.6 / b:11.6	0900-998-00010
a:9.5 / b:12.5	0900-998-00012

c : 38mm

a:Inner diameter b:Outer diameter	CODE
a:7.5 / b:10.5	0900-998-00009
a:9.0 / b:12.0	0900-998-00011

- UNIVERSAL ● Made from NBR (Nitrile rubber) ● 2pc in 1set
- Operating temperature limit : -10 ~ 110°C

\* Please do not use for the purpose of stopping the flow of oil and gasoline.

## ACCESSORIES

**2 device connectable to charge at a time with a double USB port.**



Usable for charge the battery of portable car navigation, smartphones and so on. Power source is battery. ※

When using 1 port : MAXIMUM 2000mA  
When using 2 port : 1000mA for each



※ ACC power (Power source which has power when turn ON the main key)

▲ Fit on HARLEY-DAVIDSON

**For handle**



Mounted on the handle. Suitable on  $\phi$  22.2/  $\phi$  25.4 bar handle

**For body**



Case of installed on the body. ※Hole making mods required( $\phi$ 28)

**Lighting up with LED!**




Lighting up the blue LED around USB socket.

## USB POWER SUPPLY (with handle clamp)

CODE	757-1000000
<ul style="list-style-type: none"> <li>● Interface : USB2.0/ 1.1x2 port ● Input / output voltage : DC12V/ DC5V : MAXIMUM 2000mA (When using 1 port)</li> <li>● USB stay : Suitable on <math>\phi</math> 22.2/ <math>\phi</math> 25.4 bar handle (Adjustment rubber for <math>\phi</math> 22.2 bar handle is included) ※ Stay can be removed</li> <li>● Harness length : 120cm ● Drip-proof type ● Internal LED (blue)</li> </ul>	

Application UNIVERSAL (for DC12V model) ※ not usable for battery-less cars

※ This product is exclusive use for 12V model, please do not use for other than 12V model.  
※ It is not complete waterproofing. Please don't wash it and use when rainy day. Please close the cap when it's not used.  
※ Dew condensation may occur due to temperature changes  
※ Please avoid the place which has severe temperature changes (Around the engine).  
※ Please check and remove water droplets on a regular basis to avoid the trouble.



## PCX125/150

**GRAB RAIL COVER with HOLE MAKING MODS!**



**Easy to mount KITACO TANDEM BACK REST and REAR CARRIER!**

Grab rail cover which has holds(4 point) to mount Kitaco tandem back rest and rear carrier.

## GRAB RAIL COVER ( WITH HOLES.)

COLOR	CODE
BLACK	654-1431600
WHITE	654-1430610

● ABS resin with genuine color ● Has 4 holes to mount the backrest & rear carrier of KITACO ● Reuse the snap fitting clip and the bolts.

Application PCX125 (JF28 All model), PCX150 (KF12 All model)

※ It's imported and modified parts, there might have small scratches as the case.  
※ The colors might have slightly difference with your car by individual differences and fading.


**Added 4 holes with  $\phi$  19.**



※ Sample

## CBR250R

**Safety parking with Low-down style!**



LOW DOWN LINK KIT + STOCK SIDE STAND

LOW DOWN LINK KIT + SHORT SIDE STAND

We recommend to exchange also side stand to prevent overturning when using Kitaco Low down link kit.

## SHORT SIDE STAND

CODE	676-1818300
<ul style="list-style-type: none"> <li>● For KITACO Lowdown KIT ※ The mounting is not possible to normal vehicle height</li> <li>● Steel / Black ● About 15mm short from stock</li> </ul>	
Application CBR250R (MC41 All model)	



**NOW ON-SALE!**



Optional item for short side stand  
**LOW DOWN LINK KIT**  
528-1818000

**PCX125/150**

**NEW STYLE! TANDEM BACK REST & BAR  
RELEASED WITH MINI PAD!**



SILVER : ELECTROPOLISHED

BLACK : POWDER COATING

Support the tandem riding tightly!



SEAT POSITION adjustable  
back and forth.

COMPARISON BETWEEN  
EXISTING PAD AND MINI PAD.

**TANDEM BACK REST & BAR (MINI PAD Ver.)**

COLOR	CODE
SILVER	652-1426050
BLACK	652-1426250

- BAR :  $\phi$  25.4 stainless
- PAD : Dimple mesh type
- PAD SIZE : see below


Application | PCX125 (JF28 All model), PCX250 (KF12 All model)

- \* Modification of making hole for grab rail cover is required
- \* Not useable with REAR CARRIE (539-1426000)



Support the tandem riding tightly  
even if MINI PAD!

■ MINI PAD SIZE ■



**BODY ACCESSORIES**

**Repair pad for KITACO  
TANDEM BACK REST & BAR!**



**NEW  
ITEMS**

PHOTO:150

PHOTO:300


Repair pad for KITACO TANDEM BACK REST & BAR.  
Surface of support part has dimple mesh.

**BACK REST FOR REPAIR**


PAD	CODE
150	652-0500020
300	652-0500010

- Repair pad for KITACO TANDEM BACK REST & BAR

- PAD material ■ ■ PAD size ■ \* Mini pad : see above



Dimple  
mesh type



**NSF100, APE50/100, XR50/100 MOTARD, etc.**

**Lightweight, Hollow axle shaft RELEASED!**




PHOTO: APE100

Reduce the weight of under the  
spring by axle shaft with  $\phi$  6 hollow  
hole!

Lightweight axle shaft has  
hollow hole with  $\phi$  6 to reduce  
the weight of under the spring.

WEIGHT COMPARISON WITH  
STOCK AXLE SHAFT.



weight saving


**HOLLOW AXLE SHAFT**

SIZE (mm)	CODE
F : 228	498-1418000
R : 266	498-1418100

- $\phi$  steel (black)
- Sale for 1 pc (FLANGE LOCK NUT included)
- shaft weight : 228mm (208g  $\Rightarrow$  Weight saving for about 154g)(APE50/100)  
266mm (238g  $\Rightarrow$  Weight saving for about 178g)(APE50)

APPLICATION

**F : 228mm / FRONT**  
APE50 (FNo.AC16-1000001 ~ 1599999)  
APE50 (FI)(FNo.AC16-1600001 ~), APE50-D (FI)(AC18 All model)  
APE100 (HC07 All model), APE100-D (HC13 All model)  
XR50 モーター (AD14 All model), XR100 モーター (HD13 All model)  
NS-1 (AC12 All model), NSR50 (AC10 All model), NSR80 (HC06 All model)  
NSF100, NSR-MINI  
For KITACO  $\phi$  27 /  $\phi$  30 FRONT FORK KIT (173MM)  
**R : 266mm / REAR**  
APE50 (FNo.AC16-1000001 ~ 1599999),  
APE50 (FI)(FNo.AC16-1600001 ~), NSR50 (AC10 All model),  
NSR80 (HC06 All model), NSF100, NSR-MINI



**PCX125/150 ('12 MODEL)**

**For New-type of PCX ('12model)  
GPR type M-1 released  
with NEW STYLE!!**



Up style silencer make the best suited power  
for each displacement !



φ110 silencer with black  
anodized color!


**GPR DOWN MUFFLER type M-1**

	CODE
125	548-1430310
150	548-1431310

- Sound : 83dB (PCX125) 84dB (PCX150)
- Acceleration sound : 75dB (PCX125) 78dB (PCX150)
- Silencer : φ 110 Aluminum black anodized finished
- Exhaust pipe : Stainless ● with built in catalyser

Application	125 : PCX125 (FNo.JF28-1100001 ~) ※ 150 : PCX150 (KF12 All model)
-------------	--

※ EXHAUST MUFFLER GASKET (SOLD SEPARATELY) required (XH-06 963-1000006 ¥450)  
※ It is not usable for PCX 125 '10 ~ '11 model (No.JF28-1000001 ~ 1099999)



**PCX125/150**

**STANDARD ITEM  
FOR DRESS-UP!!**



A simple dress-up parts to replace the stock  
lens.



PHOTO:STOCK WINKER LENS



PHOTO:SMOKE WINKER LENS

NOW ON SALE! CHROME REAR WINKER COVER (336-1426010 5800 YEN)  
You can get the further dress up style.

**REAR SMOKE WINKER LENS**

CODE	807-1426110
------	-------------

- Sold in pairs ● For rear side

Application	PCX125 (JF28 All model), PCX150 (KF12 All model)
-------------	--

※ Reuses the stock winker bulb.

**DAX50/70 (6V), CHALY50/70 (6V), etc.**

**clear winker lens  
for Dax & Chaly released!!**



A simple dress-up parts to  
replace the stock lens.

PHOTO:CHALY50

**CLEAR WINKER LENS**

CODE	807-1015000
------	-------------


- Sold in pairs ● Useable for front & rear side
- 6V8W AMBER bulbs included

Application	SHALY 50-I/-II/K1/K2/Z-II/Z-III (FNo.CF50-1000002 ~ 2999999) SHALY 70/K1/K2/Z-II/Z-III (FNo.CF70-2000003 ~ 2999999) DAX50 (ST50 All model), DAX70 (ST70 All model) CD50 (FNo.CD50-1300001 ~ 1330600 / 1500001 ~ 1505754 / 1600001 ~ 1610444)
-------------	---




**SBS BRAKE PAD (GILERA, PIAGGIO-VESPA, MV AGUSTA)**

**The most attractive thing for SBS BRAKE PAD is CONTROLLABILITY/ HIGH DURABILITY !**



**sbs**  
THE POWER TO STOP YOU



**SBS Brake pad has 3 layer construction for best and stable performance under hard circumstance.**

**Brake lining materials**  
Special technique "ULTRA SONIC UCT" work effectively by blending each material in a good balance.

**Fiber Ceramic**  
●Fiber ceramic is put between steel back plate and lining materials to stabilize under high heat transfer.  
●It shuts out humidity and prevents back plate from rusting.

**Steel back plate**  
●made with 22t of pressure bonding and 3hours in 900°C heating.

**Matrix hook (E166/E202 Only)**  
●Special lining hook on a backplate which is better bonding system to prevents lining from taking off and brake from screeching.

**"ULTRASONIC UCT"** is special blend technology for materials.  
A patent technology of SBS Corporation which can blend the materials in a good balance by supersonic wave.

**GILERA  
PIAGGIO-VESPA**



**STREET**

**E166SERISE**

**CERAMIC**

**HF/LF/E**

**For street use with easy controllability and high durability.**



COST: ■ ■ ■ ■

LIFE: ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■

**MATRIX HOOK**

**GILERA  
PIAGGIO-VESPA**



**STREET**

**E202SERISE**

**CERAMIC**

**HF/LF/E**

**For street use with easy controllability and high durability.**



COST: ■ ■ ■ ■

LIFE: ■ ■ ■ ■

DRY PERFORMANCE: ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■

**MATRIX HOOK**

**MV AGUSTA**



**STREET EXLE**

**763SERISE**

**SINTER**

**HS/LS**

**Special pad for street and sports running.**



COST: ■ ■ ■ ■

LIFE: ■ ■ ■ ■




DRY PERFORMANCE: ■ ■ ■ ■

WET PERFORMANCE: ■ ■ ■ ■

CONTROLLABILITY: ■ ■ ■ ■

ANTI-FADING: ■ ■ ■ ■

FRICTION COEFFICIENT: ■ ■ ■ ■

PAD No.	PAD SIZE (mm)	Application	CODE
E166		<b>● REAR PAD</b> <b>GILERA</b> VX 125 RUNNER 4T (Hengtong cal.) ('01 ~) ST 125 RUNNER ('08 ~) FXR 180 RUNNER/SP (Hengtong cal.) ('00 ~) VXR 180 RUNNER 4T (Grimeca cal.) ('01 ~) VXR 180 RUNNER 4T (Hengtong cal.) ('01 ~) VXR 200 RUNNER 4T (Grimeca cal.) ('01 ~) VXR 200 RUNNER 4T (Hengtong cal.) ('01 ~) ST 200 RUNNER ('08) <b>PIAGGIO-VESPA</b> GTX 250 SUPER HEXAGON ('01 ~) GTS 250 ABS ('06 ~) GTS300ie SUPER ('09 ~) GTS300ie SUPER SPORT ('11 ~)	777-0166000
E202		<b>● FRONT PAD</b> <b>GILERA</b> FUOCO 500ie ('08 ~) <b>PIAGGIO-VESPA</b> ZIP FAST RIDER 50 ('96 ~) ZIP SPORT PRODUCTION 50 ('96 ~) ET2 50 ('97 ~) , S50 4T ('09 ~) LIBERTY 125 ('99 ~) , 125PX ('02 ~) 125 MP3 ('06 ~) , S125 4T ('07 ~) ET4 150 ('02 ~) , LIBERTY200 ('06 ~) 200PX ('02 ~) <b>● REAR PAD</b> <b>GILERA</b> FX 125 RUNNER (Grimeca cal.) ('00 ~) FX 125 RUNNER (Hengtong cal.) ('00 ~) FX 125 RUNNER SP (Grimeca cal.) ('00 ~) FX 125 RUNNER SP (Hengtong cal.) ('00 ~) FXR 180 RUNNER (Grimeca cal.) ('00 ~) FXR 180 RUNNER SP (Grimeca cal.) ('00 ~)	777-0202000
763LS		<b>● REAR PAD</b> <b>MV AGUSTA</b> 675 F3 ('12 ~) , 910 BRUTALE ('06 ~) 910 BRUTALE R/S ('07 ~) 920 BRUTALE ('12 ~) , 990 BRUTALE R ('10) 1000 F4 MAMBA ('04 ~) 1000 F4 TAMBURINI ('04 ~) 1000 F4S ('04 ~) , 1000 F4R ('06 ~) 1000 F4 CC ('08) , 1000 F4 ('10) 1000 F4R ('12 ~) , 1000 F4RR ('11 ~) 1078 F4R312 ('07 ~ 08) 1078 F4RR ('08 ~ 09) 1078 F4RR312 ('08 ~ 09) 1090 BRUTALE R ('12 ~) 1078 BRUTALE RR ('09) 1090 BRUTALE RR ('10) 1090 BRUTALE RR ('12 ~)	777-0763030

**ACCESSORIES**

**UNIVERSAL PLATE TO PUT A STICKER!**

PHOTO : BLACK

APE100 (HC07)

RED

PINK

GOLD

PLATING

**UNIVERSAL STICKER PLATE**

COLOR	CODE
BLACK	699-0000000
RED	699-0000010
PINK	699-0000020
GOLD	699-0000030
PLATING	699-0000040
● Aluminum - Anodized/Plating finished ● Bolt ,Collar included	
Application	UNIVERSAL

**MONKEY/GOLLIRA, APE50/100, ZOOMER, etc.**

**STANDARD ITEM FOR DRESS-UP!**

A simple dress-up parts to replace the stock lens.

APE100 (HC07)

■ Comparison with Stock and Red smoke ■

➔

**RED SMOKE TAIL LENS SET**

CODE	809-1083100
● Stock lens exchange type ● Reflector included	
Application	
MONKEY · GORILLA (FNo.Z50J-2000001 ~) (FNo.AB27-1000001 ~ 1899999)	
MONKEY (FI) (FNo.AB27-1900001 ~)	
APE50/-D (FI) (FNo.AC16-1600001 ~ · AC18 All models)	
APE100/-D (FNo.HC07-1600001 ~ · HC13 All models)	
JOKER 50/90 (All models), ZOOMER (AF58 All models)	
SOLO (AC17 All models), DREAM50 (All models)	
Attention !	
※ It's not usable with 6V and other vehicle which has no battery and astable voltage (Low light volume).	
※ It's not usable for APE50 (Fno.AC16-1000001 ~ 1599999) , APE100 (Fno. HC07-1000001-15900000). (Battery-less model)	

**Dress up with smoke lens!**

SMOKE WINKER LENS SET
CODE 807-1083100

**SBS BRAKE PAD (KTM)**

**New pad released for KTM 125/200 DUKE!!**

SBS Brake pad has 3 layer construction for best and stable performance under hard circumstance.

**Brake lining materials**  
Special technique "ULTRA SONIC UCT" work effectively by blending each material in a good balance.

**Fiber Ceramic**  
●Fiber ceramic is put between steel back plate and lining materials to stabilize under high heat transfer.  
●It shuts out humidity and prevents back plate from rusting.

**Steel back plate**  
●made with 22t of pressure bonding and 3hours in 900C heating.

**Matrix hook (877HF Only)**  
●Special lining hook on a backplate which is better bonding system to prevents lining from taking off and brake from screeching.

"ULTRASONIC UCT" is special blend technology for materials.  
A patent technology of SBS Corporation which can blend the materials in a good balance by supersonic wave .

**STREET CERAMIC HF/LF/E**

**877SERISE**

For street use with easy controllability and high durability.

**STREET EXLE SINTER HS/LS**

**877SERISE**

Special pad for street and sports running.


**Now on sell!**

**New item!**

COST : ■■■■
LIFE : ■■■■
DRY PERFORMANCE : ■■■■
WET PERFORMANCE : ■■■■
CONTROLLABILITY : ■■■■
ANTI-FADING : ■■■■
FRICTION COEFFICIENT : ■■■■

COST : ■■■■
LIFE : ■■■■
DRY PERFORMANCE : ■■■■
WET PERFORMANCE : ■■■■
CONTROLLABILITY : ■■■■
ANTI-FADING : ■■■■
FRICTION COEFFICIENT : ■■■■

	PAD No.	CODE	PAD SIZE (mm)	Application
NOW ON SELL	877HF	777-0877000		● FRONT PAD <b>KTM</b> 125 DUKE ('11) 200 DUKE ('12)
	877HS	777-0877020		

## SECURITY

### ULTRA ROBOT ARM LOCK [HDR-3]


CODE	880-0816030
<ul style="list-style-type: none"> <li>● Total length : 950mm</li> <li>● Total weight : 4.4kg</li> <li>● Arm block size: 19mm</li> <li>● Material : Alloy steel</li> <li>● Quenching hardness : HRC 45 ~ 55</li> <li>● Key cylinder : "ABLOY SENTRY" Manufactured by ABLOY</li> </ul>	



**Protect your motorcycle from theft and mischief!**



● Arm structure (19×19×90mm)



● Dimension of key cylinder



● Comparison between HDR-3 and i Phone

**COMPACT & TOTABLE LOCK!  
HDR-3  
released!!**

**Existing 3 models on sale too!**



#### ULTRA ROBOT ARM LOCK [HDR-6]

CODE : 880-0816060

- Total length : 1800mm
- Total weight: 8.5kg
- Arm block size: 19mm
- Material : Alloy steel
- Quenching hardness : HRC 45 ~ 55
- Key cylinder : "ABLOY SENTRY" Manufactured by ABLOY



#### ULTRA ROBOT ARM LOCK [HDR-8]

CODE : 880-0816080

- Total length : 2000mm
- Total weight: 11.5kg
- Arm block size: 22mm
- Material : Alloy steel
- Quenching hardness : HRC 45 ~ 55
- Key cylinder : "ABLOY SENTRY" Manufactured by ABLOY



#### ULTRA ROBOT ARM LOCK [HDR-10]

CODE : 880-0816100

- Total length : 2100mm
- Total weight: 17.0kg
- Arm block size: 28mm
- Material : Alloy steel
- Quenching hardness : HRC 45 ~ 55
- Key cylinder : "ABLOY SENTRY" Manufactured by ABLOY

**KITACO ENGINEERING CORPORATION CALL FOR "2 LOCK FOR 1 BIKE".**

**BENLY 50/-PRO**

**TAPER END MUFFLER RELEASED!!**



Sports style exhaust which has taper shape for end part.



**TAPER END UP MUFFLER**


CODE	543-1150680
------	-------------

- Stainless ● Sound :82db ● with built in catalyser

Application | BENLY50/-PRO(AA03 All model)

※ EXHAUST MUFFLER GASKET(SOLD SEPARATELY) required  
XH-17 963-1000017 ¥450

POWER DATA OF BANLY50 AA03 model with TAPER END UP MUFFLER  
(output power by REAR WHEEL)



**CYGNUS-X (28S) (FI)**

**CHANGED THE STYLE COMPLETELY!!  
NEW STYLE EXEX MUFFLER!!**



Up style silencer make the medium&high speed range more powerful!!



Renewal the shape of silencer and end shape!!



φ110 Silencer has black anodized color.


**EXEX MUFFLER TYPE-2**

CODE	547-0411100
------	-------------

- Sound :89db ● Acceleration sound : 73db
- Silencer: φ 110 Aluminum black anodized finished
- Exhaust pipe: Stainless maru ● with built in catalyser

Application | CYGNUS-X(FI) (28S All model)

※ EXHAUST MUFFLER GASKET(SOLD SEPARATELY) required  
XY-17 963-0000017 ¥500



**MONKEY/GORILLA, etc.**

**WHITE Ver. RELEASED IN ADDITION TO  
EXISTING LINE UP FOR 8INCH WIDE WHEEL!!**



8inch wide wheel with white color!!



**8INCH ALUMINUM WIDE WHEEL (WHITE Ver.)**

CODE	509-1123200
------	-------------

- 2PCS/1SET ● RIM SIZE : 8 x 3.50
- WEIGHT : ABOUT 1.10KGS (1WHEEL)

Application | MONKEY. GORILLA FNo.Z50J-1000001 ~  
MONKEY (FI) FNo.AB27-1000001 ~ 1899999  
FNo.AB27-1900001 ~  
※ Front and rear is common.

※ Repair parts : Half set(1 wheel) 509-1123250 ¥11,000

※ Tire tube is required

※ Suitable tire is DURO 110/80-8, 120/70-8 from Kitaco. For front side, we recommend 110/80-8 to keep the clearance between tire and stock front fork. For rear side, 110/80-8 and 120/70-8 suitable, but in case of 120/70-8, some modification or removal for chain cover is required.

※ Exclusive use on the road. No use for off-road.

**PCX125/150**

**DRESS UP & PROTECT  
FOR THE HANDLE BAR!**



Effective for dress up and protection for the handle by adopted stainless steel.



Up grade with stainless bar end cap!

**BAR END CAP**

TYPE	CODE
Stainless	506-1430100
Stainless polish	506-1430110
● For stock handle ● 2pc / 1 set ● Outer: 33.0mm, Length: 33.5mm, weight: 170g (equivalent of genuine)	
Application	
PCX125(Fno.JF28-1100001 ~), PCX150 (KF12 All models)	

**PCX125/150**

**MAKE REAR SIDE MORE COOL!  
STANDARD ITEM FOR DRESS UP!**



Obtainable simple and cool style for rear side.



**FENDER LESS KIT**

CODE	691-1430100
● Made from steel with black colored finish ● Mini winker(round type) included ● 12V-21W Winker bulb (amber) included	
Application	
PCX125(Fno.JF28-1100001 ~), PCX150 (KF12 All models)	

**CBR250R(MC41)**

**Exceptional durability!  
36T/37T released as  
additional lineup!**



Light weight and high durability of S45C (High-Carbon steel) adopted.

**Now-on-sale!**

Drive Sprocket (front)  
(13T ¥2,000 ~ 15T ¥2,200)  
Driven Sprocket (rear)  
(38T ¥3,300 ~ 41T ¥3,700)

**DRIVEN SPROCKET**

SIZE	CODE
36T	535-1818036
37T	535-1818037
● 520 Size ● Stock teeth number : Rear 38T ● For Racing	
Application	
CBR250R (MC41 All models)	

\* When change the reduction ratio, some error of speed meter display will be occurred, use in race is recommended.


\* Please check the sprocket in each time of 1,000km running on general use. If teeth point of the sprocket wasted away, please change the sprocket.

**K • CON**

**3 ITEMS RELEASED AS  
ADDITIONAL LINEUP!**



Expand in application by added 3 items of flat button cap bolt.



(mm)

**FLAT BUTTON CAP BOLT (M6)**

SIZE	CODE
20	0900-062-30002
25	0900-062-30003
30	0900-062-30004
● Made from stainless ● 1pc/price	

\* M6 × 15 (0900-062-30001 200 YEN) Now on sale!

## SUPER CUB 50/110


### Smart and Cool! 1 Inch Bar-Carrier!!



PHOTO:539-1151010

PHOTO:539-1151110

The carrier designed smart is robust by inch bar. The pad hold your back softly and make comfortable riding.



4 points of carrier hook

Pad is adjustable for backward and forward.



The carrier fits on rear deck neatly.

Marketed carrier box can be installed.

### FASHION REAR CARRIER

#### ● Without pad

COLOR	WHITE	CODE	539-1151000
COLOR	BLACK	CODE	539-1151010

#### ● With pad

COLOR	WHITE	CODE	539-1151100
COLOR	BLACK	CODE	539-1151110

● Steel painted finish (Black/White) ● 25.4mm ● Carrier dimension size 442x258mm(Without pad) ● Maximum payload : 5kg

#### Application

SUPER CUB50 (AA04 All models), SUPER CUB110 (JA10 All models)



## PCX125/150

### STANDARD ITEM FOR DRESS-UP!



Easy dress up by covering and fixing with bolts on crank case.

### PLATING CRANKCASE COVER GARNISH

CODE	335-1430100
------	-------------

● ABS(resin) plating finish ● Fixed with stock bolts

#### Application

PCX125 (FNo.JF28-1100001 ~)※, PCX150 (KF12 All models)

#### Please Read carefully

※ PCX125 (for '10 ~ '11 Model/  
FNo.28-1000001 ~ 1099999) (Reference  
picture on the left) The shape of the part  
○ is slightly different. Please use plating  
crankcase cover garnish (335-1426100)  
11000YEN for the model of '10 ~ '11 year.  
Please check the model year frame number  
before purchasing.



PHOTO:335-1426100

## PCX125/150

### Direct break touch and high durability!!



Stainless mesh brake hose with direct brake touch and high durability. Super Teflon materials is adopted for hose inner.

### SUPER TEFLON STAINLESS STEEL MESH BREAK HOSE

CODE	773-1430100
------	-------------

● For front  
● 2pc/1 set Main : MASTER CYLINDER-CALIPER (Length : 941mm)  
CBS : MASTER CYLINDER-CALIPER (Length : 698mm)  
● Stainless banjo bolt.

#### Application

PCX125 (FNo.JF28-1100001 ~)※, PCX150 (KF12 All models)


※ Brake fluid is required separately.

## MIRROR

### REDUCE A BLIND-ANGLE!



Reduce a blind angle by added round view (○) for square type mirror.



Viewing angle of the flat mirror.  
You can see the wide range around the telegraph pole (□) about 16m behind.

Expanded round-view mirror. (○) You can see the wide range around telegraph.

### REDUCE A BLIND-ANGLE!



Reduce a blind angle by added round view (○) for oval type mirror.



Viewing angle of stream mirror.  
You can see the wide range around the telegraph pole (□) about 16m behind.

Expanded round-view mirror. (○) You can see the wide range around telegraph.

### FLAT MIRROR [ ROUND VIEW TYPE ]

COLOR	CODE
PLATING	675-1200000
BLACK	675-1200010

● Universal ● Made from Steel ● Bolt Size: 10mm (Right-handed screw) ● Left and Right common ● 1pc/Price  
● Round view size: 46mm



PCX 125 wear imagine

### STREAM MIRROR [ ROUND VIEW TYPE ]

COLOR	CODE
PLATING	675-1100000
BLACK	675-1100010

● Universal ● Made from Steel ● Bolt Size: 10mm (Right-handed screw) ● Left and Right common ● 1pc/Price  
● Round view size: 46mm



PCX 125 wear imagine

## MONKEY/GOLLIRA, APE50/100, etc.

### DRESS-UP STANDARD ITEM!



A simple dress-up parts to replace the normal lens

Recommended for owner who use stock winkers.

### SMOKE WINKER LENS SET

CODE	807-1083100
------	-------------

● For Stock winker ● 2pcs/set ● Front and Rear common  
● 12V-10W Umber bulb come with (Winker lens gasket included)

Application

● Suitable for following vehicles, front and rear  
MONKEY · GOLLIRA (FNo.Z50J-2000001 ~)  
(FNo.AB27-1000001 ~ 1899999)  
MONKEY (FI) (FNo.AB27-1900001 ~)  
APE50 (FNo.AC16-1000001 ~ 1599999)  
APE50 (FI) (FNo.AC16-1600001 ~), APE50-D (FI) (AC18 All models)  
APE100 (HC07 All models), APE100-D (HC13 All models)  
● Suitable for following vehicles, front only.  
JOKER50 (All models), JOKER90 (All models)

※ Clear winker lens set (807-1083000 1,800YEN) Now on sale!

## MIRROR

### NEW JANKEN MIRROR GOO and PAR TYPE Released in addition to popular CHOKI TYPE!



PHOTO: White (Left side)

Goo type released in addition to CHOKI type. Simple dress-up parts.



► PHOTO: Monkey(Right side)



PHOTO: Pink (Left side)

PAR type released in addition to CHOKI type. Simple dress-up parts.



►PHOTO : ZOOMER RIGHT

#### JANKEN MIRROR [GOO TYPE]

TYPE	RIGHT	TYPE	LEFT
COLOR	CODE	COLOR	CODE
PLATING	675-0901000	PLATING	675-0901010
BLACK	675-0901100	BLACK	675-0901110
PINK	675-0901200	PINK	675-0901210
WHITE	675-0901300	WHITE	675-0901310

● 1pcs/Price Bolt Size: 8mm Mirror size:  $\phi$  68



#### JANKEN MIRROR [PAR TYPE]

TYPE	RIGHT	TYPE	LEFT
COLOR	CODE	COLOR	CODE
PLATING	675-0902000	PLATING	675-0902010
BLACK	675-0902100	BLACK	675-0902110
PINK	675-0902200	PINK	675-0902210
WHITE	675-0902300	WHITE	675-0902310

● 1pcs/Price Bolt Size: 8mm Mirror size:  $\phi$  68



## JOG(4st), VINO(4st/FI), VINO MOLFE, etc.

### Air element dry-type Released!



Dry-type air element for repair of the normal air cleaner.


#### AIR ELEMENT

CODE	341-0089000
● Dry-type	
Application	
JOG/-DX/-ZR(4ST) (3P3 All models), VINO(4ST) (5ST All models), VINO (4ST/FI) (13P All models), VINO MOLFE (37B All models)	

○ Genuine parts NO.: 5ST-E4451-00

**MONKEY/GOLLIRA, etc.**

**DRESS-UP WITH 24K VIVID BOLT!**



ULTRA Clutch cover (Silver) + 24K Vivid bolt.

**24K VIVID BOLT SET**

◆ For L/R STOCK CRANK CASE COVER

CODE	060-1123300
● Made from Stainless 24K Plated finish	
Application	
Monkey / Gorilla (FNO,Z50J-2000001 ~) (FNO,AB27-1000001 ~ 1899999)	
Monkey Baja(ALL model) CD50 (FNO,CD50-2000001 ~)	
Benly 50S (FNO,CD50-2200005 ~)	
Benly CL50 (FNO,CD50-4000001 ~)	

◆ FOR KITACO ULTRA CLUTCH COVER /STOCK L. CRANKCASE COVER

CODE	060-1123310
● Made from Stainless 24K Plated finish	
Application	
Monkey/Gorilla (FNO,Z50J-2000001 ~) (FNO,AB27-1000001 ~ 1899999)	
Monkey Baja (ALL Model) XR50R/CRF50F (AE03 ALL Model)	
Exclusive use for KITACO ULTRA Drive Kit, ULTRA Clutch Kit	

◆ For CRANK CASE

CODE	060-1123320
● Made from Stainless 24K Plated finish	
Application	
Monkey/Gorilla (FNO,Z50J-2000001 ~) (FNO,AB27-1000001 ~ 1899999)	
Monkey Baja (ALL Model) CD50 (FNO,CD50-2000001 ~)	
Benly 50S (FNO,CD50-2200005 ~)	
Benly CL50 (FNO,CD50-4000001 ~)	

**Precautionary statement for stainless bolts.**

- ※ To protect from burning, recommended to apply the burn protection coat solution ( Aluminum grease 0900-969-00140 ) in advance.
- ※ Tightening torque is 1.0Nm.
- ※ Recommended to use stainless washer (0900-090-00001) together.
- ※ According to the individual difference, there might have a few misalignment of center, color or shape shading of each product.


**About 24K plating**

- ※ To protecting the plating from peeling off, please refrain from the use of abrasive compound.

**ACCESSORIES**

**2nd! KEY BOX ITEM!**

**This time, appeared in machined aluminum!**



It's created stock main key cylinder part more individually!

**ALUMINUM MAIN KEY BOX COVER**


COLOR	CODE
RED	000-0098001
BLUE	000-0098002
BLACK	000-0098003
GOLD	000-0098004
PLATING	000-0098005

- 1 Set: 1 pcs.
- Made from Aluminum, Alumite finish, Plated finish
- Size : Outer  $\phi$  25.0 Inner  $\phi$  16.5 Thickness 2.5mm
- Double face tape attaching type

Application

for Honda 4st mini Main Key Box. "Monkey, Gorilla, APE". etc.,  
※ According to type, model year, it's not suitable.  
Please check the size of your key cylinder before order.

Enjoy arranging with the  
decoration rhinestone  
(commercial item) to  
dress up with your style.



## ACCESSORIES

### DERSS-UP MAIN KEY CYLINDER! VARIED PATTERN AVAILABLE.




PHOTO:000-0099009

It is a simple dress-up seal to apply on a main key box. Clear coat with the 3D appearance and varied pattern.



It looks pudding shape when look from the side.



It is created stock main key cylinder part more individually!

Center Seal available with.



For I phone home button, Camera shutter button, etc..

### DECORATION SEAL [FOR MAIN KEY BOX]

TYPE	CODE
CH-RED	000-0099001
CH-YEL	000-0099002
CH-BLU	000-0099003
LI-SIL	000-0099004
LI-RED	000-0099005
SF-GRA	000-0099006
SF-BLU	000-0099007
SF-RED	000-0099008
AN	000-0099009
YA	000-0099010

- 1Set: 1 pcs. ● Main key seal size: Outer  $\phi$  25 Inner  $\phi$  17
- Center seal size : Outer  $\phi$  10.5

Application for Honda 4st mini Main Key Box. "Monkey, Gorilla, APE". etc.,  
※ According to type, model year, it's not suitable. Please check the size of your key cylinder before order.

### 10 DESIGNS FOR MAIN KEY CYLINDER



## ADDRESS V125S

### Carbon twilled type!



Dress-up with carbon visor



### Easy to fitting!

It make a change the style of around the headlight by covering with a meter visor made by twilled carbon.



### METER VISOR

CODE	670-2415700
● Carbon twilled type ● Double-sided tape attaching type	
Application	ADDRESS V125S (CF4MA)



Twilled carbon visor make the face more impressive.

## SBS BREAK PAD (KAWASAKI, BREMBO)

The most attractive thing for SBS BRAKE PAD is CONTROLLABILITY / HIGH DURABILITY !

**sbs**  
THE POWER TO STOP YOU

**SBS Brake pad has 3 layer construction for best and stable performance under hard circumstance.**

**Brake lining materials**  
Special technique "ULTRA SONIC UCT" work effectively by blending each material in a good balance.

**Fiber Ceramic**

- Fiber ceramic is put between steel back plate and lining materials to stabilize under high heat transfer.
- It shuts out humidity and prevents back plate from rusting.

**Steel back plate**

- made with 22t of pressure bonding and 3hours in 900°C heating.

**Matrix hook (887DC Only)**

- Special lining hook on a backplate which is better bonding system to prevents lining from taking off and brake from screeching.

**"ULTRASONIC UCT"** is special blend technology for materials.  
A patent technology of SBS Corporation which can blend the materials in a good balance by supersonic wave.

**STREET EXLE**

**886LS**

Special pad for street and sports running.

**SINTER HS/LS**

**887DC**

Improved all braking performance with longer life for enduro racing

	COST	LIFE	DRY PERFORMANCE	WET PERFORMANCE	CONTROLLABILITY	ANTI-FADING	FRICTION COEFFICIENT
STREET EXLE (886LS)	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■
SINTER HS/LS (887DC)	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■	■■■■■

PAD No.	PAD SIZE (mm)	COMPATIBLE	CODE
886LS		<b>KAWASAKI</b> '07 ~ '08 VULCAN 900 CUSTOM '07 ~ '10 VULCAN 900 CLASSIC '11 ~ '12 VULCAN 900 CLASSIC '00 VULCAN 1500 CLASSIC FI '01 ~ '02 VULCAN 1500 CLASSIC FI '00 VULCAN 1500 CLASSIC TOURER FI '01 ~ '03 VULCAN 1500 CLASSIC TOURER FI '99 VULCAN DRIFTER '02 ~ '03 VULCAN 1500 MEANSTREAK '04 VN-1600 MEANSTREAK '05 VN-1600 MEANSTREAK '09 ~ '10 VULCAN 1700 CLASSIC '09 ~ '10 VULCAN 1700 CLASSIC LT '09 ~ '10 VULCAN 1700 NOMAD '09 ~ '10 VULCAN 1700 VOYAGER '09 ~ '10 VULCAN 1700 VOYAGER ABS '04 ~ '05 VULCAN 2000 '05 VULCAN 2000 LIMITED '06 ~ '08 VULCAN 2000/ LIMITED '06 ~ '10 VULCAN 2000 CLASSIC/LT	777-0886030
887DC		<b>BREMBO</b> Radial mono-block CNC 2P 34/34 caliper	777-0887081

## ADDRESS 110, STREET MAGIC

Improve power & torque from 133cc to 135cc!



Resize the bore and piston diameter from 133cc bore up KIT (Discontinued) to 135cc to improve power & torque.

## 135cc SUPER BIG BORE KIT


CODE	210-2403901
Displacement volume : 135.4cc, Bore : $\phi$ 57.5, Stroke : 52.2mm Piston : Alumi Casting, Gasket included ※ Changed the piston size from old product (133.2cc type), please attention.	
APPLICATION	ADDRESS110 (CF11A) STEER MAGIC110/- II (CF12A)

※ Displacement and necessary intake volume will be grown up, so special exhaust muffler, big carburetor kit and jet setting is required.

**K • CON**


**ALUMINUM SPACER COLLAR**

● Black anodized aluminum model of the spacer is a highly versatile color subjected to chamfering. ● Material : Aluminum 2017 (17S)

For M10				O.D.	THK	QTY	CODE
				22	8	1	0900-093-02023
				22	10	1	0900-093-02024
				22	15	1	0900-093-02065
				22	20	1	0900-093-02066
O.D.	THK	QTY	CODE	22	25	1	0900-093-02067
16	3	1	0900-093-02017	22	30	1	0900-093-02068
16	5	1	0900-093-02018	26	3	1	0900-093-02033
16	8	1	0900-093-02019	26	5	1	0900-093-02034
16	10	1	0900-093-02020	26	8	1	0900-093-02035
16	15	1	0900-093-02061	26	10	1	0900-093-02036
16	20	1	0900-093-02062	26	15	1	0900-093-02069
16	25	1	0900-093-02063	26	20	1	0900-093-02070
16	30	1	0900-093-02064	26	25	1	0900-093-02071
22	3	1	0900-093-02021	26	30	1	0900-093-02072
22	5	1	0900-093-02022				

**K • CON**

**Spacer, Collar, Shim etc, Versatile multi-item!**



**STAINLESS STEEL WASHER**

CODE	A	B	C	QTY
0900-090-00003	15.1	24.0	1.0	2

● Material : Stainless

**K • CON**

**For 10mm Lineup!**



**CAP NUT (For 10mm)**

CODE	A	B	C	QTY
0900-001-05103	14.2	14.0	8.0	1

● Material : Stainless ● For 10mm/P1.25  
● Can be used as a rear shock mounting nuts for Monkey, Gorilla, etc.

**Cap NUT 6/8mm POPULAR ITEM!**

TYPE	CODE	QTY
6 mm /P1.0	0900-001-05001	2
8 mm /P1.25	0900-001-05002	2

**Cap NUT 6/8mm (24K Plating Ver.) POPULAR ITEM! K • CON Pro BRAND**

TYPE	CODE	QTY
6 mm /P1.0	0901-001-05001	2
8 mm /P1.25	0901-001-05002	2



## K • CON



**IN A SPACER COLLAR, LONG-AWAITED MAT BLACK MODEL! Released!**



### ALUMINUM SPACER COLLAR

Black anodized aluminum model of the spacer is a highly versatile color subjected to chamfering. ● Material : Aluminum 2017 (17S)

For M6				O.D.	THK	QTY	CODE
 <p>PHOTO : 0900-093-02046</p>	 <p>Unit : mm</p>			13	8	1	0900-093-02007
				13	10	1	0900-093-02008
				13	15	1	0900-093-02041
				13	20	1	0900-093-02042
O.D.	THK	QTY	CODE	13	25	1	0900-093-02043
11	3	1	0900-093-02001	13	30	1	0900-093-02044
11	5	1	0900-093-02002	18	3	1	0900-093-02025
11	8	1	0900-093-02003	18	5	1	0900-093-02026
11	10	1	0900-093-02004	18	8	1	0900-093-02027
11	15	1	0900-093-02037	18	10	1	0900-093-02028
11	20	1	0900-093-02038	18	15	1	0900-093-02045
11	25	1	0900-093-02039	18	20	1	0900-093-02046
11	30	1	0900-093-02040	18	25	1	0900-093-02047
13	3	1	0900-093-02005	18	30	1	0900-093-02048
13	5	1	0900-093-02006				

For M8				O.D.	THK	QTY	CODE
 <p>PHOTO : 0900-093-02058</p>	 <p>Unit : mm</p>			18	8	1	0900-093-02015
				18	10	1	0900-093-02016
				18	15	1	0900-093-02053
				18	20	1	0900-093-02054
O.D.	THK	QTY	CODE	18	25	1	0900-093-02055
13	3	1	0900-093-02009	18	30	1	0900-093-02056
13	5	1	0900-093-02010	20	3	1	0900-093-02029
13	8	1	0900-093-02011	20	5	1	0900-093-02030
13	10	1	0900-093-02012	20	8	1	0900-093-02031
13	15	1	0900-093-02049	20	10	1	0900-093-02032
13	20	1	0900-093-02050	20	15	1	0900-093-02057
13	25	1	0900-093-02051	20	20	1	0900-093-02058
13	30	1	0900-093-02052	20	25	1	0900-093-02059
18	3	1	0900-093-02013	20	30	1	0900-093-02060
18	5	1	0900-093-02014				

## SE-PRO SPECIAL

### 125cc SE2-PRO


APE100/-D, XR100 MOTARD, etc.

APPLICATION APE100 (HC07 ALL), APE100-D (HC13 ALL), XR100 MOTARD (HD13 ALL),  
XR100R (FNO.HE03-1200001 ~), CRF100F (HE03 ALL), NSF100 \* Releasing rev limiter required

SE-PRO BIG BORE KIT is for race use, to get huge power and torque with bigger bore and longer stroke with SE-PRO cylinder head. SE2-PRO is also more race type big bore kit.



SE-PRO 125cc BIG BORE KIT POWER DATA



#### 125cc SE-PRO BIG BORE KIT

CODE	VALVE
212-1418781	STEEL
212-1418791	TITANUM

- Cylinder : ALUMINUM CYLINDER (HARD CHROME)
- Piston : FORGED / WPC + Mos2 treatment (3 ring type)
- Displacement : 125cc  
Bore I.D. : φ 57  
Stroke : 48.96 mm (LONGER STROKE)
- ULTRA-SE HIGH CAMSHAFT  
(OPTION : ULTRA SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

\* OPTION FORGED PISTON KIT (2 ring type) 350-1413900

### 145cc SE-PRO/SE2-PRO


APE100/-D, XR100 MOTARD, etc.

APPLICATION APE100 (HC07 ALL), APE100-D (HC13 ALL), XR100 MOTARD (HD13 ALL),  
XR100R (FNO.HE03-1200001 ~), CRF100F (HE03 ALL), NSF100 \* Releasing rev limiter required

SE-PRO BIG BORE KIT is for race use, to get huge power and torque with bigger bore and longer stroke with SE-PRO cylinder head. SE2-PRO is also more race type big bore kit.



SE-PRO 145cc BIG BORE KIT POWER DATA



#### A 145cc SE-PRO BIG BORE KIT

CODE	212-1413811
------	-------------

- Cylinder : ALUMINUM CYLINDER (CASTING SLEEVE)
- Piston : CASTING / SS (SKULL STRUCTURE)
- Displacement : 145cc  
Bore I.D. : φ 57  
Stroke : 56.5 mm (LONGER STROKE)
- SPL HIGH CAMSHAFT  
(OPTION : ULTRA SE HIGH CAMSHAFT 300-1413700)  
(OPTION : ULTRA SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

#### B 145cc SE2-PRO BIG BORE KIT

CODE	212-1418811
------	-------------

- Cylinder : ALUMINUM CYLINDER (HARD CHROME)
- Piston : FORGED / WPC + Mos2 treatment (3 ring type)
- Displacement : 145cc  
Bore I.D. : φ 57  
Stroke : 56.5 mm (LONGER STROKE)
- ULTRA-SE HIGH CAMSHAFT  
(OPTION : ULTRA SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

## ULTRA-SE / SE-PRO CYLINDER HEAD OPTION / REPLACEMENT PARTS

### HIGH DURABILITY!



High durability and extremely lightweight retainer. Has characteristic of load following during high revolution. WPC treatment on retainer surface, to improve fatigue strength and hold oil film property  
It is sold separately. Order the quantity required for each cylinder head.

#### ULTRA-SE STEEL VALVE SPRING RETAINER

CODE	303-1083510
------	-------------

- CHROME MOLYBDENUM STEEL / WPC treatment
- Weight : about 6.0 gram (1 pc)
- Sold Separately

APPLICATION	KITACO ULTRA HEAD (discontinued) / ULTRA-SE / SE-PRO CYLINDER HEAD
-------------	---

## SE-PRO SPECIAL

### 100cc SE-PRO

**APE100/-D, XR100 MOTARD, etc.**

APPLICATION **APE100** (HC07 ALL), **APE100-D** (HC13 ALL), **XR100 MOTARD** (HD13 ALL),  
**XR100R** (FNO.HE03-1200001 ~), **CRF100F** (HE03 ALL), **NSF100** \* Releasing rev limiter required

With same displacement as stock, enlarging cylinder bore diameter and shortening stroke length for high revolution and high output. Goes up to high revolution very smoothly and quickly without power down, by adapting SE-PRO CYLINDER HEAD, Forged piston for durability improvement under severe race condition, SE ROCKER ARM & TITANIUM NUT for friction loss reduction. Everything is for race purpose.



A kit with 100cc displacement, enlarging cylinder bore, shortening stroke length for high revolution and high output.



A kit with 100 cc displacement, cylinder head can be changed to SE-PRO.

#### A 100cc SE-PRO SHORT STROKE KIT

CODE 217-1418101


- Cylinder : ALUMINUM CYLINDER (HARD CHROME)
- Piston : FORGED / WPC + Mos2 treatment (3 ring type)
- Displacement : 99.8 cc
- Bore I.D. :  $\phi$  57
- Stroke : 39.1 mm (shorter than stock)
- H-SHAPED CONNECTING ROD adapted
- ULTRA-SE HIGH CAMSHAFT
- (OPTION : ULTRA-SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

#### B 100cc SE-PRO HEAD KIT

CODE 221-1413701

- Piston : FORGED / WPC + Mos2 treatment (3 ring type)
- Displacement : 99.2 cc
- Bore I.D. :  $\phi$  53
- Stroke : 45 mm (same as stock)
- ULTRA-SE HIGH CAMSHAFT
- (OPTION : ULTRA-SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

#### 100cc SE-PRO SHORT STROKE KIT / SE-PRO HEAD BIG BORE KIT POWER DATA



### 115cc SE-PRO

**APE100/-D, XR100 MOTARD, etc.**

APPLICATION **APE100** (HC07 ALL), **APE100-D** (HC13 ALL), **XR100 MOTARD** (HD13 ALL),  
**XR100R** (FNO.HE03-1200001 ~), **CRF100F** (HE03 ALL), **NSF100** \* Releasing rev limiter required

BIG BORE KIT with SE-PRO CYLINDER HEAD for race use.



BIG BORE KIT with SE-PRO CYLINDER HEAD. Brings huge power and torque



All the parts required to version up from 115cc LIGHT to 115cc SE-PRO is included in the kit!

#### A 115cc SE-PRO BIG BORE KIT

CODE 212-1413771


- Cylinder : ALUMINUM CYLINDER (CASTING SLEEVE)
- Piston : CASTING / SS (SKULL STRUCTURE)
- Displacement : 115 cc
- Bore I.D. :  $\phi$  57
- Stroke : 45 mm (same as stock)
- SPL HIGH CAMSHAFT
- (OPTION : ULTRA-SE HIGH CAMSHAFT 300-1413700)
- (OPTION : ULTRA-SE R HIGH CAMSHAFT 300-1413770)
- Valves installed

#### B 115cc VERSION UP KIT

CODE 213-1413771

- 115cc LIGHT  $\rightarrow$  115cc SE-PRO
- Piston : CASTING / SS (SKULL STRUCTURE)
  - Displacement : 115 cc
  - Bore I.D. :  $\phi$  57
  - Stroke : 45 mm (same as stock)
  - SPL HIGH CAMSHAFT
  - (OPTION : ULTRA-SE HIGH CAMSHAFT 300-1413700)
  - (OPTION : ULTRA-SE R HIGH CAMSHAFT 300-1413770)
  - Valves installed
  - (CYLINDER REUSEABLE)


#### SE-PRO 115cc BIG BORE KIT POWER DATA



## SE-PRO SPECIAL

# ULTRA-SE has revolved and new "SE-PRO" released!

-EXTREME SOHC 2 VALVE HEAD-




Best for long - straight course with full throttle.  
With big power as ULTRA-SE and better endurance property

**NEW**

### ULTRA-SE STEEL VALVE SPRING RETAINER

High durability and extremely lightweight CHROME MOLYBDENUM STEEL VALVE SPRING RETAINER. Has characteristic of load following during high revolution. WPC treatment on retainer surface, to improve fatigue strength and hold oil film characteristic.



## REVOLUTION of ULTRA-SE to SE-PRO

Combustion Chamber

ULTRA-SE



SE-PRO



The big changes are more efficient flame propagation and plug hole position that comes in the middle of combustion chamber. The material of EXHAUST VALVE SHEET RING is changed, that endures lots of loads under severe circumstances.

Intake Port (φ26)

ULTRA-SE



SE-PRO



Intake port is high port layout to reduce intake friction. Exhaust port is the shape which is for high exhaust efficiency. Also, enlarging valve guide is to make its holding contact area, which leads to friction / load reduce to valve / valve guide.

Exhaust Port (φ20)

ULTRA-SE



SE-PRO



**ULTRA-SE HIGH CAMSHAFT**  
Racing camshaft to bring FULL POWER of SE-PRO HEAD Goes up to high revolution quickly and hold its power.

\* SPL CAMSHAFT is included in some of SE-PRO BIG BORE / VERSION UP KIT

### ULTRA-SE VALVE

Bigger valve face and φ 4 thick stem, to reduce friction for efficient air intake and exhaust system for best performance.



### DENSO IRIDIUM PLUG (8 mm)

Compact 8mm DENSO IY type plug is adapted in the middle of cylinder head.

## 82cc SE-PRO

**APE50, XR50 MOTARD, etc.**

APPLICATION APE50 (FNO.AC16-1000001~1599999), XR50 MOTARD (AD14 ALL), CB50J-S (FNO.CB50J-1000011~ / FNO.AC02-1000001~), XE50 (ALL), XL50 (ALL), TL50 (ALL), R&P (ALL), NAUGHTY DAX (FNO.CY50-1200013~), RTL50 (ALL)

FROM STREET TO RACE USE ! SURPRISING POWER / TORQUE INCREASE!



For extremely powerful SOHC VALVE HEAD RELEASED!



All the parts required to version up from 82cc LIGHT/SPL to 82cc SE-PRO is included in the kit!

## A 82cc SE-PRO BIG BORE KIT

CODE

214-1122711

- Cylinder : ALUMINUM CYLINDER (CASTING SLEEVE)
- Piston : CASTING
- Displacement : 82cc
- Bore : φ 54
- Stroke : 35.6 mm (stock)
- ULTRA-SE HIGH CAMSHAFT
- (OPTION : ULTRA-SE R HIGHT CAMSHAFT 300-1413770)
- Valves installed

## B VERSION UP KIT


CODE

213-1122711

82cc LIGHT/SPL → 82cc SE-PRO

- Piston : CASTING
- Displacement : 82cc
- Bore : φ 54
- Stroke : 35.6 mm (stock)
- ULTRA-SE HIGH CAMSHAFT
- (OPTION : ULTRA-SE R HIGHT CAMSHAFT 300-1413770)
- Valves installed (CYLINDER REUSEABLE)

## 82cc SE-PRO BIG BORE KIT POWER DATA



— 82cc SE-PRO BIG BORE KIT  
VM26 BIG CARBURETOR KIT  
HIGH END MUFFLER

— 82cc SPL BIG BORE KIT  
PC20 BIG CARBURETOR KIT  
RACING TAPER END DOWN MUFFLER


\* Tested at Kitaco facility  
Actual run may differ

## K • CON

### PREVENTS PARTS DAMAGE FROM OVER TORQUE BOLT!



Prevents damages by bolt's over torque.



### COLLAR WITH FLANGE

CODE	O.D.
0900-093-09001	φ 11
0900-093-09002	φ 12
0900-093-09003	φ 13

● STEEL / CHROMATE ● For M6 bolt  
 ● Installing hole I.D. : φ 8.2 ● Sold in pairs

**OPTION** : φ 8 RUBBER COLLAR (3mm / 5mm)  
 COLLAR WITH FLANGE could be used as antivibration rubber, when used together with φ 8 RUBBER COLLAR

## MAINTENANCE

### FOR SUSPENSION SETTING / OVERHAUL!



It is SHOWA FRONT FORK OIL Recommended for SUSPENSION SETTING & OVERHAUL

### SHOWA FORK OIL

CODE	TYPE
520-0900110	#5 SS7
520-0900111	#10 SS8

● UNIVERSAL ● VOLUME : 1,000 ml ● For STREET USE

※ #10 equivalent fork oil is injected in the models in the market. Setting depends on viscosity and oil amount.

▲ GRADE SHOWA #5 (SOFT) ↔ #10 (HARD)

## MAINTENANCE

### FOR BEST CHAIN CONDITION!



CHAIN LUBRICANT for EK-CHAIN'S best knowledge and technique to bring chain best condition!



A SET of CHAIN LUBRICANT & CHAIN CLEANER, which has excellent solvent and detergent property!

### EK CHAIN LUBE (CLEAR TYPE)

CODE	969-0900011
------	-------------

● UNIVERSAL ● VOLUME : 300 ml  
 ● Best for colored chain, as it is transparent

### EK CHAIN LUBE + EK ELF CHAIN CLEANER SET

CODE	TYPE
969-0900101	EK ORIGINAL CLEAR
969-0900201	EK/ELF ORIGINAL WHITE

● UNIVERSAL  
 ● VOLUME : LUBE : 300ml / CLEANER : 420ml  
 ● Comes with MAINTENANCE MANUAL  
 ● A SET of EK CHAIN LUBE & EK ELF CHAIN CLEANER

## MAINTENANCE

### ENGINE OIL FOR HIGH TUNED ENGINE!



HTX3818 is 100 % synthetic lubricant for 4 stroke competition engines. It protects inside the engine by its molecular absorption property under hard circumstances. Useable up to 19,000rpm and more with excellent antifoam, and stable lubricating performance.

### ELF ENGINE OIL HTX3818

CODE	968-2000060
------	-------------


● ULTRA-SE / DOHC BIG BORE KIT SPECIFIED 4 STROKE ENGINE OIL  
 ● VOLUME : 5L  
 ● SAE : 5W30  
 ● Specific Gravity (15°C) : 0.853  
 ● Kinetic Viscosity (40°C) : 75.57  
 ● Kinetic Viscosity (100°C) : 12.38  
 ● HTHS Viscosity : 3.67  
 ● Burning Point : 220 °C

**K • CON**

**MAKING A DELICATE SETTING IS POSSIBLE!  
6 SHIMS NEWLY RELEASED!**



To make a variety of variator setting



**12 SHIMS ON SALE!**

**SPACER SHIM**

$\phi 12 \times \phi 20 \times 0.3/0.5 \text{ mm}$      $\phi 14 \times \phi 20 \times 0.3/0.5 \text{ mm}$   
 $\phi 13 \times \phi 18 \times 0.3/0.5 \text{ mm}$      $\phi 13 \times \phi 21 \times 0.3/0.5 \text{ mm}$   
 $\phi 16 \times \phi 21 \times 0.3/0.5 \text{ mm}$      $\phi 16 \times \phi 22 \times 0.3/0.5 \text{ mm}$


**SPACER SHIM [PULLEY BOSS]**

CODE	A	B	C	GTY
0900-463-90013	15	24	0.3	1
0900-463-90014	15	24	0.5	1
0900-463-90015	15	22	0.3	1
0900-463-90016	15	22	0.5	1
0900-463-90017	19	26	0.3	1
0900-463-90018	19	26	0.5	1

● MATERIAL : STAINLESS

**K • CON**

**FOR  $\phi 6$ ,  $\phi 8$ ,  $\phi 10$  RELEASED!**



To prevent BOLT, SCREW & NUT from getting damaged.

**NYLON WASHER SET**

CODE	A	B	C	QTY
0900-090-09030	6.6	13.0	1.0	10
0900-090-09040	8.6	18.0	1.6	5
0900-090-09050	10.6	22.0	1.6	5

● MATERIAL : NYLON (MILK WHITE)

※  $\phi 4$  (0900-090-09010),  $\phi 5$  (0900-090-09020) on sale!


**K • CON**

**POSSIBLE TO PUT ON / TAKE OFF BY HAND!**



PHOTO : M4

TOOLS ARE NOT REQUIRED



**WING BOLT**

CODE	TYPE	A	B	C	D
0900-044-99015	M4	11.2	22.0	9.4	14.4
0900-054-99015	M5	11.2	22.0	9.7	14.4
0900-064-99015	M6	14.0	26.6	12.0	15.6

● MATERIAL : STAINLESS ● Sold in pairs

**K • CON**

**POSSIBLE TO PUT ON / TAKE OFF BY HAND!**





PHOTO : M6

TOOLS ARE NOT REQUIRED




**WING NUT**

CODE	TYPE	A	B	C
0900-001-09104	M4	10.2	22.0	9.2
0900-001-09105	M5	10.2	22.0	9.2
0900-001-09106	M6	12.8	26.6	11.8

● MATERIAL : STAINLESS ● Sold in pairs

**BENLY 50/100**



**POPULAR CABTON MUFFLER FOR BENLY50!**



**CABTON MUFFLER**

- STAINLESS
- Silencer : 86 mm
- CATALIZER built-in
- \* MUFFLER GASKET (sold separately/  
XH-17 963-1000017) is required.

CODE	543-1150880
APPLICATION	BENLY50/-PRO (AA03)



- BARREL-TYPE GRIP  
902-0600110

**EASY DRESS-UP!**



**BAR END CAP**

- ALUMINUM MACHINED
- ALUMITE with CHROME FINISH
- Sold in pairs
- O.D. : 33mm / I.D. : 16.5mm
- CAP BOLT included
- Protects handles bar and dress-up.

**PRACTICAL AND DRESS-UP!**



**KNUCKLE COVER**

- UNIVERSAL
- For 22.2 mm HANDLE BAR
- POLYPROPYLENE
- Protects your fists from cold wind and incoming obstacles



**BEST REAR SHOCK FOR BUSINESS / STREET USE!**



**REAR SHOCK ABSORBER**

- Length : 330 mm
- Preload : non-step
- Oil-charged dumper



NAME	COCLOR	CODE
<b>BAR END CAP</b> in common with DIO110 (JF31)	SILVER ALUMITE	506-1427200
	GOLD ALUMITE	506-1427210
	BLACK ALUMITE	506-1427230
	CHROME	506-1427240
<b>KNUCKLE COVER</b> UNIVERSAL for 22.2 mm HANDLE BAR	WHITE	562-0900000
	BLACK	562-0900010
	RED	562-0900020
	BLUE	562-0900030
	YELLOW	562-0900040
	ORANGE	562-0900050
<b>REAR SHOCK ABSORBER</b> in common with LEAD110 (JF19)	BLUE METALLIC	520-1425000
	RED METALLIC	520-1425030

**BENLY 50/100**



**WHAT A LOVELY BASKET!**



**FRONT CARRIER**

- STEEL with WHITE PAINTED
- CARRIER MEASUREMENT :  
Length : 299mm  
Width : 259mm  
Height : 240mm
- Max Load : 3.0 kg
- Luxury style with truss construction

**LOOKS COOL ON HEADLIGHT!**



**HEADLIGHT RIM**

- STAINLESS with BUFF FINISH
- Attaches with both-sided tape / tightens together with bolts
- Easy dress-up with rim which attracts everyone

**A MUST FOR CUSTOM!**



**AIR CLEANER COVER GARNISH**

- ABS RESIN with CHROME FINISH
- Tightens together with bolts included
- Dress-up with shiny AIR CLEANER COVER!

**ONE POINT DRESS-UP!**



**MUFFLER COVER GARNISH**

- ABS RESIN with CHROME FINISH
- Both-sided tape / tightens with bolts included
- Dress-up just to cover on stock heat guard

**FOR SECURE RIDING!**



**BACK REST & BAR**

- Stay / Grab bar : STEEL
- BLACK POWDER PAINTED
- Grab bar pipe : 25.4 mm
- UNIVERSAL DIMPLE PAD adapted
- PAD SIZE :  
H90 x W310 x L100 mm
- Brings more secure and comfortable riding with stable pad



APPLICATION	BENLY 50 /-PRO (AA03) BENLY110/-PRO (JA09)
-------------	---

NAME	CODE
<b>FRONT CARRIER</b>	539-1150600
<b>HEAD LIGHT RIM</b>	800-1150290
<b>AIR CLEANER COVER GARNISH</b>	590-1150100
<b>MUFFLER COVER GARNISH</b>	549-1150000
<b>BACK REST &amp; BAR</b>	652-1150200

**i-map OPTION**

**RELOCATION of i-map!**



Long harness to relocate i-map to install


**i-map LONG HARNESS SET**

CODE 763-0500700

- Kitaco i-map option harness ● Harness length : 1 meter
- By changing the place to put on i-map, especially for models with cowlings such as scooters, removing and installing becomes much easier!
- ※ Harness modification is required. Follow the instruction that comes with i-map.
- ※ Do not pass the cables near the electric device which has strong noise.
- ※ Make sure to connect neatly.
- ※ We recommend using corrugate tube or harness tube to make neat connection.

**DIO110, LEAD110/-EX, BENLY, etc.**

**WEIGHT ROLLER for STOCK PULLEY!**



Made from **ENGINEERING PLASTIC**, which has heat-resistant, rigidity and wear-resistant property

- For STOCK PULLEY
- Size : 18.0 x 14 mm

**SUPER ROLLER SET**

QTY		3	QTY		6
WEIGHT (gram)	CODE		WEIGHT (gram)	CODE	
13.0	462-1203130		13.0	462-1206130	
14.0	462-1203140		14.0	462-1206140	
15.0	462-1203150		15.0	462-1206150	
16.0	462-1203160		16.0	462-1206160	

APPLICATION DIO110 (JF31) LEAD110/-EX (JF19) BENLY 110/-PRO (JA09)

GENUINE ROLLER DIO110 / LEAD110/-EX : 16.0g BENLY110 / -PRO : 15.0g

※ Kitaco HIGH SPEED PULLEY not useable

**CYGNUS-X (FI)**

**BRAKING CONTROLLABILITY AND DRESS-UP!**



A SET of 280 mm BIG DISC ROTOR & 4 POT CALIPER BRACKET



**BIG DISC ROTOR SET**

CODE 500-0411890

- DISC : STAINLESS ● O.D. : 280 mm
- ALUMINUM MACHINED BRACKET included
- ※ KITACO 4P CALIPER (500-0100400) or BREMBO 4P CALIPER (RIGHT / PITCH : 40mm) is required. STOCK CALIPER not useable
- ※ 2 of installing bolt (M10 x P1.5) are required when using BREMBO 4P CALIPER

APPLICATION CYGNUS-X (FI)(28S)

**MORE COOL OPTION!**


**OPTION** : SUPER TEFLON STAINLESS MESH BRAKE HOSE (773-0411100)

**SBS BRAKE PAD (TAIWAN YAMAHA)**

**Most attractive thing in SBS BRAKE PAD is controllability and wear-resistant property!**



Easy controllability & wear-resistant property for street use!!



SBS BRAKE PAD has 3-layer construction  
BRAKE LINING  
FIBER CERAMIC  
STEEL BACKING PLATE  
MATRICES HOOK  
ULTRA SONIC UCT  
It is an SBS patent to blend components with perfect balance.

**SBS BRAKE PAD [E207]**

CODE 777-0207000

- PAD No.E207 ● For FRONT

APPLICATION CYGNUS-X ('10 ~ )(4C6 TAIWANESE MODEL)  
※ Japanese model not useable

**STREET CERAMIC HF/E**



COST : ■■■■■  
LIFE : ■■■■■  
DRY PERFORMANCE : ■■■■■  
WET PERFORMANCE : ■■■■■  
CONTROLLABILITY : ■■■■■  
ANTI-FADING : ■■■■■  
FRICTION COEFFICIENT : ■■■■■

**SUPER CUB 110/PRO**

**30T NEWLY RELEASED!**



Variety of teeth line-up and reasonable price!

**DRIVEN SPROCKET [30T]**

CODE	535-1424030
------	-------------

● 420LINK SIZE ● Teeth : 30T

APPLICATION	SUPER CUB 110 / -PRO (JA07)
-------------	-----------------------------

GENUINE TEETH : SUPER CUB 110 34T  
SUPER CUB 110 PRO 30T

\* 31 ~ 34T is on sale!

**MONKEY/GORILLA, etc.**


**EASY DRESS-UP!**



Just exchange with rear shock mount washer!



REAR SHOCK MOUNT SHEET MEASUREMENT



**REAR SHOCK MOUNT SHEET**

CODE	COLOR
520-7000010	BLACK
520-7000020	RED
520-7000030	SILVER
520-7000040	GOLD

● ALUMINUM MACHINED / ALUMITE FINISH ● 4 pcs in a set  
● Installable for twin rear shock models with M10 / 14 mm width across flats installing such as MONKEY, GORILLA, MONKEY (FI), SUPER CUB50, LITTLE CUB etc.

**SAMPLE:1**

MONKEY (FI) STOCK TOP BRIDGE



REAR SHOCK MOUNT SHEET (RED)  
+ M10 VIVID BOLT

**SAMPLE:2**

CB400SF AFTERMARKET MUFFLER  
SILENCER BAND



REAR SHOCK MOUNT SHEET (GOLD)  
+ M10 CAP BOLT

**CONVENIENT ITEM!**

**SHORT BAR BRACKET for CELL PHONE / DRINK HOLDER!**



PHOTO : 8 mm



PHOTO : 10 mm

Best short bar bracket for cell phone / drink holder on handle clamp for 22.2 mm handle bar.

Installable to the place you wish, as short bar bracket is movable. (for 22.2 mm bar clamp)  
\* The holders in the pictures are with movable bar.



Installable to the place you wish, with movable bar.

**SHORT BAR BRACKET**

CODE	BOLT
563-0800008	8 mm
563-0800010	10 mm

● STEEL / BLACK ● For 22.2 mm HANDLE CLAMP  
● For LEFT MIRROR ● Bar length : 50 mm ● For 8/10 mm  
● Withstand load : 500 gram  
\* Mirror adapter or collar might be required, depending on the motorcycles.

**EXAMPLE : 1**



Together with MIRROR/ADAPTER for DIO 110

**EXAMPLE : 2**






"KITACO" IS NOT ONLY  
A SHARP DRESSER  
BUT TOPS IN THE WORLD  
OF MOTORCYCLE

**KITACO**

**KITACO NEW PRODUCTS!!**

**2012**  
**Vol.08**

**KITACO ALL CATALOG 2012-2013 RELEASED!**



**K BOOK KITACO CATALOG 2012-2013**

CODE

00-2012000

**Ask KITACO staff for details!**



## ELECTRIC DRESS-UP PARTS

### UP TO YOU! MAKE IT BRIGHT!




COMPACT LED BOLT with CHROME BODY Fits a variety of places up to your idea.

M6×P1.0



CLEAR

BLUE



PURPLE

RED

### LED BOLT SET

COLOR	CLEAR	CODE	802-0901000
	BLUE		802-0901010
	PURPLE		802-0901020
	RED		802-0901030

- UNIVERSAL ● STEEL / CHROME FINISH ● For 12V model
- Sold in pairs ● Installing hole O.D. : 6mm ● Harness : 15cm
- Contents : LED BOLT (x2), NYRON NUT (x2)

※ SAMPLE PICTURE

## ADDRESS V125

### SIMPLE TAIL!



Making stylish tail end. A must for dress-up!

### FENDER LESS KIT

CODE	691-2415000
● ALUMINUM / BLACK ALUMITE FINISH	
※ Making hole mods on rear fender required.	
APPLICATION	ADDRESS V125S (CF4MA)


## PCX125

### SHARP ACCELERATION WHEN SHIFT-UP!



Prevents engine revolution rapid drop and gets sharp acceleration!

SUPER TORQUE CAM + POWER DRIVE KIT  
STOCK TORQUE CAM + POWER DRIVE KIT



※ Tested at Kitaco facility. Actual run may differ.

### SUPER TORQUE CAM

CODE	308-1426100
● PULLEY GREASE included ● Comes with 1 type of slit	
APPLICATION	PCX125 (JF28)

Torque cam works in the reverse direction of clutch center spring and drive belt, spreading widely. It slows shifting actuation.

- ※ Torque cam is kind of setting item. It is not for improving max speed or power, only if it is just installed. Adjustment for each model is required.
- ※ It shortens drive belt and weight roller lives. Check and inspect them regularly.


## CYGNUS-X

### SHARP ACCELERATION WHEN SHIFT-UP!



Prevents engine revolution rapid drop and gets sharp acceleration!

SUPER TORQUE CAM (SLIT B) + POWER DRIVE KIT  
SUPER TORQUE CAM (SLIT A) + POWER DRIVE KIT  
STOCK TORQUE CAM + POWER DRIVE KIT



※ Tested at Kitaco facility. Actual run may differ.

### SUPER TORQUE CAM

CODE	308-0411100
● PULLEY GREASE included ● Comes with 2 type of slit	
APPLICATION	CYGNUS-X (5UA/28S)

Torque cam works in the reverse direction of clutch center spring and drive belt, spreading widely. It slows shifting actuation. 2 type slits selectable, depending on your motorcycle's tuning status.

- ※ Torque cam is kind of setting item. It is not for improving max speed or power, only if it is just installed. Adjustment for each model is required.
- ※ It shortens drive belt and weight roller lives. Check and inspect them regularly.

## MOBILE ACCESSORY

# For all of touring riders who bring smartphone as navigation!

There are lots of people riding with their smartphone as navigation, which batteries run out so fast! Lightweight and compact battery releases you from worrying about battery running out. Unlike other batteries which takes power from motorcycle battery, Kitaco mobile battery does not need difficult harness modification. Bring mobile battery for business trip and travel with you!

- No difficult harness modification required.
- LIGHTWEIGHT & COMPACT (170 grams)
- Smartphone - 3 times chargeable for 1 main battery charge
- HOW TO CHARGE BATTERY : PC USB TERMINAL /AC USB ADAPTER (available in the market)
- Chargeable instruments : mobile phones, iPhone, smartphone, MP3 player, mobile game console, PSP, PDA, MID, Android etc.

※ 7 times for mobile phone (tested with Japanese manufacturer's phone), 10 times for iPod and once for iPad. (It differs from how to use and what instrument you use)

### ~ REFERENCE ~

When starting battery charge at 20% remaining battery level, It takes about 1 hour to get 80% battery power. It takes about 2 hours to get 100% battery power.



#### CHECK BUTTON

Uses when checking remaining battery level and supplying power to instruments.

#### INDICATOR LED (High, Mid & Low)

Uses when charging mobile battery.



※ Connecting terminal for conversion adapter is MICRO USB.

**in&out®**

## MOBILE BATTERY [PPD600]

CODE	90-758-90000
------	--------------

It is so convenient as it is lightweight and compact (170 grams). Bring it with you whenever you go out for travel, touring and business trip.


- 6,000 mAh lithium battery mounted
- USB OUTPUT : 5V 2.0A x 1, 5V 1.0A x 1 (2 outputs useable at the same time)
- Comes with USB CABLE for charge (8 ~ 75 cm) & CONVERSION ADAPTER
- Battery life : 500 times rechargeable (Depends on how to use the instruments)

※ Adapter might be required when adapters included do not fit.  
※ Do not let the mobile battery get wet as it is not water-proof.

### FEATURES

- Measurement : 123 x 82 x 18.5mm
- Weight : 170 grams
- Input : 5V 1.0A
- Output : USB1/5V 2.0A x 1, USB2/5V 1.0A x 1
- Internal battery : Li-ion 3.7V 6,000 mAh
- Enabled device : USB power input device
- Importer : SEIKI CO. LTD.

**ADAPTER INCLUDED**



iPhone

Sony Ericsson

Mini USB


SAMSUNG

## CBR250R (MC41)

### LOWER SEAT, BEFORE FALLING DOWN!!



Seat height gets lower and gets better position for small riders!



### LOW DOWN LINK KIT

CODE	528-1818000
------	-------------

- STEEL / BLACK ● BEARING & OIL SEAL installed
- 20mm lower than stock ● Better position before riding!

APPLICATION | CBR250R (MC41)

\* Make sure that motorcycle is stable when parking with side stand because the parking angle becomes different.



----- STOCK LINK

## CB1100

### A MUST for DRESS-UP!



EASY DRESS-UP, JUST TO CHANGE TO STOCK LENS! COMES WITH BULBS



### SMOKE WINKER LENS SET

CODE	807-1819000
------	-------------

- Sold in pairs ● FRONT / REAR useable
- 12V15W AMBER bulbs included

APPLICATION | CB1100 (SC65)

○ GENUINE APPLICATION NUMBER :33406-MBS-003

### EASY EXCHANGE!!



## GSX 1300R HAYABUSA

### A MUST WHEN EXCHANGING MUFFLERS!



Prevents exhaust gas from leaking between muffler and exhaust pipe to get full performance.

### MUFFLER JOINT GASKET [JPS-7]

CODE	973-2000007
------	-------------

- Sold each ● SUZUKI GENUINE NUMBER :14771-15H00
- Measurement : 47.5 x 41 x 30 mm
- Best when exchange mufflers or maintenance

APPLICATION | GSX1300R HAYABUSA ('08 ~)

\* Make sure to exchange to new one when exchanging mufflers as MUFFLER JOINT GASKET is consumable.

\* Purchase as many as necessary, as it is sold each.

## APE 100, NSF100, etc.

### THICK CRANKSHAFT COMING BACK!



Durability of 100cc type CRANKSHAFT is reinforced!

By reducing rotating mass, high power and response improves at high rpm range without losing torque at low rpm range. Also, super precision bearing reduces friction loss

### 56.5mm CRANKSHAFT

CODE	309-1413110
------	-------------

- ULTRAFast SUPER PRECISION BEARING / TIMING GEAR installed
- Replacement bearing (1pc) (#63/22) 315-1413010 ¥2,500

APPLICATION

- APE100 TYPE ULTRA-SE/DOHC BIG BORE KIT 145cc
- APE100 TYPE LIGHT STROKE UP KIT 125cc

\* Installing piston for each displacement is required.

### New big bore kits are released with new crankshaft

NAME	CODE
145cc DOHC BIG BORE KIT	215-1417930
145cc ULTRA-SE BIG BORE KIT	212-1413810
145cc ULTRA-SE2 BIG BORE KIT	212-1418810
VERSION UP KIT *	213-1418810
125cc LIGHT STROKE UP KIT	221-1418010


\* It is a kit to change from ULTRA-SE115/125cc to ULTRA-SE145cc (forged piston type)

**MONKEY/GORILLA, etc.**

**LIMITED PAINTED MOTOR!**

**"KG GUN-KOTE"**

**KITACO×CARVEK COLLABORATE!**



**DOHC BIG BORE KIT**

It is an ultimate torque king of big bore kit in Monkey type motor with compact DOHC 4 VALVE CYLINDER HEAD!

**LIMITED  
20 SET**

**124cc DOHC BIG BORE KIT (GUN-COAT MODEL : EXECUTIVE GRAY)**

CODE	215-1123900GU
------	---------------


- ALUMINUM HARD CHROME CYLINDER ● VALVE installed
- FORGED PISTON (3R) with WPC + MoS2 FINISH
- COMPRESSION RATIO : 11.6 : 1
- DISPLACEMENT : 124cc BORE : 54mm
- STROKE : 54mm (LONG STROKE)

APPLICATION


MONKEY · GORILLA (FNo.Z50J-2000001 ~ )  
(FNo.AB27-1000001 ~ 1899999)  
XR50R · CRF50F (AE03) XR70R · CRF70F (DE03)



Collaboration with **CARVEK** which offers "GUN-KOTE" the next-generation coating "KG GUN-KOTE Ver." is released with limited quantity!



**Serial number is stamped with laser machining!!**




**LIMITED  
No.01/20  
KITACO**

**MONKEY/GORILLA/MONKEY BAJA**

**LIMITED PAINTED MOTOR!**

**"KG GUN-KOTE"**

**KITACO×CARVEK COLLABORATE!**



**ULTRA CLUTCH KIT (type X)**

ALUMINUM DIE-CAST CLUTCH COVER with OIL ELEMENT built-in. High geared primary gear is just for high revolution and high output motor!!

**LIMITED  
20 SET**

**ULTRA CLUTCH KIT type X (GUN-COAT MODEL : EXECUTIVE GRAY)**

CODE	317-1123740
------	-------------

- For KITACO 5 SPEED CLOSE TRANSMISSION type 2 / 3
- \* KITACO L LEVER & HOLDER (sold separately) is required
- \* GEAR SPINDLE SET (sold separately) is required for auto clutch models.

APPLICATION

MONKEY · GORILLA (FNo.Z50J-1000001 ~ )  
(FNo.AB27-1000001 ~ 1899999)  
MONKEY BAJA (ALL)



Collaboration with **CARVEK** which offers "GUN-KOTE" the next-generation coating "KG GUN-KOTE Ver." is released with limited quantity!

**KG GUN-KOTE**

**What is KG GUN-KOTE?**

KG GUN-KOTE is NEXT-GENERATION COATING which has 9H class surface hardness, chemical resistant and heat release properties.

**CARVEK**  
Spirit of Innovation

## DIO 110

### A MUST for SCOOTER!!



VERY CONVENIENT SIDE STAND WHEN PARKING IN A SHORT TIME!

#### SIDE STAND

CODE	656-1010164
● STEEL / CHROME FINISH ● For DIO 110	
APPLICATION	DIO110 (JF31)

## ZOOMER (FI), TODAY (FI), GYRO CANOPY (4st), PCX etc.

### DRY TYPE AIR ELEMENT RELEASED!!



REPLACEMENT AIR ELEMENT FOR STOCK AIR CLEANER

#### AIR ELEMENT

ELEMENT No.	CODE
<b>A</b>	341-1135000
APPLICATION	SMART DIO-Z4 (AF63), ZOOMER (FI) (Fno.AF58-1700001 ~), CREA SCOOPI (FI) (Fno.AF55-1700001~)
○ GENUINE APPLICATION NUMBER : 17213-GEV-762	
<b>B</b>	341-1141000
APPLICATION	TODAY (FI) (AF67), DIO/-CHESTA (FI) (AF68), GIORNO (4スト / AF70)
○ GENUINE APPLICATION NUMBER : 17213-GFC-770	
<b>C</b>	341-1143000
APPLICATION	GYRO CANOPY (4st / TA03) GYRO X (4st / TD02)
○ GENUINE APPLICATION NUMBER : 17210-GFZ-000	
<b>D</b>	341-1426000
APPLICATION	PCX (JF28)
○ GENUINE APPLICATION NUMBER : 17210-KWN-900	
● DRY TYPE	

## CYGNUS-X (FI)

### COMFORTABLE & LUXURY!



A SET OF TANDEM BACK REST & BAR

#### TANDEM BACK REST & BAR KIT

CODE	652-0411010
● Grab Bar : 25.4 mm STAINLESS with BUFF FINISH	
● DIMPLE MESH adapted Pad : (H)90 x (L)310 x (W)100mm Pad Stay : STEEL with BLACK PAINTED FINISH	
● PAD POSITION movable	
APPLICATION	CYGNUS-X(FI / 28S)

## UNIVERSAL HANDLE BAR


### POPULAR HANDLE BAR COMING BACK!



JUST GOOD FOR CUSTOM USE!

#### NEW POWER TECH BAR (LOW TYPE)

CODE	619-0801200
● UNIVERSAL (22.2mm) ● ALUMINUM SILVER ALUMITE	
● BAR I.D. : 16mm ● SIZE : (L) 695 x (H) 55 x (W) 95mm	
※ Longer cable might be required, when stock cable is not long enough	



※ Measurement is just reference.

**MONKEY, GORILLA, APE etc.**

**STOCK STYLE!!  
BLACK HEAD LIGHT CASE RELEASED!!**



MULTI REFLECTOR HEADLIGHT  
which has light distribution  
property.  
STOCK STYLE BLACK BODY



HEADLIGHT CASE ONLY is  
also available!  
Best for other coating, too!

**MULTI REFLECTOR HEAD LIGHT ASSY**

CODE	800-1083300
------	-------------

- ABS RESIN ● STOCK SPEEDOMETER useable
- INDICATOR LAMP (NEUTRAL / HI BEAM) built-in
- PH-7 12V30/30W WHITE BLUE BULBS included
- HEAT-RESISTANT LENS

APPLICATION	
MONKEY · GORILLA	(Fno.Z50J-2000001 ~ / Fno.AB27-1000001 ~ 1899999)
MONKEY (FI)	(Fno.AB27-1900001 ~)
APE50	(Fno.AC16-1000001 ~ 1599999)
APE50 (FI)	(Fno.AC16-1600001 ~)
APE50-D (FI)	(AC18 ALL)
APE100 (HC07 ALL)	APE100-D (HC13 ALL)

**HEAD LIGHT CASE**

CODE	800-1083301
------	-------------

**4L MONKEY**

**TL SEAT STAY for 4-liter MONKEY!!**



BRACKET SET to fit TL SEAT type  
3 on 4L MONKEY



TL SEAT type 3  
(TUCKROLL / BLUE PIPING)


**TL SEAT STAY SET**

CODE	610-1013990
------	-------------

- STEEL / BLACK ● STOCK CARRIER useable


APPLICATION	MONKEY (Fno.Z50J-1000001 ~ 1195595)
-------------	-------------------------------------

\* TL SEAT (sold separately) is required

⚠ ATTENTION  
OLD TYPE TL SEAT without  mark under seat NOT useable

**MONKEY (FI)**

**TL SEAT STAY for FI MONKEY!!**



A SET of BRACKET & TAIL LAMP  
BRACKET to fit TL SEAT type 3 on  
FI MONKEY (to make low seat style)



TL SEAT type 3 (TUCKROLL / RED PIPING)


**TL SEAT STAY SET**

CODE	610-1137980
------	-------------

- Carrier less type ● STEEL / BLACK

APPLICATION	MONKEY (FI) (Fno.AB27-1900001 ~)
-------------	----------------------------------

- \* STOCK MUFFLER / UP TYPE MUFFLER / STOCK REAR CARRIER not useable
- \* TL SEAT (sold separately) / BATTERY MOUNT KIT are required
- \* STOCK TAIL LAMP useable
- \* Use STAY in the kit for REAR SIDE SEAT

⚠ ATTENTION  
OLD TYPE TL SEAT without  mark under seat NOT useable

**MONKEY (FI)**

**Relocating battery to right side!!**



A kit to relocate battery to right  
side



**BATTERY MOUNT KIT type 2**

CODE	617-1137200
------	-------------

- SIDE COVER : ABS RESIN / WHITE
- BATTERY CASE : STEEL / BLACK

APPLICATION	
MONKEY (FI)	(Fno.AB27-1900001 ~)
For KITACO TL SEAT type 3 (STD / MESH / TUCKROLL)	

- \* KITACO TL SEAT (sold separately) / TL SEAT STAY SET (sold separately) required
- \* STOCK MUFFLER & UP TYPE MUFFLER not useable
- \* SIDE COVER for both right and left design is different.

\* SIDE COVER in the picture is painted as sample.

**7 types of TL SEAT ON SALE!!!**

**TL SEAT TYPE**



PLAIN : 610-1013330 MESH : 610-1013340

**TUCKROLL SEAT TYPE**



BLACK : 610-1083400 RED : 610-1083410 BLUE : 610-1083430 WHITE : 610-1083440 SILVER : 610-1083450

**MONKEY • GORILLA • MONKEY BAJA**

**5 SPEED CLOSE MISSION ASSY & ULTRA DRIVE KIT for CD90 CRANKCASE USER!**





PHOTO : 305-1144400

**5 SPEED CLOSE MISSION for CD90 CRANKCASE**

**TRANSMISSION GEAR RATIO**



**5 SPEED CLOSS TRANSMISSION ASSY type 3/4**

CODE	TYPE
305-1144300	type3
305-1144400	type4

◆ **5 SPEED CLOSS MISSION ASSY type 3**

Starting and acceleration improve by making primary gear ratio lower than stock. Effective use of motor power band. Best for street use as well as mini bike course race.

◆ **5 SPEED CLOSS MISSION ASSY type 4**

High-ratio as well as closer ratio between gears, so as to take advantage of the torqueful power for tuned motor like DOHC and the motorcycle with 10 - 12 inch wheels

**[TRANSMISSION GEAR RATIO]**

	1st	2nd	3rd	4th	5th
STOCK (4SPEED)	3.273	1.938	1.350	1.043	—
type3 (5SPEED)	2.917	1.765	1.350	1.136	1.000
type4 (5SPEED)	2.615	1.611	1.350	1.238	1.136

● For STOCK CLUTCH, KITACO 2 DISC CLUTCH KIT (Discontinued) / 3 DISC DRIVE UNIT / ULTRA CLUTCH

● KICK STARTER GEAR included

**APPLICATION**

MOTORCYCLES with CD90 CRANKCASE (※ 1)  
MONKEY • GORILLA (12V)(Fno.Z50J-2000001~ / AB27-1000001~1899999)  
MONKEY BAJA (ALL)

※ 1 LEFT SIDE CRANKCASE : 11200-GB6-910 (C90) / 11200-198-710 (CD90)

RIGHT SIDE CRANKCASE : 11100-GB6-911

※ Not for CD90/C90 motors themselves

※ CD90 CRANKCASE (※ 1), HONDA BEARING, OIL SEAL, SHIFT STOPPER ARM, STOPPER ARM SPRING & TRANSMISSION CUT MODIFICATION are required.

※ GASKETS are required (sold separately), which differs from motor displacement.

※ We recommend running start with more than 2nd gear when starting high compressed motor such as more than 90 cc to prevent kick starter pinion and 1st gear from breaking.




PHOTO : 318-1144300

A reasonable kit of 5 SPEED CLOSE MISSION for CD90 CRANKCASE & ULTRA CLUTCH KIT type X. A DRIVE UNIT for high output motor performance.

**ULTRA DRIVE KIT typeX**

CODE	TYPE	COLOR
318-1144300	type 3	GOLD
318-1144330		SILVER
318-1144400	type 4	GOLD
318-1144430		SILVER

◆ **ULTRA CLUTCH KIT**

● HIGH QUALITY / HIGH OUTPUT ULTRA CLUTCH KIT developed for high revolution & high output motors.

● PRIMARY REDUCTION RATIO : 3.666 (STOCK : 4.312)

● CLUTCH COVER : HIGH QUALITY ALUMINUM DIE-CAST

● OIL LEVEL GAUGE (OIL LEVEL WINDOW) built-in

● For KITACO L LEVER & HOLDER SET

※ Clutch cable included in a kit is for KITACO L LEVER & HOLDER (sold separately). STOCK CLUTCH CABLE RECEIVER is required when using STOCK CLUTCH CABLE (307-1123007 sold separately)

**APPLICATION**

MOTORCYCLES with CD90 CRANKCASE (※ 1)  
MONKEY • GORILLA (12V)(Fno.Z50J-2000001~ / AB27-1000001~1899999)  
MONKEY BAJA (ALL)


※ 1 LEFT SIDE CRANKCASE : 11200-GB6-910 (C90) / 11200-198-710 (CD90)

RIGHT SIDE CRANKCASE : 11100-GB6-911

※ Not for CD90/C90 motors themselves

※ CD90 CRANKCASE (※ 1), HONDA BEARING, OIL SEAL, SHIFT STOPPER ARM, STOPPER ARM SPRING & TRANSMISSION CUT MODIFICATION are required.

**SILVER & GOLD RELEASED!!**



SILVER

GOLD