

ZOOMER

CARBURETOR

A: FNo, AF58-1000001~1699999

FUEL INJECTION

B: FNo, AF58-1700001~

BLUE MIRROR

● EURO SQUARE TYPE

AMERICAN GRIP

STAINLESS SLIM THROUGH BAR

HANDLE CLAMP SET

BUFFALO LIGHT ASSY

AERO DOWN FENDER
type 2

FUEL METER KIT

OVAL DOWN MUFFLER (JMCA)



POWER DRIVE KIT TYPE3

480-1126400

APPLICATION : A/B※1

※1 I-MAP is required when installing POWER DRIVE KIT for FI model.



HIGH GEAR KIT

305-1125210

APPLICATION : A/B※1

STOCK:3.500→HIGH:3.150

※1 I-MAP is required when installing HIGH GEAR KIT for FI model.



KEVLAR DRIVE BELT

465-1125300



SUPER WEIGHT ROLLER SET

4.5g	3pcs	462-1003045	6pcs	462-1006045
5.0g	3pcs	462-1003050	6pcs	462-1006050
5.5g	3pcs	462-1003055	6pcs	462-1006055
6.0g	3pcs	462-1003060	6pcs	462-1006060
6.5g	3pcs	462-1003065	6pcs	462-1006065
7.0g	3pcs	462-1003070	6pcs	462-1006070
7.5g	3pcs	462-1003075	6pcs	462-1006075
8.0g	3pcs	462-1003080	6pcs	462-1006080
8.5g	3pcs	462-1003085	6pcs	462-1006085
9.0g	3pcs	462-1003090	6pcs	462-1006090
9.5g	3pcs	462-1003095	6pcs	462-1006095
10.0g	3pcs	462-1003100	6pcs	462-1006100
11.0g	3pcs	462-1003110	6pcs	462-1006110
12.0g	3pcs	462-1003120	6pcs	462-1006120
13.0g	3pcs	462-1003130	6pcs	462-1006130

3pcs/set

6pcs/set

SIZE : ϕ 16.0 x 13.0



POWER TECH BAR MINI

619-0801300

UNIVERSAL / 22.2mm ALUMINUM
W: 670mm H: 190mm L: 75mm



MINI ROBOT HANDLE BAR

619-2000100

UNIVERSAL / 22.2mm STEEL
W: 560mm H: 100mm
CHROME FINISH



MINI ROBOT HANDLE BAR

619-2000110

UNIVERSAL / 22.2mm STEEL
W: 560mm H: 100mm
BLACK PAINT FINISH



HANDLE UPPER HOLDER

561-1135300

MACHINED ALUMINUM
SILVER ALUMITE FINISH
M6 CAP BOLT included
O.D. 40mm
Sold in pairs



HANDLE CLAMP SET

561-1125100

MACHINED ALUMINUM
METER STAY included



BLUE MIRROR

675-0301030

EURO SQUARE TYPE
Fits both left and right
Sold each



STAINLESS SLIM THROUGH BAR

619-0500770

UNIVERSAL / 22.2mm STAINLESS
W: 580mm H: 40mm L: 220mm



MINI ROBOT HANDLE BAR

619-2000200

UNIVERSAL / 22.2mm STEEL
W: 560mm H: 200mm
CHROME FINISH



UPHANDLE BAR TYPE-B

619-1083101

UNIVERSAL / 22.2mm STEEL
W: 640mm H: 210mm L: 125mm



HANDLE UPPER HOLDER

561-1135310

MACHINED ALUMINUM
BLACK ALUMITE FINISH
M6 CAP BOLT included
O.D. 40mm
Sold in pairs



SUPER THROTTLE SET

903-1072000

STH-4
For STOCK HOLDER
Reduces throttle action by 30%



UNIVERSAL MIRROR HOLDER

562-0501000

For 22.2mm HANDLE BAR
MACHINED ALUMINUM
Screw O.D.: 10mm



ELECTRIC SPEEDOMETER

752-1125100

APPLICATION : A

O.D. : 60mm
STEPPING MOTOR adapted
Displays 160 km/h
LED METER LIGHT built-in
EXCLUSIVE BRACKET included



FUEL METER KIT

752-1135200

APPLICATION : B

O.D. : 55mm
LIGHT BULB built-in
FLOAT SENSOR included



LCD DIGITAL FUEL METER KIT

752-1125300

APPLICATION : A

METER SIZE: (W)63 x (H)14 x (D)32mm
LED BACK LIGHT built-in
Body : DRIP-PROOF
FLOAT SENSOR included



LCD DIGITAL THERMOMETER TYPE3

752-6000100

APPLICATION : A/B

METER SIZE: (W)63 x (H)14 x (D)32mm
Temperature range : -20 ~ 200°C
PEAKHOLD FUNCTION built-in
Body : DRIP-PROOF



CONVERSION ADAPTER type J

752-0710907

APPLICATION : A/B

Required when changing mechanical speedometer to electric speedometer
LENGTH : 100 cm



ELECTRIC SPEEDOMETER

752-1135100

APPLICATION : B

O.D. : 60mm
STEPPING MOTOR adapted
Displays 160 km/h
LED METER LIGHT built-in
EXCLUSIVE BRACKET included



FUEL METER KIT

752-1125200

APPLICATION : A

O.D. : 55mm
LIGHT BULB built-in
FLOAT SENSOR included



LCD DIGITAL FUEL METER KIT

752-1135300

APPLICATION : B

METER SIZE: (W)63 x (H)14 x (D)32mm
LED BACK LIGHT built-in
Body : DRIP-PROOF
FLOAT SENSOR included



DIGITAL SPEEDOMETER

752-1123770

APPLICATION : A

LCD (BLUE)
Displays 199 km/h
ODOMETER FUNCTION built-in



METER CLAMP SET

672-1126900

APPLICATION : A/B

For 22.2mm HANDLE BAR



AIR ELEMENT

341-1125000

APPLICATION : A

DRY TYPE
HONDA APPLICATION NUMBER :
17213-GET-000



AIR ELEMENT

341-1135000

APPLICATION : B

DRY TYPE
HONDA APPLICATION NUMBER :
17213-GEV-762





I-MAP FUEL INJECTION CONTROLLER

763-1135000

APPLICATION : B

Adjusts fuel / air ratio, using transfer switch and PC INTERFACE CABLE
Map for KITACO POWER DRIVE KIT and KITACO MUFFLER is preinstalled

※PC INTERFACE CABLE (763-0500900) is required when making original map.

※Software can be downloaded from Kitaco website.



HYBRID CDI UNIT

767-1125700

APPLICATION : A

Transfers the stock CDI to Kitaco CDI at 8,000 rpm where stock rev limiter starts to work, to allow rev higher to take advantage of the performance pulley and high gear set to deliver a higher top speed

PC INTERFACE CABLE

763-0500900

I-MAP OPTION PARTS



SUPER POWER AIR CLEANER KIT

515-1135700

APPLICATION : B


Gets more efficient air intake.

— SUPER POWER AIR CLEANER KIT

— STOCK AIR CLEANER

※No setting required when attaching stock model

※I-Map is recommended when installing after-market muffler.



RADIATOR GRILLE

660-1125700

APPLICATION : A/B

ALUMINUM

BLACK ALUMITE FINISH



RADIATOR GRILLE

660-1125710

APPLICATION : A/B

ALUMINUM

SILVER ALUMITE FINISH



RADIATOR SCREEN

660-1125100

APPLICATION : A/B

STAINLESS

TAPPING SCREWS included



SUPER INTAKE CHAMBER

RED : 511-0010200

BLUE : 511-0010300

BLACK : 511-0010400

GOLD : 511-0010500

APPLICATION : A/B

Bottle : ALUMINUM ALUMITE FINISH

Measurement : O.D. 50 x 100 mm

Capacity : 140 cc



DELTA CONE MUFFLER

545-1125700

APPLICATION : B


Sound : 79dB

STAINLESS

MUFFLER GASKET & FENDER STAY included

— DELTA CONE MUFFLER

— STOCK MUFFLER



MEGAPHONE MUFFLER

543-1126800

APPLICATION : A

Sound : 84dB

STEEL CHROME PLATED

MUFFLER GASKET & FENDER STAY included



OVAL DOWN MUFFLER

542-1124900

APPLICATION : A

Sound : 79dB

STAINLESS

MUFFLER GASKET & FENDER STAY included



CRANKCASE COVER GARNISH

335-1135100

APPLICATION : A/B

ABS RESIN

CHROME PLATED

BOTH-SIDED TAPE attaching type



MUD GUARD PLATE

682-1135810

APPLICATION : A/B

ALUMINUM

SILVER ALUMITE FINISH



SUB FRAME

518-1135800

APPLICATION : A※/B

STEEL/25.4mm PIPE

BLACK PAINTED

※ALUMINUM SPACER COLLAR (sold separately)
is required when installing carburetor model



STEP KIT

516-1135800

APPLICATION : A/B

MACHINED ALUMINUM

SUB FRAME OPTION PARTS

STEP O.D. : 40mm

STEP LENGTH : 88 mm



SEAT UNDER BOX

631-1125010

APPLICATION : A/B

FRP GELCOAT WHITE FINISH

For STOCK SEAT FRAME

※The box in the picture is colored as sample



AIR CLEANER COVER GARNISH

590-1135100

APPLICATION : B

ABS RESIN

CHROME PLATED

BOTH-SIDED TAPE attaching type



MUD GUARD PLATE

682-1135800

APPLICATION : A/B

ALUMINUM

BLACK ALUMITE FINISH



SUB FRAME

518-1135820

APPLICATION : A /B

STEEL/25.4mm PIPE

CHROME PAINTED

※ALUMINUM SPACER COLLAR (sold separately)
is required when installing carburetor model



FUEL PUMP COVER

517-1135950

APPLICATION : B

MACHINED ALUMINUM

SILVER ALUMITE FINISH



AIR CLEANER COVER GARNISH
CRANKCASE COVER GARNISH



STEP KIT
SUB FRAME (BLACK)



SUB FRAME (CHROME)



FUEL PUMP COVER



KITACO SHOCK ABSORBERS

520-2102500

APPLICATION : A/B

Body : BLACK

Spring : METALLIC BLUE

Length : 280 mm

Preload : CAM TYPE 5 STEP



AERO DOWN FENDER type2

680-1122260

APPLICATION : A/B

Fender : CARBON

Stay : CARBON

TIE-WRAP ATTACHING TYPE



ALUMINUM KICK PEDAL

B L U E : 307-0069900

R E D : 307-0069910

SILVER : 307-0069920

CHROME : 307-0069930

APPLICATION : A/B

ALUMINUM with ALUMITE FINISH



SAKANA KICK PEDAL

R E D : 307-1124970

BLUE : 307-1124980

SILVER : 307-1124990

APPLICATION : A/B

ALUMINUM with ALUMITE FINISH

RETRACTABLE



SIDE STAND

656-1010156

APPLICATION : A/B

STEEL

BLACK PAINTED



KNUCKLE COVER

WHITE : 562-0900000

BLACK : 562-0900010

R E D : 562-0900020

B L U E : 562-0900030

YELLOW : 562-0900040

ORANGE : 562-0900050

GREEN : 562-0900060

POLYPROPYLENE

For 22.2mm HANDLE BAR

Sold in pairs



AERO DOWN FENDER type2

680-1122210

APPLICATION : A/B

Fender : FRP GELCOAT WHITE FINISH

Stay : CARBON

TIE-WRAP ATTACHING TYPE



FRONT FENDER

680-1125900

APPLICATION : A/B

ABS CHROME FINISH



FUTURE ALUMINUM KICK PEDAL

R E D : 307-1125700

BLUE : 307-1125710

BLACK : 307-1125740

APPLICATION : A/B

ALUMINUM

RETRACTABLE TYPE




SIDE STAND

676-1125200

APPLICATION : A/B

STEEL

CHROME PLATED



RIM LINE SEAT

R E D : 000-0900200

WHITE : 000-0900210

TRANSFER TYPE

For 10 / 8 inch wheel

RIM LINE MEASUREMENT : 263 mm

RIM LINE WIDTH : 3 mm

CHARACTER SIZE : 10 mm





HEAD LIGHT KIT

800-1125700

MULTI REFLECTOR HEAD LIGHT TYPE
CHROME FINISH
H4 12V35/35W bulb included



FLASH LAMP LENS SET

807-1081000

APPLICATION : A/B

CLEAR LENS TYPE
12V-10W
Sold in pairs



TAIL LENS SET

809-1083000

APPLICATION : A/B

CLEAR LENS TYPE
12V-10/5W



TAIL LAMP KIT

801-1125100

LUCAS MINI TYPE
12V-10/5W



MARKER LAMP SET

802-0900110

ABS resin / Chrome plated
CLEAR LENS TYPE
12V-5W



MARKER LAMP SET

802-0900100

ABS resin / Chrome plated
AMBER LENS TYPE
12V-5W



HEAD LIGHT BRACKET

539-1135310

APPLICATION : A/B

STEEL with SILVER PAINTED
PIPE O.D. 16 mm



FLASH LAMP BRACKET

512-1135000

for HEADLIGHT BRACKET

STEEL with ZINK BLACK CHROME FINISH



FLASH LAMP LENS SET

807-1081100

APPLICATION : A/B

CLEAR LENS TYPE
TITANIUM COATING
12V-10W
Sold in pairs



TAIL LAMP SET

809-1125010

APPLICATION : A/B

CLEAR LENS TYPE
12V-10/5W



TAIL LAMP BRACKET

801-1122010

APPLICATION : A/B



ALUMINUM with BLACK ALUMITE FINISH
Tail lamp attaching
length : 77 mm



HEAD LIGHT BRACKET

FLASH LAMP

FLASH LAMP BRACKET



(SIZE:mm)